#### (August 23, 2002 Draft)

# **California Regional Water Quality Control Board**

#### Santa Ana Region

3737 Main Street, Suite 500

Riverside, CA 92501-3348

#### **FACT SHEET**

ITEM: 15 September 6, 2002 (Board Meeting Date)

SUBJECT: Waste Discharge Requirements for the Riverside County Flood Control and

Water Conservation District, the County of Riverside, and the Incorporated cities of Riverside County within the Santa Ana Region, Storm Water Runoff Management Program, Order No. R8-2002-0011 (NPDES No. CAS 618033)

#### I. INTRODUCTION

#### A. PROJECT

The attached pages contain information concerning an application for renewal of waste discharge requirements and a National Pollutant Discharge Elimination System (NPDES) permit, Order No. R8-2002-0011, NPDES No. CAS 618033, which prescribes waste discharge requirements for urban runoff from the cities and the unincorporated areas in Riverside County within the jurisdiction of the Santa Ana Regional Water Quality Control Board (Regional Board). Specifically, Order No. R8-2002-0011 regulates discharges of Urban Runoff from the "Permit Area" as shown in Appendix 1.

Urban Runoff includes those discharges from residential, commercial, industrial, and construction areas within the Permit Area and excludes discharges from feedlots, dairies, farms, and open space. Urban Runoff discharges consist of storm water and non-storm water surface runoff from drainage sub-areas with various, often mixed, land uses within all the hydrologic drainage areas that discharge into the Waters of the U.S. If appropriate pollution control measures are not implemented, Urban Runoff may contain pathogens (bacteria, protozoa, viruses), sediment, trash, fertilizers (nutrients, mostly nitrogen and phosphorus compounds), oxygen-demanding substances (decaying matter), pesticides (DDT, Chlordane, Diazinon, Chlorpyrifos), heavy metals (cadmium, chromium, copper, lead, zinc), and petroleum products (oil & grease, PAHs, petroleum hydrocarbons). If not properly managed and controlled, urbanization can change the stream hydrology and increase pollutant loading to receiving waters. As a watershed undergoes urbanization, pervious surface area decreases, runoff volume and velocity increases, riparian habitats and wetland habitats decrease, the frequency and severity of flooding increase, and pollutant loading increases. Most of these impacts occur due to human activities that occur during and/or after urbanization. The pollutants and hydrologic changes can cause declines in aquatic resources, cause toxicity to marine organisms, and impact human health and the environment.

However, properly planned high-density development, with sufficient open space, can reduce urban sprawl and problems associated with sprawl. Urban in-fill developments can be an element of smart growth, creating the opportunity to maintain relatively natural open space elsewhere in the area.

On August 30, 2000, the Riverside County Flood Control and Water Conservation District (hereinafter referred to as "RCFC&WCD" or "Principal Permittee" as context indicates), in cooperation with the County of Riverside, (the "County") and the incorporated cities of Beaumont, Calimesa, Canyon Lake, Corona, Hemet, Lake Elsinore, Moreno Valley, Murrieta, Norco, Perris, Riverside, and San Jacinto (hereinafter with the County, collectively referred to as the "Co-Permittees" and collectively with the Principal Permitee, the "Permittees"), jointly submitted a National Pollutant Discharge Elimination System (NPDES) Application No. CAS 618033, a Report of Waste Discharge (the "ROWD"), to renew the municipal separate storm sewer system ("MS4") NPDES permit for the Santa Ana River Watershed (the "Region") within Riverside County (the "Order") NPDES permit dealing with urban storm water runoff (hereinafter "Urban Runoff") in the "Permit Area" as shown in Appendix 1.

#### B. PROJECT AREA

Less than one fifth (1/5) of the entire acreage within Riverside County drains into water bodies within the Permit Area. This area is delineated by the San Bernardino-Riverside County boundary line on the north and northwest, the Orange Riverside County boundary line on the west, the Santa Ana-San Diego Regional Board boundary line on the south, and the Santa Ana Colorado River Basin Regional Board boundary line on the east. Sixty-seven percent of Riverside County's population resides within the Regional Board's jurisdiction. The San Diego and the Colorado River Basin Regional Water Quality Control Boards regulate Urban Runoff from those portions of Riverside County outside of the Permit Area shown in Appendix 1.

#### C. CLEAN WATER ACT REQUIREMENTS

The federal Clean Water Act (the "CWA") established a national policy designed to help maintain and restore the physical, chemical and biological integrity of the nation's waters. In 1972, the CWA established the NPDES permit program to regulate the discharge of pollutants from point sources to waters of the nation (the "Waters of the U. S."). From 1972 to 1987, the main focus of the NPDES program was to regulate conventional pollutant sources such as sewage treatment plants and industrial facilities. As a result, on a nationwide basis, non-point sources, including agricultural runoff and Urban Runoff, now contribute a larger portion of many kinds of pollutants than the more thoroughly regulated sewage treatment plants and industrial facilities.

The National Urban Runoff Program (NURP) final report to the Congress (USEPA, 1983) concluded that the goals of the CWA could not be achieved without addressing urban runoff discharges. The 1987 CWA amendments established a framework for regulating urban runoff. Pursuant to these amendments, the Santa Ana Regional Board began regulating municipal storm water runoff in 1990.

# II. REGULATORY BACKGROUND AND CLEAN WATER REQUIREMENTS

Recent studies <sup>1</sup> conducted in the Southern California area have established storm water runoff from urban areas as significant sources of pollutants in surface waters in Southern California. The Santa Ana River is impacted by agricultural and urban runoff as it flows through the San Bernardino County and Riverside County areas prior to flowing through Orange County and into the Pacific Ocean. If not properly controlled, urban runoff could be a significant source of pollutants in the waters of the U. S. Table 1 includes a list of pollutants, their sources, and some of the adverse environmental consequences mostly resulting from urbanization.

The CWA prohibits the discharge of any pollutant to navigable waters from a point source unless an NPDES permit authorizes the discharge. Efforts to improve water quality under the NPDES program traditionally and primarily focused on reducing pollutants in discharges of industrial process wastewater and municipal sewage. The 1987 amendments to the CWA required municipal separate storm sewer systems (MS4s) and industrial facilities, including construction sites, to obtain NPDES permits for storm water runoff from their facilities. On November 16, 1990, the USEPA promulgated the final Phase I storm water regulations. The storm water regulations are contained in 40 CFR Parts 122, 123 and 124.

On July 13, 1990, the Santa Ana Regional Board issued Order No. 90-104 to the permittees (first term permit). In 1996, the Santa Ana Regional Board adopted Order No. 96-30 (second term permit).

On February 16, 1999, the City of Murrieta annexed 1,124 acres, increasing the land area of the City to 18,273 acres. Of the acreage annexed, approximately 375 acres (or 2% of the City's land area) was in the unincorporated area of Riverside County within the Santa Ana River Watershed. This acreage is largely vacant with only three acres being used for commercial purposes and three single-family residences constructed. The Regional Board's construction database shows that approximately 247 acres out of 375 acres are proposed for development based on Notice of Intent (NOI) submittals. The City of Murrieta has expressed its intent to be a Co-Permittee in this Order and for the purposes of this Order shall be considered as such.

On August 30, 2000, the RCFC&WCD, the County of Riverside, the Cities of Beaumont, Calimesa, Canyon Lake, Corona, Hemet, Lake Elsinore, Murrieta, Moreno Valley, Norco, Perris, Riverside, and San Jacinto (hereinafter collectively referred to as the permittees or Dischargers), submitted NPDES Application No. CAS 618033 for an area-wide stormwater discharge NPDES permit. The permit application was submitted in accordance with the previous NPDES permit (Order No. 96-30, NPDES No. CA 618033) which expired on March 1, 2001. Additionally, the permit application follows guidance provided by staff of the State Board and the Regional Boards. Subsequently, the City of Murrieta expressed its intent to be a permittee in this area-wide NPDES permit for the portion of the unincorporated area of Riverside County within the Santa Ana Watershed that it annexed in 1999.

<sup>1</sup> Bay, S., Jones, B. H. and Schiff, K, 1999, Study of the Impact of Stormwater Discharge on Santa Monica Bay. Sea Grant Program, University of Southern California; and Haile, R.W., et. al., 1996, An Epidemiological Study of Possible Adverse Health Effects of Swimming in Santa Monica Bay. Southern California Coastal Water Research Project (1992), Surface Runoff to the Southern California Bight.

In 2001, to more effectively carry out the requirements of this Order, the Permittees have agreed that the RCFC&WCD will continue as the Principal Permittee and the County and the incorporated cities will continue as the Co-Permittees. On January 19, 2001, this Santa Ana Regional Board adopted Order No. 01-34, NPDES No. CAG 618005 Watershed-wide Waste Discharge Requirements for Discharges of Storm Water Runoff Associated with New Developments in the San Jacinto Watershed. On March 2, 2001, Order No. 96-30, NPDES No. CAS618033, was administratively extended in accordance with Title 23, Division 3, Chapter 9, §2235.4 of the California Code of Regulations.

**Intentionally** Blank

Table 1<sup>2</sup>.

Pollutants/Impacts of Urbanization
On Waters of the U.S.

	Effects and Trends						
Pollutants	Sources	Effects and Treffus					
Toxins (e.g., biocides, PCBs, trace metals, heavy metals)	Industrial and municipal wastewater; runoff from farms, forests, urban areas, and landfills; erosion of contaminated soils and sediments; vessels; atmospheric deposition	Poison and cause disease and reproductive failure; fat- soluble toxins may bioconcentrate, particularly in birds and mammals, and pose human health risks. Inputs into U.S. waters have declined, but remaining inputs and contaminated sediments in urban and industrial areas pose threats to living resources.					
Pesticides (e.g., DDT, diazinon, chlorpyrifos)	Urban runoff, agricultural runoff, commercial, industrial, residential and farm use	The use of legacy pesticides (DDT, chlordane, dieldrin,) has been banned or restricted; still persists in the environment; some of the other pesticide uses are curtailed or restricted.					
Biostimulants (organic wastes, plant nutrients)	Sewage and industrial wastes; runoff from farms and urban areas; nitrogen from combustion of fossil fuels	Organic wastes overload bottom habitats and deplete oxygen; nutrient inputs stimulate algal blooms (some harmful), which reduce water clarity, and alter food chains supporting fisheries. While organic waste loading has decreased, nutrient loading has increased (NRC, 1993a, 2000a).					
Petroleum products (oil, grease, petroleum hydrocarbons, PAHs)	Urban runoff and atmospheric deposition from land activities; accidental spills; oil & gas production activities; natural seepage; and PAHs from internal combustion engines	Petroleum hydrocarbons can affect bottom organisms and larvae; spills affect birds, mammals and aquatic life. While oil pollution from accidental spills, and production activities has decreased, diffuse inputs from land-based activities have not (NRC, 1985).					
Radioactive isotopes	Atmospheric fallout, industrial and military activities	Bioaccumulation may pose human health risks where contamination is heavy.					
Sediments	Erosion from farming, construction activities, forestry, mining, development; river diversions; coastal dredging and mining	Reduce water clarity and change bottom habitats; carry toxins and nutrients; clog fish gills and interfere with respiration in aquatic fauna. Sediment delivery by many rivers has decreased, but sedimentation poses problems in some areas.					
Plastics and other debris	Boats, fishing nets, containers, trash, urban runoff	Entangles aquatic life or is ingested; degrades, lake shores and wetland habitats. Floatables (from trash) are an aesthetic nuisance and can be a substrate for algae and insect vectors.					
Thermal	Cooling water from power plants and industry, urban run off from impervious surfaces	Kills some temperature-sensitive species; and displaces others.					
Pathogens (bacteria, protozoa, viruses)	Sewage, urban runoff, livestock, wildlife, and discharges from boats.	Pose health risks to swimmers and consumers of aquatic life. Sanitation has improved, but standards have been raised (NRC 1999a).					
Alien species	Fishery stocking, aquarists	Displace native species, introduce new diseases; growing worldwide problem (NRC 1996).					

<sup>&</sup>lt;sup>2</sup> Adapted from "Marine Pollution in the United States" prepared for the Pew Oceans Commission, 2001.

The area-wide NPDES permit for Riverside County areas within the Santa Ana Regional Board's jurisdiction is being considered for renewal in accordance with Section 402 (p) of the CWA and all requirements applicable to an NPDES permit issued under the issuing authority's discretionary authority. The requirements included in this order are consistent with the CWA, the federal regulations governing urban storm water discharges, the Water Quality Control Plan for the Santa Ana River Basin (Basin Plan), the California Water Code, and the State Board's Plans and Policies.

The Basin Plan is the basis for the Regional Board's regulatory programs. The Plan was developed and is periodically reviewed and updated in accordance with relevant federal and state law and regulation, including the CWA and the California Water Code. As required, the Basin Plan designates the beneficial uses of the waters of the Region and specifies water quality objectives intended to protect those uses. (Beneficial uses and water quality objectives, together with an antidegradation policy, comprise federal "water quality standards"). The Basin Plan also specifies an implementation plan, which includes certain discharge prohibitions. In general, the Basin Plan makes no distinctions between wet and dry weather conditions in designating beneficial uses and setting water quality objectives, i.e., the beneficial uses, and correspondingly, the water quality objectives are assumed to apply year-round. (Note: In some cases, beneficial uses for certain surface waters are designated as "I", or intermittent, in recognition of the fact that surface flows (and beneficial uses) may be present only during wet weather.) Most beneficial uses and water quality objectives were established in the 1971, 1975 and 1983 Basin Plans.

Water Code Section 13241 requires that certain factors be considered, at a minimum, when water quality objectives are established. These include economics and the need for developing housing in the Region. (The latter factor was added to the Water Code in 1987). During this permit development process, the permittees raised an issue regarding compliance with Section 13241 of the California Water Code with respect to water quality objectives for wet weather conditions, specifically the cost of achieving compliance during wet weather conditions and the need for developing housing within the Region and its impact on urban runoff. During the next review of the Basin Plan, staff will recommend that this matter be incorporated on the triennial review list. In the meantime, the provisions of this order will result in reasonable further progress towards the attainment of the existing water quality objectives, in accordance with the discretion in the permitting authority recognized by the United States Court of Appeals for the Ninth Circuit in Defenders of Wildlife vs. Browner, 191 F.3d 1159, 1164 (9th Cir. 1999).

#### III. EXCLUSIONS TO THE PERMITTED AREA

Areas of the County not addressed or which are excluded by the storm water regulations and areas not under the jurisdiction of the permittees are excluded from the area requested for coverage under this permit application. These include the following areas and activities:

- Federal lands and state properties, including, but not limited to, military bases, national forests, hospitals, colleges and universities, and highways;
- Native American tribal lands;

- Open space and rural (non-urbanized) areas;
- Agricultural lands; and
- Utilities and special districts.

These areas in Riverside County, within the jurisdiction of the Santa Ana Regional Board, for which coverage under a municipal stormwater NPDES permit is excluded, are shown in Appendix I (Western Riverside County NPDES Permit Area).

# IV. BENEFICIAL USES

Stormwater flows which are discharged to MS4s in Riverside County are tributary to various water bodies (inland surface streams, lakes and reservoirs) of the state. The beneficial uses of these water bodies include municipal and domestic supply, agricultural supply, industrial service and process supply, groundwater recharge, water contact recreation, non-contact water recreation, and sportfishing, warm freshwater habitat, cold freshwater habitat, preservation of biological habitats of special significance, wildlife habitat and preservation of rare, threatened or endangered species. The ultimate goal of this Urban Runoff is to protect the beneficial uses and quality of the Receiving Waters.

To protect the beneficial uses of waters of the State, the pollutants from all sources, including urban runoff, need to be controlled. Recognizing this, and the fact that urban stormwater discharges contain pollutants, an area-wide municipal separate storm sewer system (MS4) permit is the most effective way to develop and implement a comprehensive urban stormwater management program in a timely manner. This area-wide MS4 permit contains requirements with time schedules that will allow the Permittees to continue to address water quality problems caused by urban stormwater runoff through their management programs to reduce pollutants in storm water discharges to the maximum extent practicable (MEP)[See Appendix 4, Glossary].

#### V. WATERSHED MANAGEMENT IN THE UPPER SANTA ANA RIVER BASIN

#### A. Management Approach

To regulate and control urban discharges from the Riverside County area to the MS4s, an area-wide approach is essential and a holistic approach is needed to efficiently manage the water resources of the Region. The entire storm drain system is not controlled by a single entity; the RCFC&WCD, the County of Riverside, several cities, the State Department of Transportation (Caltrans), and the U.S. Army Corps of Engineers, in addition to other smaller entities, manage the systems. In addition to the cities, the County of Riverside and the RCFC&WCD, there are a number of other significant contributors of urban runoff to these storm drain systems. These include: large institutions such as the State university system, prisons, schools, hospitals, etc.; federal facilities such as military sites, etc.; State agencies, such as Caltrans; water and wastewater management agencies such as Eastern and Western Municipal Water District; the National Forest Service and State parks. The State Board has issued a separate NPDES permit to Caltrans. In addition, Caltrans, and the other contributors

identified, are not under the jurisdiction of the Permittees. The management and control of the entire MS4 cannot be effectively carried out without the cooperation and efforts of all these entities. Also, it would not be meaningful to issue a separate MS4 permit to each of the entities within the permitted area whose land/facilities drain into the storm drain systems operated by the Permittees. The Regional Board has concluded that the best management option for the Riverside County area is to issue an area-wide storm water permit to the RCFC&WCD, County of Riverside, and the cities in Riverside County within the Santa Ana River Watershed.

Although, the stormwater flows from areas under this order drain into Orange County, urban runoff from Orange County areas are regulated under NPDES No. CAS 618030. Some areas within Riverside County are within the Colorado River Basin and San Diego Regional Boards' jurisdictions. Permit requirements for storm water runoff from the drainage areas of Riverside County within the jurisdiction of the San Diego and Colorado River Basin Regional Boards are addressed by those Regional Boards.

In developing storm water management and monitoring programs, consultation/coordination with other drainage management entities and other Regional Boards is essential. Common programs, reports, implementation schedules and efforts are desirable and will be utilized to the MEP.

Cooperation and coordination among all the stakeholders are essential for efficient and economical management of the watershed. It is also critical to manage non-point sources at a level consistent with the management of urban runoff in a watershed in order to successfully prevent or remedy water quality impairment. Regional Board staff will facilitate coordination of monitoring and management programs among the various stakeholders.

An integrated watershed management approach is consistent with the Strategic Plan and Initiatives for the State and Regional Boards. A watershed wide approach is also necessary for implementation of the load and waste load allocations to be developed under the TMDL process. The MS4 Permittees and all the affected entities are encouraged to participate in regional or watershed solutions, instead of project-specific and fragmented solutions.

The pollutants in urban runoff originate from a multitude of sources and effective control of these pollutants requires a cooperative effort of all the stakeholders and many regulatory agencies. Every stage of urbanization should be considered in developing appropriate urban runoff pollution control methodologies. The program's success depends upon consideration of pollution control techniques during planning, construction and post-construction operations. At each stage, appropriate pollution prevention measures, source control measures, and, if necessary, treatment techniques should be considered.

#### B. SUB-WATERSHEDS AND MAJOR CHALLENGES

The Santa Ana River Watershed is the major watershed within this Region. This watershed is divided into three sub-watersheds: the Lower Santa Ana, Upper Santa Ana, and San Jacinto.

The lower Santa Ana River sub-watershed (downstream from Prado Basin) includes the north half of Orange County. The Upper Santa Ana River sub-watershed includes the southwestern corner of San Bernardino County and the northwestern corner of Riverside County. The San Jacinto sub-watershed includes the northwest corner of Riverside County south of the Upper Santa Ana River sub-watershed within this Region.

Generally, the San Bernardino County drainage areas drain to the Riverside County drainage areas, and Riverside County drainage areas discharge to Orange County through Prado Dam on the Santa Ana River. Most of the flow in the Santa Ana River is recharged into the ground water in Orange County but infrequently some of the flow may be discharged to the Pacific Ocean as a result of heavy storm events.

Water from rainfall and snow melt runoff, and surfacing ground water from various land use areas either discharge directly to the Santa Ana River or to watercourses tributary to the Santa Ana River. Other major rivers in the area include the San Jacinto River and Temescal Creek. The San Jacinto Mountain areas drain into the San Jacinto River, which discharges into Canyon Lake and then to Lake Elsinore. Any overflow from Lake Elsinore is tributary to Temescal Creek, which flows into the Santa Ana River at the Prado Flood Control Basin. Overflow from Lake Elsinore occurs infrequently, only once every 12 to 15 years.

#### 2. Upper Santa Ana River Sub-watershed:

- a. Reach 3 of the Santa Ana River (Prado Dam to Mission Boulevard in Riverside): The pollutants of concern for Reach 3 are nutrients, pathogens, salinity, total dissolved solids and chlorides. Reach 3 of the Santa Ana River has been posted by Riverside County, as it consists largely of POTW effluent, indicating that it is not suitable for body contact recreation due to microbial contamination. On March 23, 2000, the Executive Officer issued a request under Section 13267 of the CWC to the County and the cities that discharge urban runoff into this segment of the River to start an investigation of the microbial contamination of the River. The other problems associated with this segment of the River are addressed through the Regional Board's dairy program and TDS/nitrogen control programs.
- b. Reach 4 of the Santa Ana River: Reach 4 of the Santa Ana River is the portion of the River from Mission Boulevard bridge in Riverside to the San Jacinto fault (Bunker Hill Dike) in San Bernardino. Reach 4 is also listed in the CWA Section 303 (d) as an impaired water body. Most of Reach 4 of the River is under the San Bernardino County area. The pollutants of concern for Reach 4 are pathogens.

c. San Jacinto Sub-watershed: Canyon Lake and Lake Elsinore are in this watershed and are listed on the 303(d) list for nutrients/pathogens (Canyon Lake) and nutrients, sediment, and unknown toxicity (Lake Elsinore). TMDLs are being developed for these impaired waterbodies. In the interim, the Regional Board adopted a separate watershed-wide construction activity storm water permit to regulate construction activities in this area. This permit may be reopened to include TMDL requirements.

#### C. CWA SECTION 303(d) LIST AND TMDLS:

Pursuant to Section 303(b) of the CWA, the 1998 water quality assessment conducted by the Regional Board listed a number of water bodies within the Region under Section 303(d) of the CWA as impaired water bodies. These are water bodies where the designated beneficial uses are not met and the water quality objectives are being violated. The sources of the impairments include POTW discharges, and runoff from agricultural, open space and urban land uses. The impaired water bodies in Riverside County within the Santa Ana Regional Board's jurisdiction are listed in Table 2.

Federal regulations require that a total maximum daily load (TMDL) be established for each 303(d) listed waterbody for each of the pollutants causing impairment. The TMDL is the total amount of the problem pollutant that can be discharged while water quality standards in the receiving water are attained, i.e., water quality objectives are met and the beneficial uses are protected. It is the sum of the individual wasteload allocations (WLA) for point source inputs, load allocations (LA) for non-point source inputs and natural background, with a margin of safety. The TMDLs are the basis for limitations established in waste discharge requirements. TMDLs are being developed for all pollutants identified in Table 2. The Permittees shall revise their DAMP, at the direction of the Regional Board Executive Officer, to incorporate program implementation amendments so as to comply with regional, watershed specific requirements, and/or waste load allocations developed and approved pursuant to the process for the designation and implementation of Total Maximum Daily Loads (TMDLs) for impaired water bodies.

Table 2

CWA Section 303(d) Listed Waterbodies, 1998 List

WATER BODY	HYDRO UNIT	POLLUTANT/ STRESSOR	SOURCE	PRIORITY	SIZE AFFECTED
Canyon Lake	802.120	Nutrients Pathogens	Nonpoint Source  Nonpoint Source	Medium Medium	600 Acres 600 Acres
		i atriogens	Nonpoint Source	Mediam	000 ACIES
Lake Elsinore	802.310	Nutrients	Unknown Nonpoint Source	Medium	3300 Acres
		Org. enrichment /low D.O.	Unknown Nonpoint Source	Medium	3300 Acres
		Sediment / Siltation	Urban Runoff and Storm Drains	Medium	3300 Acres
		Unknown Toxicity	Unknown Nonpoint Source	Medium	3300 Acres
Lake Fulmor	802.210	Pathogens	Unknown Nonpoint Source	Low	9 Acres
Santa Ana River, Reach 3	801.200	Nutrients	Dairies	Medium	3 Miles
		Pathogens	Dairies	Medium	3 Miles
		Salinity/TDS/Chlorides	Dairies	Medium	3 Miles
Santa Ana River, Reach 4	801.120	Pathogens	Nonpoint Source	Low	12 Miles

# VI. <u>FIRST AND SECOND TERM PERMITS: STORM WATER POLLUTION CONTROL</u> PROGRAMS AND POLICIES

Prior to EPA's promulgation of the final regulations implementing the storm water requirements of the 1987 CWA amendments, the counties of Orange, Riverside and San Bernardino requested an area-wide NPDES permits for storm water runoff. On July 13, 1990, the Regional Board issued Order No. 90-104 to the permittees (first term permit). In 1996, the Regional Board adopted Order No. 96-30 (second term permit). First and second term permits included the following requirements:

- 1. Prohibited non-storm water discharges to the MS4s with certain exceptions.
- 2. Required the municipalities to develop and implement a drainage area management plan (DAMP) to reduce pollutants in urban runoff to the maximum extent practicable (MEP).
- 3. Required the discharges from the MS4s to meet water quality standards in receiving waters.
- 4. Required the municipalities to identify and eliminate illicit connections and illegal discharges to the MS4s.
- 5. Required the municipalities to establish legal authority to enforce storm water regulations.
- 6. Required monitoring of dry weather flows, storm flows, and receiving water quality, and program assessment.

During the first term permit, the permittees developed a Santa Ana Region DAMP (SAR-DAMP) which was approved by the Executive Officer of the Regional Board on January 18, 1994. The SAR-DAMP included five best management practices (BMPs) groups: environmental education activities, solid waste activities, road drainage system operations and maintenance, regulatory and enforcement activities, and structural controls. The SAR-DAMP will be revised to include program components developed during the term of the 1996 Permit and to address requirements of this order. The Permittees also indicated that the monitoring program would be revised and incorporated into the revised SAR-DAMP.

The RCFC&WCD, the Principal Permittee, performs water quality monitoring activities in support of three separate area-wide NPDES MS4 Permits (Santa Ana, San Diego and Colorado River basins) under the Consolidated Monitoring Program. Water samples and/or sediment samples have been collected at a total of 74 locations over the last nine years. These 74 locations are comprised of 45 storm drain outfalls, 12 receiving water, 15 sediment, and 2 special interest sampling locations. The August 30, 2000, Santa Ana Report of Waste Discharge (ROWD) indicated that in order to assess long-term trends and BMP effectiveness they would need more data points, with at least 5 samples (of similar types) obtained for many years. The ROWD indicated that the monitoring program would have to be revised. In the future, these monitoring stations and monitoring will be used to identify problem areas and to re-evaluate the monitoring program and the effectiveness of the BMPs. The future direction of some of these program elements will depend upon the results of the ongoing studies and a holistic approach to watershed management.

The results of a cursory review of total suspended solids (TSS), biological oxygen demand (BOD), total nitrogen, phosphorus, copper (Cu), and zinc (Zn) monitoring results collected during the term of Order No. 96-30, are tabulated in Table 3, below:

Other elements of the storm water management program included identification and elimination of illegal discharges, illicit connections, and establishment of adequate legal authority to control pollutants in storm water discharges. Most of the permittees have completed a survey of their storm drain systems to identify illegal/illicit connections and have adopted appropriate ordinances to establish legal authority. Some of the more specific achievements during the first and second term permits are as follows:

- 1. During the term of the 1996 Permit, the Principal Permittee and the co-permittees have operated under an Implementation Agreement that sets forth the responsibilities of the permittees as defined in the 1996 Permit. The permittees have adopted local ordinances regarding the management of stormwater and urban runoff. The ordinances provide the permittees with the legal authority to implement the requirements of the 1996 Permit and the key regulatory requirements contained in 40 CFR Section 122.26(d)(2)(I)(A-F).
- 2. The permittees have participated in the RCFC&WCD's Combined Monitoring Program.
- 3. The permittees administered area-wide programs including: hazardous materials emergency response, household hazardous waste collection, industrial/commercial compliance assistance program and public education and outreach. Some of these programs were coordinated with Caltrans and local agencies.
- 4. A Municipal Facilities Strategy was established, a New Development Guideline was developed, pet waste brochure, BMP brochure for horse owners, BMP brochure for pool discharges and a general outreach brochure for residents that hire contractors were developed.
- 5. A Technical Advisory Committee for overall program development and implementation was established.
- 6. Program Review: A number of existing programs were reviewed to determine their effectiveness in combating urban pollution and to recommend alternatives and or improvements, including public agency activities and facilities, illegal discharges and illicit connections to the MS4 systems, and existing monitoring programs.
- 7. Public Education: A number of steps were taken to educate the public, businesses, industries, and commercial establishments regarding their role in urban runoff pollution controls. The industrial dischargers were notified of the storm water regulatory requirements. For a number of unregulated activities, BMP guidances were developed and a toll free hotline was established for reporting any suspected water quality problems.
- 8. Public Agency Training: Training was provided to public agency employees to implement New Development Guidelines and Public Works BMPs.
- Related Activities: Modified flood control facilities by channel stabilization and creation of sediment basins; eliminated or permitted and documented illicit connections to the MS4s.

An accurate and quantifiable measurement of the impact of the above stated stormwater management programs is difficult, due to a variety of reasons, such as the variability in chemical water quality data, the incremental nature of BMP implementation, lack of baseline monitoring data, and the existence of some of the programs and policies prior to

initiation of formal storm water management programs. There are generally two accepted methodologies for assessing water quality improvements: (1) conventional monitoring such as chemical-specific water quality monitoring; and (2) non-conventional monitoring, such as monitoring of the amount of household hazardous waste collected and disposed off at appropriate disposal sites, the amount of used oil collected, and the amount of debris removed by the debris boom, etc.

The water quality monitoring data could not be used to indicate any discernible trends or significant changes. It is expected that continuation of these programs and policies will reduce or control pollutants in storm water runoff.

During the second term permit, there was an increased focus on watershed management initiatives and coordination among the municipal permittees in Orange, Riverside and San Bernardino Counties. These efforts resulted in a number of regional monitoring programs and other coordinated program and policy developments.

It is anticipated that with continued implementation of the revised DAMP and other requirements specified in this order, the goals and objectives of the storm water regulations will be met, including protection of the beneficial uses of all receiving waters.

# VII. FUTURE DIRECTION/2000 ROWD

The NPDES permit renewal application included an updated ROWD (2000 ROWD) that included an overview of the programs and policies the permittees are proposing to implement during the third term permit. One of the proposed activities is to revise the 1993 SAR-DAMP. The 2000 ROWD specified that the revised SAR-DAMP will be the principal guidance document for urban storm water management programs in Riverside County. The suggested outline for the revised SAR-DAMP include the following major components:

- 1. Continues a framework for the program management activities and DAMP update.
- 2. Continues to provide the legal authority to control discharges to the MS4s.
- 3. Includes a description of land use and population characteristics.
- 4. Improves current BMPs to achieve further reduction in pollutant loading to the MS4s.
- 5. Identifies TMDL concerns and an implementation schedule and other tools for addressing those concerns.
- 6. Identifies pollutants of concern in the regional water bodies.
- 7. Includes programs and policies to increase public education processes and to seek public support for urban storm water pollution prevention BMPs.
- 8. Continue with Management Steering Committee and other technical/advisory committees.
- 9. Includes sections on construction sites, development planning, industrial and commercial sources, and public education and outreach.
- 10. Includes programs and policies to eliminate illegal discharges and illicit connections to the MS4s.
- 11. Includes a continued and revised monitoring program for urban runoff.
- 12. Includes provisions for any special focus studies and/or control measures.

A combination of these programs and policies and the requirements specified in this order should ensure control of pollutants in storm water runoff from owned and/or controlled by the permittees.

# VIII. PERMIT REQUIREMENTS AND PROVISIONS

The legislative history of storm water statutes (1987 CWA Amendments), USEPA regulations (40CFR Parts 122, 123, and 124), and clarifications issued by the State Board (State Board Orders No. WQ 91-03 and WQ 92-04) indicate that a non-traditional NPDES permitting strategy was anticipated for regulating urban runoff. Due to the economic and technical infeasibility of full-scale end-of-pipe treatments and the complexity of urban runoff quality and quantity, MS4 permits generally include narrative requirements for the implementation of BMPs in place of numeric effluent limits.

The requirements included in this order are meant to specify those management practices, control techniques and system design and engineering methods that will result in maximum extent practicable protection of the beneficial uses of the receiving waters. The State Board (Orders No. WQ 98-01 and WQ 99-05) concluded that MS4s must meet the technology-based maximum extent practicable (MEP) standard and water quality standards (water quality objectives and beneficial uses). The U.S. Court of Appeals for the Ninth Circuit subsequently held that strict compliance with water quality standards in MS4 permits is at the discretion of the local permitting agency. Any requirements included in the order that are more stringent than the federal storm water regulations are in accordance with the CWA Section 402(p)(3)(iii), and the California Water Code Section 13377 and are consistent with the Regional Board's interpretation of the requisite MEP standard.

The ROWD included a discussion of the current status of Riverside County's urban storm water management program and the proposed programs and policies for the next five years (third term permit). This order incorporates these documents and specifies performance commitments for specific elements of the Permittees storm water management program.

This order recognizes the progress made by the permittees during the first and second term permits in implementing the storm water regulations. The permit also recognizes regional and innovative solutions to such a complex problem. For these reasons, the order is less prescriptive compared to some of the MS4 NPDES permits for urban runoff issued by other Regional Boards. However, it should achieve the same or better water quality benefits because of the programs and policies already being implemented or proposed for implementation, including regional and watershed wide solutions.

The essential components of the Storm Water Management Program, as established by federal regulations [40 CFR 122.26(d)] are: (i) Adequate Legal Authority, (ii) Fiscal Resources, (iii) Storm Water Quality Management Program (SQMP) - (Public Information and Participation Program, Industrial/Commercial Facilities Program, Development Planning Program, Development Construction Program, Public Agency Activities Program, Illicit Connection and Illicit Discharges Elimination Program), and (iv) Monitoring and Reporting Program. The major sections of the requirements in this Order include: I. Responsibilities; II. Discharge Limitations/Prohibitions; III. Receiving Water Limitations; IV. Implementation Agreement; V. Legal Authority/Enforcement; VI. Illegal/Illicit Connections/Illegal Discharges; Litter, Debris and Trash Control; VII. Sewage Spills, Infiltration into MS4 Systems from Leaking Sanitary Sewer Lines, Septic System Failures,

and Portable Toilet Discharges; VIII. New Development (including significant redevelopment); IX. Municipal Inspection Program; X. Public Education and Outreach; XI. Municipal Facilities Programs and Policies/Activities; XII. Municipal Construction Projects/Activities; XIII. Program Management/Damp Review; XIV. Monitoring and Reporting Requirements; XV. Provisions; XVI. Permit Expiration and Renewal.

These programs and policies are intended to improve urban storm water quality and protect the beneficial uses of receiving waters of the region.

#### A. RESPONSIBILITIES

The responsibilities of the Principal Permittee is to coordinate the overall storm water program and the Co-Permittees are responsible for managing the Storm Water Program within their jurisdictions as detailed in the ROWD and Order No. 96-30 and 90-104.

#### B. DISCHARGE PROHIBITIONS

In accordance with CWA Section 402(p)(3)(B)(ii), this order prohibits the discharge of non-storm water to the MS4s, with a few exceptions. The specified exceptions are consistent with 40 CFR 122.26(d)(2)(iv)(B)(1). If the permittees or the Executive Officer determines that any of the exempted non-storm water discharges is a significant source of pollutants, a separate NPDES permit or coverage under the Regional Board's De Minimus permit will be required.

#### C. RECEIVING WATER LIMITATIONS

Receiving water limitations are included to ensure that discharges from MS4 systems do not cause or contribute to violations of applicable water quality standards in receiving waters. The compliance strategy for receiving water limitations is consistent with the USEPA and State Board guidance and recognizes the complexity of storm water management.

This Order requires the permittees to meet water quality standards in receiving waters in accordance with US EPA requirements, as specified in State Board Order No. WQ 99-05. If water quality standards are not met by implementation of current BMPs, the permittees are required to re-evaluate the programs and policies and to propose additional BMPs. Compliance determination will be based on this iterative BMP implementation process.

#### D. IMPLEMENTATION AGREEMENT

The existing Implementation Agreement needs to be revised to include the cities that were not signatories to this Agreement. This section requires that a copy of the signature page and any revisions to the Agreement shall be included in the annual report.

#### E. LEGAL AUTHORITY/ENFORCEMENT

Each permittee has adopted a number of ordinances, municipal codes, and other regulations to establish legal authority to control discharges to the MS4s and to

enforce these regulations as specified in 40 CFR 122.26(d)(2)(I)(B, C, E, and F). The permittees are required to enforce these ordinances and to take enforcement actions against violators (40 CFR 122.26(d)(2)(iv)(A-D).

The enforcement activities undertaken by a majority of the permittees have consisted primarily of Notices of Violation, which act to educate the public on the environmental consequences of illegal discharges. In the case of the County. additional action has sometimes included recovery of investigation and clean-up costs from a responsible party. In the event of egregious or repeated violations, the option exists for a referral to the County District Attorney for possible prosecution or to the Regional Board for enforcement under the State Water Code or the CWA. In order to eliminate unauthorized, non-storm water discharges, reduce the amount of pollutants commingling with storm water runoff and thereby protect water quality, an additional level of enforcement is required between Notices of Violation and District Attorney referrals. Therefore, within 18 months of the Order's adoption, the permittees are required to establish the authority and resources to administer either civil or criminal fines and/or penalties for violations of their local water quality ordinances. The progress in establishing this program must be fully documented in the annual reports submitted by the permittees and the number, nature and amount of fines and/or penalties levied must be reported, beginning with the 2003/2004 annual report.

F. Illicit Connections/Illegal Discharges; Litter, Debris and Trash Control;

Most of the permittees have completed their survey of the MS4 systems and eliminated or permitted all identified illicit connections. The permittees have also established a program to address illegal discharges and a mechanism to respond to spills and leaks and other incidents of discharges to the MS4s. The permittees are required to continue these programs to ensure that the MS4s do not become a source of pollutants in receiving waters.

G. Sewage Spills, Infiltration into MS4 Systems from Leaking Sanitary Sewer Lines, Septic System Failures, and Portable Toilet Discharges;

In recent years, sewage spills/leaks into storm water conveyance systems that discharge into the Waters of the U.S. have become one of the leading causes of beneficial use impairment. To address these concerns, a set of separate waste discharge requirements for local sanitary sewer agencies is being prepared by the Regional Board. Failing septic systems and improper use of portable toilets have also been linked to microbial contamination of urban runoff. The permittees shall identify, with the appropriate local agency, a mechanism to determine if failure of these septic systems are causing or contributing to urban storm water pollution problems in their jurisdictions. The permittees shall also review their local oversight program for the placement and maintenance of portable toilets to determine the need for any revision.

H. New Development (including significant re-development);

During the second term permit, the permittees developed new development guidelines. The permittees are required to implement these guidelines.

Additionally, this order requires the permittees to work towards the goal of restoring and preserving the natural hydrologic cycles in approving urban developments. To accomplish this goal, the permittees have the option of using a number of methodologies. The permittees/project proponents may propose BMPs based on a watershed approach, establish a storm water pollution prevention fund for such BMPs, or any other innovative and proven alternatives to address storm water pollution. Numeric sizing criteria for controls at new and redevelopment sites are specified in this order. Any proposed regional or watershed-wide (or sub-watershed) pollution control measure should afford water quality protection equivalent to or better than that from the prescribed numeric sizing criteria. If a set of measures acceptable to the Executive Officer is not developed and approved by January 14, 2004, the permittees are required to use the numeric sizing criteria specified in the permit. The numeric criteria are identical to the one used by the San Diego Regional Board in its MS4 permit for permittees within the San Diego County area (Order No. 2001-01).

#### I. Municipal Inspection Program;

Inspections by the municipalities of construction, industrial, and commercial activities within their jurisdiction will be conducted, in order to control the loading of pollutants entering the MS4 system. The municipalities will inventory facilities and sites in the above categories, prioritize these facilities based on threat to water quality, and perform regular inspections to insure compliance with local ordinances. While initial observations of non-compliance may result in 'educational' type enforcement, repeated non-compliance will result in more disciplinary forms of enforcement, such as monetary penalties, stop work orders or permit revocation. Chapter four of the Enforcement/Compliance Strategy (the "E/CS") proposes a prioritization scheme and response outline.

### J. Public Education and Outreach;

Public outreach is an important element of the overall urban pollution prevention program. The permittees have committed to implement a strategic and comprehensive public education program to maintain the integrity of the receiving waters and their ability to sustain beneficial uses. The principal permittee has taken the lead role in the outreach programs and has targeted various groups including businesses, industry, development, utilities, environmental groups, institutions, homeowners, school children, and the general public. The permittees have developed a number of educational materials, have established a storm water pollution prevention hotline, started an advertising and educational campaign, and distributed public education materials at a number of public events. The permittees are required to continue these efforts and to expand public participation and education programs.

#### K. Municipal Facilities Programs and Policies/Activities;

Education of municipal planning, inspection, and maintenance staff is critical to ensure that municipal facilities and activities do not cause or contribute to an exceedance of receiving water quality standards. The second term permit required the permittees to report on an annual basis the actions taken to eliminate the discharge of pollutants from public agency activities and facilities. The permittees are required to inspect and maintain drainage facilities free of waste materials to control pollutants in storm water runoff flowing through these systems. This order requires the permittees to re-evaluate their facilities and activities on an annual basis to see if additional BMPs are needed to ensure water quality protection.

#### L. Municipal Construction Projects/Activities;

This section addresses the requirements for the construction projects by the Permittees themselves.

# M. Program Management/Damp Review;

The DAMP is a management document that needs to be updated with the new requirements of this Order.

#### N. Monitoring and Reporting Requirements;

During the first term permit and part of the second term permit, the permittees conducted monitoring of the storm water flows, receiving water quality, and sediment quality. The Riverside County monitoring programs, as well as other monitoring programs nationwide, have shown that there is a high degree of uncertainty in the quality of storm water runoff and that there are significant variations in the quality of urban runoff spatially and temporally. However, most of the monitoring programs to date have indicated that there are a number of pollutants in urban runoff. Only in a few cases a definite link between pollutants in urban runoff and beneficial use impairments has been established.

Currently the permittees are cooperating with Board staff in the development and implementation of appropriate monitoring programs to support the development of the Canyon Lake and Lake Elsinore TMDLs. This monitoring program includes sampling stormwater runoff at a variety of sites located throughout the watershed for three storm events per year. Stormwater samples will be collected and analyzed for a variety of constituents, principally nutrients. In addition to these efforts, the permittees are reevaluating their overall storm water monitoring program to determine its effectiveness in meeting the following objectives:

- Assess rates of mass loading
- 2. Assess influence of land use on water quality
- 3. Assess compliance with water quality objectives
- 4. Assess effectiveness of water quality controls
- Detect illicit connections and illegal discharges
- 6. Identify problem areas and/or trends
- 7. Identify pollutants of concern
- 8. Identify baseline conditions
- 9. Establish/maintain a water quality database

To accomplish these goals, the following activities are conducted:

- 1. Collect water quality data
- 2. Collect rainfall/runoff data
- 3. Establish quality assurance/control procedures
- 4. Conduct data analysis and archiving
- 5. Install and maintain appropriate equipment
- 6. Prepare an annual report

The RCFC&WCD, in its role as Principal Permitee, participates in the Southern California Cooperative Stormwater Research/Monitoring Program. The key focus of this Cooperative Monitoring Program is to develop methodologies and assessment tools to more effectively understand urban stormwater and non-stormwater impacts to receiving waters. Additionally, some of the municipal permittees in the San Bernardino County and Riverside County have been requested to participate in the investigation of bacteriological water quality impairments in the Upper Santa Ana River.

The permittees are encouraged to continue their participation in regional and watershed-wide monitoring programs. The permittees are required to submit a revised water quality monitoring plan for the Executive Officer's approval.

# IX. WATER QUALITY BENEFITS, COST ANALYSIS, AND FISCAL ANALYSIS

There are direct and indirect benefits from clean lake beaches, clean water, and a clean environment. It is difficult to assign a dollar value to the benefits the public derives from fishable and swimmable waters. In 1972, at the start of the NPDES program, only 1/3 of the U.S. waters were swimmable and fishable. In 2001, 2/3 of the U.S. waters meet these criteria. In the 1995 "Money" magazine survey of the "Best Places to Live", clean water and air ranked as the most important factors in choosing a place to live. Thus environmental quality has a definite link to property values.

The true magnitude of the urban runoff problem is still elusive and any cost estimate for cleaning up urban runoff would be premature short of end-of-pipe treatments. For urban runoff, end-of-pipe treatments are cost prohibitive and are not generally considered as a technologically feasible option. Over the last decade, the permittees have attempted to define the problem and implemented BMPs to the MEP to combat the problem.

The costs incurred by the permittees in implementing these programs and policies can be divided into three broad categories:

Shared costs: These are costs that fund activities performed mostly by the Principal Permittee under the Implementation Agreement. These activities include overall storm water program coordination; intergovernmental agreements; representation at the Storm Water Quality Task Force, Regional Board/State Board meetings and other public forums; preparation and submittal of compliance reports and other reports required under the NPDES permits, Water Code Section 13267 requests, budget and other program documentation; coordination of consultant studies, copermittee meetings, and training seminars.

- 2. Individual Costs for DAMP Implementation: These are costs incurred by each permittee for implementing the BMPs (drainage facility inspections for illicit connections, drain inlet/catch basin stenciling, public education, etc.) included in the DAMP. A number of programs and policies for non-point and storm water pollution controls existed prior to the urban runoff NPDES program. However, the DAMP that was developed and implemented in response to the urban runoff program required additional programs and policies for pollution control.
- Individual Costs of Pre-Existing Programs: These are costs incurred by each permittee for water pollution control measures which were already in existence prior to the urban runoff NPDES program. These programs included recycling, litter control, street sweeping, drainage facility maintenance, and emergency spill response.

Historically, the permittees have employed four distinct funding methods to finance their NPDES Activities. Many permittees utilize a combination of these funding sources. The different methods include:

#### 1. Santa Ana Watershed Benefit Assessment Area

In 1991, the RCFC&WCD established the Santa Ana Watershed Benefit Assessment Area (SAWBAA) to fund its NPDES activities. Currently, SAWBAA revenues fund both areawide NPDES program activities and the RCFC&WCD's individual permit compliance activities.

#### 2. County Service Area 152

In December 1991, the County of Riverside formed County Service Area 152 (CSA 152) to provide funding for compliance activities associated with its NPDES permit activities. Under the laws that govern CSAs, sub-areas may be established within the overall CSA area with different assessment rates set within each sub-area. The cities of Corona, Moreno Valley, Norco, Riverside, Lake Elsinore and San Jacinto elected to participate in CSA 152.

#### 3. Utility Charge

The City of Hemet funds a portion of its NPDES program activities through a utility charge.

#### 4. General Fund /Other Revenues

The remaining permittees utilize general fund revenue to finance their NPDES activities. Several permittees also report using general fund and other revenue sources (e.g., gas taxes, developer fees, etc.) to fund a portion of their stormwater management activities.

The annual report provides the most recent budgets and expenditures projections available for the costs incurred by the permittees in implementing these programs and policies.

# X. <u>ANTIDEGRADATION ANALYSIS</u>

The Regional Board has considered whether a complete antidegradation analysis, pursuant to 40 CFR 131.12 and State Board Resolution No. 68-16, is required for these stormwater discharges. The Regional Board finds that the pollutant loading rates to the receiving waters will be reduced with the implementation of the requirements in this order. As a result, the quality of stormwater discharges and receiving waters will be improved, thereby improving protection for the beneficial uses of waters of the United States. Since this order will not result in a lowering of water quality, a complete antidegradation analysis is not necessary, consistent with the federal and state antidegradation requirements.

# XI. PUBLIC WORKSHOP

A number of workshops have been held to discuss the draft MS4 permits for the Orange and San Bernardino counties within the Santa Ana Regional Board's jurisdiction. The details regarding these permits are posted on the Regional Board's website or may be obtained by calling the office at 909-782-4130. Building upon those permits, a workshop for the Riverside County MS4 permit was conducted on May 31, 2002, in Huntington Beach, California. A second workshop is scheduled for the September 6, 2002, Board Meeting in Loma Linda. The Public Hearing for consideration of adoption of the Order is scheduled for the October 25, 2002, Board Meeting in Corona.

The Regional Board recognizes the significance of Riverside County's Storm Water/Clean Water Protection Program and will conduct, participate, and/or assist with at any workshop during the term of this permit to promote and discuss the progress of the storm water management program. The details of the workshop will be posted on the Regional Board's website, published in local newspapers and mailed to interested parties. Persons wishing to be included in the mailing list for any of the items related to this permit may register their name, mailing address and phone number with the Regional Board office at the address given below.

# XII. PUBLIC HEARING

The Regional Board will hold a public hearing regarding the proposed waste discharge requirements. The public hearing will be scheduled at a later time (tentatively on October 25, 2002, in the City of Corona) and information regarding the public hearing will also be posted on the website. Further information regarding the conduct and nature of the public hearing concerning these waste discharge requirements may be obtained by writing or visiting the Santa Ana Regional Board office, 3737 Main Street, Suite 500, Riverside, CA 92501.

#### XIII. INFORMATION AND COPYING

Persons wishing further information may write to the above address or call Keith Elliott at (909) 782-4925. Copies of the application, proposed waste discharge requirements, and other documents (other than those which the Executive Officer maintains as confidential) are available at the Regional Board office for inspection and copying by appointment scheduled between the hours of 10:00 a.m. and 4:00 p.m., Monday through Friday (excluding holidays).

# XIV. REGISTER OF INTERESTED PERSONS

Any person interested in a particular application or group for applications may leave his name, address and phone number as part of the file for an application. Copies of tentative waste discharge requirements will be mailed to all interested parties.

# XV. <u>RECOMMENDATION</u>

No action required, informational item only.



# (August 23, 2002 Draft) CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD SANTA ANA REGION

# ORDER NO. R8-2002-0011 NPDES NO. CAS 618033

#### **WASTE DISCHARGE REQUIREMENTS**

**FOR** 

THE RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT, THE COUNTY OF RIVERSIDE, AND THE INCORPORATED CITIES OF RIVERSIDE COUNTY WITHIN THE SANTA ANA REGION AREAWIDE URBAN RUNOFF

The California Regional Water Quality Control Board, Santa Ana Region (hereinafter the "Regional Board") finds that:

- 1. On August 30, 2000, the Riverside County Flood Control and Water Conservation District (hereinafter referred to as "RCFC&WCD" or "Principal Permittee" as context indicates), in cooperation with the County of Riverside, (the "County") and the incorporated cities of Beaumont, Calimesa, Canyon Lake, Corona, Hemet, Lake Elsinore, Moreno Valley, Murrieta, Norco, Perris, Riverside, and San Jacinto (hereinafter with the County, collectively referred to as the "Co-Permittees" and collectively with the Principal Permittee, the "Permittees"), jointly submitted a National Pollutant Discharge Elimination System (NPDES) Application No. CAS 618033, a Report of Waste Discharge (the "ROWD"), to renew the municipal separate storm sewer system ("MS4") NPDES permit for the Santa Ana River Watershed (the "Region") within Riverside County (the "Order") deating with urban storm water runoff (hereinafter as defined and qualified in Findings 13 and 14, below, "Urban Runoff") in the "Permit Area" that includes the "Urban Area" as shown in Appendix 1\ and those portions of "Agriculture" and "Open Space" as shown on Appendix 1 that convert to industrial, commercial or residential use during the term of this Order. To more effectively carry out the requirements of this Order, the Permittees have agreed that the RCFC&WCD will continue as the Principal Permittee and the County and the incorporated cities will continue as the Co-Permittees.
- 2. On February 16, 1999, the City of Murrieta annexed 1,124 acres, increasing the land area of the City to 18,273 acres. Of the acreage annexed, approximately 375 acres (or 2% of the City's land area) was in the unincorporated area of Riverside County within the Region. The Regional Board's construction database shows that approximately 247 acres out of 375 acres are proposed for development based on NOI submittals. The City of Murrieta has expressed its intent to be a Co-Permittee in this Order and for the purposes of this Order shall be considered as such.
- 3. On July 13, 1990, the Regional Board adopted the original Riverside County regional MS4 permit, Order No. 90-104 (NPDES No. CA 8000192), for Urban Runoff from areas in Riverside County within the Permit Area. On March 8, 1996, the Regional Board renewed Order No. 90-104 by adopting the second regional MS4 permit, Order No. 96-30, (NPDES No. CAS618033). Order No. 96-30 expired on March 1, 2001, and on March 2, 2001; Order No. 96-30 was administratively extended in accordance with 40CFR Part 122.6 and Title 23, Division 3, Chapter 9, Section 2235.4 of the California Code of Regulations.

Order No. R8-2002-0011 (NPDES No. CAS 618033) Area-wide Urban Runoff

REFC&WCD, the County of Riverside, and the Incorporated Cities

- 4. This Order renews Order No. 96-30 (NPDES No. CAS618033), and regulates discharges of Urban Runoff from MS4s within Riverside County under the jurisdiction of and/or maintenance responsibility of the Permittees. This Order is intended to regulate the discharge of pollutants in Urban Runoff from anthropogenic (generated from non-agricultural human activities) sources under the control of the Permittees and is not intended to address background or naturally occurring pollutants or flows.
- 5. The federal Clean Water Act (the "CWA") established a national policy designed to help maintain and restore the physical, chemical and biological integrity of the nation's waters. In 1972, the CWA established the NPDES permit program to regulate the discharge of pollutants from point sources to waters of the nation (the "Waters of the U. S."). From 1972 to 1987, the main focus of the NPDES program was to regulate conventional pollutant sources such as sewage treatment plants and industrial facilities. As a result, on a nationwide basis, non-point sources, including agricultural runoff and Urban Runoff, now contribute a larger portion of many kinds of pollutants than the more thoroughly regulated sewage treatment plants and industrial facilities.
- 6. Studies conducted by the United States Environmental Protection Agency (the "USEPA"), the states, counties, cities, flood control districts and other political entities dealing with urban storm water runoff indicate the following major sources of Urban Runoff pollution nationwide:
  - a. Industrial sites where appropriate pollution control and best management practices ("BMPs")<sup>1</sup> are not implemented;
  - b. Construction sites where erosion and siltation controls and BMPs are not implemented; and,
  - c. Runoff from urbanized areas.
- 7. The 1987 amendments to the CWA added Section 402(p) that required the USEPA to develop permitting regulations for storm water discharges from MS4s and from industrial facilities, including construction sites. The USEPA promulgated the final Phase I storm water regulations on November 16, 1990. Neither the 1987 amendments to the CWA nor the Phase I storm water regulations (40 CFR Part 122) have been amended since their effective dates.
- 8. Section 402 (p) of the CWA establishes two different performance standards for storm water discharges. NPDES MS4 permits require controls to reduce the discharge of pollutants to the Maximum Extent Practicable (the "MEP") [See discussion of this term in the Glossary, Appendix 4]. NPDES Permits issued for industrial storm water discharges (including construction activities) must meet Best Available Technology ("BAT") and Best Conventional Pollutant Control Technology ("BCT") standards. The CWA and the USEPA regulations promulgated pursuant thereto allow each state the flexibility to decide what constitutes the MEP.
- 9. Prior to the USEPA's promulgation of the final storm water regulations, three counties (Orange, Riverside, and San Bernardino) and their incorporated cities Vocated within the Regional

<sup>1</sup> Best Management Practices (BMPs) are water quality management practices that are maximized in efficiency for the control of storm water runoff pollution.

Area-wide Urban Runoff

REFC&WCD, the County of Riverside, and the Incorporated Cities

Board's jurisdiction requested area-wide NPDES MS4 permits. These area-wide MS4 NPDES permits are:

- a. Orange County, NPDES No. CAS 618030
- b. Riverside County, NPDES No. CAS 618033
- c. San Bernardino County, NPDES No. CAS 618036
- 10. Consistent with the CWA and the USEPA regulations promulgated pursuant thereto, the State Water Resources Control Board (the "State Board") and the Regional Board have adopted a number of permits to address pollution from the sources identified in Finding 6, above. Industrial activities (as defined in 40 CFR 122.26(b)(14)) and construction sites of five acres or more are to be covered under one of the following permits and those individuals or entities that engage in such activities are required to secure permission to engage in such identified activities pursuant to the provisions of one of the following permits:
  - a. State Board Order No. 97-03-DWQ, for storm water runoff from industrial activities (NPDES No. CAS000001), (the "General Industrial Activities Storm Water Permit")
  - b. State Board Order No. 99-08-DWQ, for storm water runoff from construction activities (NPDES No. CAS000002) (the "General Construction Activity Storm Water Permit"). Order No. 99-08- DWQ was amended by State Board Resolution No. 2001-046 on April 26, 2001, to incorporate monitoring provisions as directed by the Superior Court, County of Sacramento.
  - c. State Board Order No. 99-06-DWQ (NPDES No. CAS000003) for storm water runoff from facilities (including freeways and highways) owned and/or operated by the California Department of Transportation ("California").
  - d. Regional Board Order No. 01-34, adopted on January 19, 2001, for storm water discharges associated with new development (construction) to surface waters in the San Jacinto subwatershed ("San Jacinto Watershed Construction Activities Permit").
  - e. The Regional Board also issues individual storm water permits for certain industrial facilities within the Santa Ana River Watershed. Currently there is one industrial storm water NPDES permit that has been issued by the Regional Board for a facility (March Air Reserve Base) located within the Permit Area. Additionally, the Regional Board has issued NPDES permits for a number of facilities that discharge process wastewater and storm water; storm water discharge requirements are included in such a facility's NPDES permit.
- 11. The San Bernardino County Flood Control District and RCFC&WCD, in cooperation with local affected municipalities, are coordinating an effort to construct flood control facilities in the Chino-Corona Agricultural Preserve area (the "Preserve Area") located on the border of San Bernardino and Riverside Counties. The Preserve Area has the highest concentration of dairy animals in the nation. The ground and surface water quality in the Preserve Area have been adversely impacted by these dairy operations. The dairies within the Permit Area are regulated under the Regional Board's "General Dairy Permit" (Order No. 99-11, NPDES No.

Area-wide Urban Runoff

REFC&WCD, the County of Riverside, and the Incorporated Cities

CAG018001). The General Dairy Permit allows discharge of storm water from dairies only for storms exceeding a 24-hour, 25-year frequency. The portion of the Preserve Area within San Bernardino County lacks appropriate flood control facilities, and runoff from upstream urbanized areas within San Bernardino County often inundates some of the dairies in the Preserve Area, even during light or moderate storm and runoff events. This causes dairy waste containment facilities to fail and overflow into surface drainage facilities. This overflow causes nutrient, total dissolved solids (TDS), total suspended solids (TSS), and microbial problems in the receiving waters. However, there are only small areas of urbanized development in Riverside County upstream of the dairies subject to flooding. The RCFC&WCD is the lead agency responsible for engineering, design, contract administration, environmental review, and overall project management of the County Line Channel whose construction is intended to address this problem.

- 12. Section 13225 of the California Water Code (the "Water Code") identifies the Regional Board as being the enforcement authority for NPDES permits, including the General Industrial Activities Storm Water Rermit (referenced in Finding 10.a., above) and the Construction Activity Storm Water Permits (referenced in Finding 10.b. and 10.d, above) (collectively, the "General Storm Water Permits"). However, in many areas, the industrial and construction sites discharge directly into MS4s owned and operated by the Permittees. These industrial and construction sites are also regulated under local ordinances and regulations. The Co-Permittees review plans for developments in accordance with the "Subdivision Map Act" (Section 66400 et seq. of the California Government Code), the California Environmental Quality Act ("CEQA") (Section 21000 et seg. of the California Public Resources Code), and local general plans and implementing ordinances and regulations to assure that new developments proceed in an orderly, and safe manner, consistent with each Co-Permittee's This Order establishes a responsibility of the Permittees to manage Urban Runoff. A coordinated effort between the Permittees and the Regional Board staff is critical to avoid duplicative and overlapping efforts when overseeing the compliance of dischargers covered under the General Storm Water Permits. As part of this coordination, the Permittees have been notifying Regional Board staff when they observe, during their routine activities, conditions that result in a threat or potential threat to water quality, or when a required industrial facility or construction activity fails to obtain coverage under the appropriate General Storm Water Permit. To more effectively coordinate these activities, the Regional Board staff intends to post their inspection activities related to administration of the General Storm Water Permits on the Regional Board website.
- 13. Urban Runoff includes those discharges from residential, commercial, industrial, and construction areas within the Permit Area and excludes discharges from feedlots, dairies, farms, and open space (also see Finding 14, below). Urban Runoff discharges consist of storm water and non-storm water surface runoff from drainage sub-areas with various, often mixed, land uses within all of the hydrologic drainage areas that discharge into the Waters of the U. S. In addition to Urban Runoff, the MS4s regulated by this Order receive flows from agricultural activities, open space, state and federal properties and other non-urban land uses not under the control of the Permittees. The quality of the discharges from the MS4s varies considerably and is affected by, among other things, past and present land use activities, basin hydrology, geography and geology, season, the frequency and duration of storm events,

and the presence of past or present illegal and allowed disposal<sup>2</sup> practices and illicit connections<sup>3</sup>.

- 14. The Permittees lack legal jurisdiction over storm water discharges into their respective MS4s from agricultural activities, California and federal facilities, utilities and special districts, Native American tribal lands, wastewater management agencies and other point and non-point source discharges otherwise permitted by or under the jurisdiction of the Regional Board. The Regional Board recognizes that the Permittees should not be held responsible for such facilities and/or discharges. Similarly, certain activities that generate pollutants present in Urban Runoff are beyond the ability of the Permittees to eliminate. Examples of these include operation of internal combustion engines, atmospheric deposition, brake pad wear, tire wear, residues from lawful application of pesticides, nutrient runoff from agricultural activities, and leaching of naturally occurring minerals from local geography.
- 15. Urban Runoff may coptain elevated levels of pathogens (bacteria, protozoa, viruses), sediment, trash, fertilizers (nutrients, compounds of nitrogen and phosphorus), pesticides (DDT, Chlordane, Diazinon, Chlorpyrifos), heavy metals (cadmium, chromium, copper, lead, zinc), and petroleum products (oil, grease, petroleum hydrocarbons, polycyclic aromatic hydrocarbons). Urban Runoff can carry these pollutants to rivers, streams, and lakes within the Permit Area (collectively the "Receiving Waters"). In addition, although infrequently, Urban Runoff from the Permit Area carry these pollutants to other receiving waters such as the Pacific Ocean. These pollutants can then impact the beneficial uses of the receiving waters and can cause or threaten to cause a condition of pollution or nuisance.
- 16. Pathogens (from sanitary sewer overflows, septic system leaks, and spills and leaks from portable toilets, pets, wildlife and human activities) can impact water contact recreation and non-contact water recreation. "Floatables" (from trash) are an aesthetic nuisance and can be a substrate for algae and insect vectors. Oil and grease can coat birds and aquatic organisms, adversely affecting respiration and/or thermoregulation. Other petroleum hydrocarbon components can cause toxicity to aquatic organisms and can impact human health. Suspended and settleable solids (from sediment, trash, and industrial activities) can be deleterious to benthic organisms and may cause anaerobic conditions to form. Sediments and other suspended particulates can cause turbidity, clog fish gills and interfere with respiration in aquatic fauna. They can also screen out light, kindering photosynthesis and normal aquatic plant growth and development. However, it is recognized that storm flows from non-urbanized areas such as "National Forest," "State Park," "Wilderness," and "Agriculture" as shown on Appendix 1 naturally exhibit high levels of suspended solids due to climate, hydrology, geology and geography. Toxic substances (from pesticides, petroleum products, metals, and industrial

<sup>2</sup> Illegal Disposal means any disposal, either intentionally or unintentionally of material or waste that can pollute storm water or create a nuisance. The term illegal discharge includes all non storm-water discharges except discharges pursuant to an NPDES permit, discharges that are identified in Section II, Discharge Limitations/Prohibitions, of this Order, and discharges authorized by the Executive Officer.

<sup>3</sup> Illicit Connection means any connection to the storm drain system that is prohibited under local, state, or federal statutes, ordinances, codes, or regulations. The term illicit connection includes all non storm-water discharges and connections except discharges pursuant to an NPDES permit, discharges that are identified in Section II, Discharge Limitations/Prohibitions, of this Order, and discharges authorized by the Executive Officer.

<sup>&</sup>lt;sup>4</sup> Riverside County Flood Control and Water Conservation District's "Hydrology Manual," dated April 1978 and page II-4 of "Santa Ana River, Design Memorandum No. 1, Phase II GDM on the Santa Ana River Mainstem, including Santago Creek, Volume 2, Prado Dam." dated August 1988. Based upon a field investigation report of the Storm Drain Outlets into the Santa Ana River conducted by the RCFCD&WCD and dated May 28, 2002.

wastes) can cause acute and/or chronic toxicity, and can bioaccumulate in organisms to levels that may be harmful to human health. Nutrients (from fertilizer use, fire fighting chemicals, decaying plants, confined animal facilities, pets, and wildlife) can cause excessive algal blooms. These blooms can lead to problems with taste, odor, color and increased turbidity, and can depress the dissolved oxygen content, leading to fish kills.

- 17. The water quality assessment conducted by Regional Board staff has identified a number of beneficial use impairments due, in part, to agricultural and Urban Runoff. Section 303(b) of the CWA requires each of California's Regional Water Quality Control Boards to routinely monitor and assess the quality of waters of their respective regions. If this assessment indicates that beneficial uses are not met, then that waterbody must be listed under Section 303(d) of the CWA as an impaired waterbody. The 1998 water quality assessment listed a number of water bodies within the Permit Area as impaired pursuant to Section 303(d). In the Permit Area, these include: Canyon Lake (for nutrients and pathogens); Lake Elsinore (for nutrients, organic enrichment/low D.O., unknown toxicity and sedimentation); Lake Fulmor (for pathogens); Santa Aria River, Reach 3 (for nutrients, pathogens, salinity, TDS, and chlorides); and Santa Ana River, Reach 4 (for pathogens).
- 18. Federal regulations require that a total maximum daily load ("TMDL") be established for each 303(d) listed waterbody for each of the pollutants causing impairment. The TMDL is the total amount of the problem pollutant that can be discharged and still attain water quality standards in the receiving water, i.e., Receiving Water quality objectives are met and the beneficial uses are protected. The TMDL is the sum of the individual Waste Load Allocations ("WLA") for point source inputs, Load Allocations ("LA") for non-point source inputs and natural background, with a margin of safety. The TMDL's are one of the bases for limitations established in waste discharge requirements. TMDLs are being developed for sediment, pathogens, and nutrients for Lake Elsinore and Canyon Lake. The Permittees are providing assistance and cooperating with Regional Board staff in the TM⊅\ efforts. The Permittees shall revise their Drainage Area Management Plan ("DAMP," and see Appendix 4, Glossary), at the direction of the Regional Board Executive Officer (the "Executive Officer"), to incorporate program implementation amendments so as to comply with Regional, watershed specific requirements, and/or WLAs developed and approved pursuant to the process for the designation and implementation of TMDLs for impaired water bodies. This permit may be reopened to include TMDL implementation, if other Urban Runoff implementation methodologies are not effective.
- 19. The area shown on Appendix 1 contains 1,293 square miles (or 17.7% of the 7,300 square miles within Riverside County) and includes 11 of the 24 municipalities within Riverside County. The California Department of Finance estimates that as of January 1, 2002, the population of Riverside County is 1,644,341 of which 759,877 persons reside within the 11 municipalities and an additional 338,630 persons reside in the unincorporated area that is within the area shown on Appendix 1 (or a total of 1,098,507 persons or 66.8% of Riverside County's population). Five of the municipalities (Beaumont, Calimesa, Canyon Lake, Norco, and San Jacinto) have populations of 25,000 or less; three municipalities (Hemet, Lake Elsinore, and Perris) have populations between 25,001 and 62,000, Corona has a population of 133,966, Moreno Valley's population is 146,435 and Riverside has 269,402 residents. [Population figures for the city of Murrieta have been omitted because only 375 acres (2%) of the City's Land Area is within the area shown on Appendix 1, (See Finding No. 2.)] Of the total territory within the area shown on Appendix 1, 346.7 square miles are within the 11

incorporated areas and 944.6 square miles are unincorporated. General land uses within the 1,293.3 square miles comprising the area shown on Appendix 1 are identified, based on Riverside County Assessor's Roll for Fiscal Year 2001-2002, as follows: 109.3 square miles are used or zoned for commercial/industrial purposes (8.5%), 198.7 square miles for residential purposes (15.4%), 70.1 square miles are utilized for improved roadways (including roadways owned by Caltrans) (5.4%), 753.9 square miles are vacant or utilized for open space (58.3%), and 161.3 square miles are used for agricultural purposes (12.5%). The federal government owns \$10.7 square miles (24%) of the territory within the area shown on Appendix 1.

- 20. Some portions of Riverside County within the Permit Area have been developed or zoned for residential, commercial and industrial uses. Urban development generally increases the area of impervious surfaces and storm water runoff volume and velocity; and decreases the area of previously vegetated surfaces available for infiltration of storm water, depending on soils, topography, climate, precipitation volume and patterns, and other factors. Based on the procedures in Section D of the Hydrology Manual of RCFC&WCD, dated April 1978, it is feasible that, in semi-arid regions, development may result in the creation of a net increase in Increases in runoff volume and velocity may cause scour, erosion (sheet, rill and/or gully), aggradation (raising of a streambed from sediment deposition), changes in fluvial geomorphology, hydrology, and changes in aquatic ecosystem (collectively, "Conditions of Concern"). The Permittees are the owners and operators of MS4s and have authority (except as qualified in Finding 14, above) to control most of the discharges of Urban Runoff to these The Permittees have established appropriate legal authority to address their respective MS4s exposure to pollutant loads from discharges of Urban Runoff and have enhanced the design requirements for MS4s to address these potential discharges from new Co-Permittees have adopted grading and/or erosion control ordinances, quidelines and BMPs for municipal, commercial, and industrial activities, and along with RCFC&WCD, have approved and begun implementation of the DAMP. The Permittees have been and must continue to implement an effective combination of these programs, policies, and legal authority, to modify and enhance such programs and policies, and other additional requirements as identified herein, to ensure that pollutant loads resulting from Urban Runoff are properly controlled and managed to the MEP.
- 21. The Permittees own and/or operate MS4s through which Urban Runoff is discharged into the Waters of the U. S. The Permittees have identified major outfalls (with a pipe diameter of 36 inches or greater or drainage areas draining 50 acres or more) and have submitted maps of existing MS4s. The Co-Permittees reported having approximately 153.3 miles of underground storm drains, and 21.3 miles of channels. The RCFC&WCD reported having 135 miles in underground storm drains and 133 miles of channels.
- 22. The MS4s generally contain non-storm water flows that may include runoff from agriculture and landscape irrigation, residential car washing, miscellaneous washing and cleaning operations, and other nuisance flows. In addition, these facilities are used to convey water produced from the Arlington Desalter and deliveries of other water for water conservation. During normal dry weather conditions, very little Urban Runoff reaches Receiving Waters<sup>5</sup>. Non-storm water discharges into the MS4s and to the Waters of the U. S. containing pollutants are prohibited, unless they are regulated under a separate NPDES permit; certain types of

non-storm water containing insignificant amount of pollutants are exempt as indicated in Discharge Limitations/Prohibitions, Section II. C. of this Order.

- 23. Order No. 90-104 and Order No. 96-30 required the Permittees to: (1) develop and implement the DAMP and Urban Runoff and Receiving Water monitoring and reporting programs; (2) eliminate illegal discharges<sup>6</sup> and illicit connections to the MS4s; and (3) enact the necessary legal authority to effectively prohibit such illegal discharges and illicit connections. The overall goal of these requirements was to reduce pollutant loading to surface waters from Urban Runoff to the MEP. The DAMP outlines the major programs and policies for controlling pollutants in Urban Runoff and the DAMP was approved by the Executive Officer on January 18, 1994. Since then, the Urban Runoff monitoring program has been expanded and the DAMP continues to be a dynamic document. This Order requires the Permittees to continue to implement the BMPs listed in the DAMP, and update or modify the DAMP, when appropriate, consistent with the MEP and other applicable standards; and to continue to effectively prohibit illegal discharges and illicit connections to their respective MS4s.
- 24. A revised Water Quality Control Plan (the "Basin Plan") was adopted by the Regional Board and became effective on January 24, 1995. The Basin Plan defines the numeric and narrative water quality objectives and beneficial uses of the receiving waters in the Region. These beneficial uses include municipal and domestic supply, agricultural supply, industrial service supply, groundwater recharge, hydropower generation, water contact recreation, non-contact water recreation and sportfishing, warm freshwater habitat, cold freshwater habitat, preservation of biological habitats of special significance, wildlife habitat and preservation of rare, threatened, or endangered species. The Basin Plan also incorporates by reference all State Board water quality control plans and policies.
- 25. The ultimate goal of the MS4 permit is to protect these beneficial uses of the Receiving Waters by ensuring that the flows from MS4s do not cause or contribute to an exceedance of water quality objectives for the Receiving Waters. The DAMP identifies programs and policies, including BMPs, to achieve this goal. These BMPs are organized into two components: BMPs for existing facilities and BMPs for new development. Both components include regulatory activities, public education programs, solid waste management, and operations and maintenance activities.
- 26. There are pollutants in Urban Runoff from privately owned and operated facilities such as residences, businesses and commercial establishments and public and private institutions. A successful NPDES MS4 permit program should include the participation and cooperation of public entities, private businesses, and public and private institutions. Therefore, public education is a critical element of the DAMP. As the population increases in the Permit Area, it will be even more important to continue to educate the public regarding the impact of human activities on the quality of Urban Runoff.
- 27. The Co-Permittees have developed conditions of approval for projects requiring coverage under the Construction Activity Permits for maps or permits requiring discretionary approval that are to be satisfied prior to issuing a grading or building permit for construction sites of five

<sup>6</sup> Illegal discharge means any discharge to the MS4 that is not composed entirely of storm water except for the authorized discharges listed in Section II, C of this Order. Illegal discharges include the improper disposal of wastes into the storm sewer system.

Area-wide Urban Runoff

REFC&WCD, the County of Riverside, and the Incorporated Cities

acres or more. After March 10, 2003, these conditions of approval will be extended to construction sites on one (1) acre or more, consistent with the acreage criteria of the current Construction Activity Permits.

- 28. This Order requires the Permittees to continue to implement the BMPs listed in the approved DAMP and to continue to effectively prohibit illegal discharges and illicit connections to their respective MS4s. One of the major elements of the DAMP is a Storm Water/Urban Runoff Management and Discharge Control Ordinance and each of the Co-Permittees has adopted such an ordinance and ordinances addressing grading and erosion control (collectively, the "Storm Water Ordinance"). The purpose of each Storm Water Ordinance is to prohibit pollutant discharges in the Permittees respective MS4s and to regulate illicit connections and non-storm water discharges to said MS4s.
- 29. The California Constitution and Government Code create in the Co-Permittees planning police powers that mandate that the Co-Permittees review and condition new development consistent with the Subdivision Map Act, CEQA, and their respective general plans, ordinances, and resolutions to ensure the general public's health and safety. If these constitutional and statutory mandates are not properly implemented and local ordinances and resolutions are not properly enforced, there is a creditable potential that new development could result in the discharge of pollutants to the Receiving Waters within the Permit Area from Urban Runoff.
- 30. This Order requires the Permittees to examine the source of pollutants in Urban Runoff from those activities that the Permittees conduct, approve, regulate and/or for which they issue a license or permit. The Permittees are required to ensure, to the MEP, that Urban Runoff from the MS4s do not cause or contribute to an exceedance of "Receiving Water Quality Objectives", as defined in the Basin Plan.
- 31. Each Co-Permittee conducts inspections of those construction sites for which it has issued either a grading or building permit to determine compliance with its ordinances, regulations, and codes, including its Storm Water Ordinance. Each Co-Permittee, consistent with its ordinances, rules and regulations, inspect each site for which a grading or building permit has been issued for compliance with the conditions of approval governing the permit. These inspections have been expanded by several of the Co-Permittees to survey and address issues related to prevention of Urban Runoff and to determine that a site has secured coverage under the General Construction Activity\Storm Water Permit. Once a certificate of occupancy has been issued, the Co-Permittees have limited jurisdiction to inspect the site on an ongoing basis. The Permittees have established the "Enforcement/Compliance Strategy," dated December 20, 2001 (the "E/CS") that addresses compliance strategies with regard to industrial, and commercial facilities and construction sites. In addition, as part of their Urban Runoff management activities, the Principal Permittee and the County entered into an agreement, dated August 10, 1999 by which they have developed and funded, in cooperation with the Riverside County Environmental Health Department, the "Compliance Assistance Program" (the "CAP") which includes a storm water survey component as part of existing inspections of hazardous material handlers and retail food service activities. The initial phase of the CAP consisted primarily of educational outreach to the inspected facilities. The CAP has entered a second phase, which involves a detailed storm water compliance survey for each facility that must secure a hazardous materials permit for either storing, handling or generating such materials (there are approximately 5,500 facilities of which approximately

2,300 are inspected annually, and all facilities are inspected at least once during a two year cycle) and retail food facilities (there are approximately 6,750 facilities, all of which are inspected to 3 times annually). The type of industrial/commercial establishment that is inspected includes, but is not limited to, automobile mechanical repair, maintenance, fueling, or cleaning operation, automobile or other vehicle body repair or painting operations, and painting or ceating operations. Any completed surveys that indicate non-compliance are forwarded to the appropriate jurisdiction's code enforcement division. In addition, the cities of Corona and Riverside, which operate publicly owned treatment works ("POTW"), in combination conduct, on average, annually approximately 4,400 wastewater pre-treatment inspections, on a variety of industrial and commercial establishments, including, but not limited to, retail food establishments, car washes, and carpet, drape & furniture cleaning establishments. The Permittees have agreed to notify Regional Board staff when conditions are observed during such inspections that appear to be in violation of either the General Storm Water Permits or a permit issued by the Regional Board.

- 32. The Permittees own/operate facilities where industrial or related activities take place that may have an impact on Urban Runoff quality. Some of the Permittees also enter into contracts with outside parties to carry out activities that may also have an impact on Urban Runoff quality. These facilities and related activities include, but are not limited to, street sweeping, catch basin cleaning, maintenance yards, vehicle and equipment maintenance areas, waste transfer stations, corporation and storage yards, parks and recreational facilities, landscape and swimming pool maintenance activities, MS4 maintenance activities and the application of herbicides, algaecides and pestleides. As part of Order 96-30, the Permittees were required to assess public agency activities and facilities for potential impact to Urban Runoff quality and develop their agency-specific "Wunicipal Facility Strategy". This Order requires the Permittees to continue to implement BMPs that\ are reducing pollutant discharges from those activities/facilities found to be significant sources of pollutants in Urban Runoff. This Order prohibits non-storm water discharges from facilities owned or operated on behalf of the Permittees unless the discharges are exempt under the Discharge Limitations/Prohibitions Section II. C. of this Order or are permitted by the Regional Board under an individual NPDES permit.
- 33. An effective monitoring program characterizes Urban Runoff discharges, identifies problem areas, and determines the impact of Urban Runoff on Receiving Waters and the effectiveness of BMPs. The Principal Permittee administers the Consolidated Program for Water Quality Monitoring<sup>7</sup> (the "CMP") for the Permittees. The CMP includes wet and dry weather monitoring of MS4 outfalls and Receiving Waters. The DAMP (at page 2-4, 1993) indicates that lead, copper, manganese, zinc, BOD, hardness, and nitrates for some of the dry weather samples analyzed exceeded the water quality objectives in samples collected prior to the DAMP. These and other water quality indicators are tabulated on page 2-6 of the DAMP.
- 34. The Permittee's 2000 Annual Report (Pursuant to each NPDES MS4 permit issued by the Regional Board to the Permittees, there is a requirement that an annual report (the "Annual Report") be filed with the Regional Board on or before each Nevember 30th) summarized wet weather monitoring data collected between July 1990 and July 2000. This summary shows

<sup>&</sup>lt;sup>7</sup> Consolidated Program for Water Quality Monitoring, Riverside County Flood Control and Water Conservation District, March 1994.

Area-wide Urban Runoff

REFC&WCD, the County of Riverside, and the Incorporated Cities

that the average concentration values for a wide array of pollutants do not exceed the Receiving Water Quality Objectives. However, for numerous constituents, the summary contains several maximum-recorded concentrations that exceed these Receiving Water Quality Objectives. The summary also includes data from the period prior to implementation of the DAMP approved by the Executive Officer in January 1994.

- 35. In general, the data as presented in the 2000 Annual Report are inconclusive in regard to identification of the pollutant trends and compliance or non-compliance with "Receiving Water Limitations" in various drainage areas represented by the monitoring stations. Consequently, this Order requires the Permittees, in consultation with Regional Board staff, to re-evaluate prior monitoring data to identify the areas with elevated pollutant concentrations to focus their source reduction efforts. Also, this Order requires the Permittees to revise the CMP to provide more effective data to support Urban Runoff management. The Permittees will continue their current monitoring efforts on those priority areas pending development and approval of the revised CMP.
- 36. This Order requires the Permittees to make all necessary revisions to an agreement entitled "NPDES Stormwater Discharge Permit Implementation Agreement" dated November 12, 1996 (the "Implementation Agreement"). The Implementation Agreement establishes the responsibilities of each party and a funding procedure for the shared costs.
- 37. By January 1, 2003, the State Board is required by Water Code Section 13383.5 (Stats. 2001, c. 492 (S.B. 72)) to develop a statewide municipal storm water (Urban Runoff) monitoring and reporting program. Once this statewide program has been developed, the Permittees will be required to develop a revised monitoring and reporting program as specified in this Order and consistent with new requirements developed by the State Board.
- 38. In addition to the Regional Board, a number of other stakeholders are involved in the management of the water resources of the Region. These include, but are not limited to, the incorporated cities in the Region, POTWs the three counties, and the Santa Ana Watershed Project Authority and its member agencies. The entities listed in Appendix 2 are considered as potential dischargers of Urban Runoff in the Permit Area. It is expected that these entities will also work cooperatively with the Permittees to manage Urban Runoff. The Regional Board, pursuant to 40 CFR 122.26(a), has the discretion and authority to require non-cooperating entities to participate in this Order of to issue individual storm water permits.
- 39. Cooperation and coordination among the stakeholders (regulators, Permittees, the public, and other entities) are critical to optimize the use of limited resources and ensure economical management of the watershed. Recognizing this fact, this Order focuses on watershed management and seeks to integrate the programs of the stakeholders, especially the holders of the three MS4 permits, within the Region.
- 40. The Regional Board recognizes that a watershed management program should integrate related programs, including the Urban Runoff program and TMDL processes.

<sup>8</sup> Receiving Water Limitations are requirements included in this Order issued by the Board to assure that the regulated discharge does not violate water quality standards established in the Basin Plan at the point of discharge to waters of the State.

- 41. Illegal discharges to the MS4s can contribute to contamination of Urban Runoff and other surface waters. The RCFC&WCD was required by Order No. 90-104 to conduct an inspection of underground storm drains and only one illicit connection could be identified. Open channels and other aboveground elements of the MS4s are inspected for evidence of illegal discharges as an element of routine maintenance by the Permittees. The Permittees also developed a program to prohibit illegal discharges and illicit connections to their MS4s. Continued surveillance and enforcement of these programs are required to eliminate illicit connections and illegal discharges. The Permittees have a number of procedures in place to eliminate illicit connections and illegal discharges to the MS4s, including construction, commercial, and industrial facility inspections, drainage facility inspections, water quality monitoring and reporting programs, and public education.
  - 42. The Permittees have the authority to control pollutants in Urban Runoff discharges, to prohibit illicit connections and illegal discharges, to control spills, and to require compliance and carry out inspections of the MS4s within their respective jurisdictions. The Co-Permittees have been extended necessary legal authority through California statutes and local charters. Consistent with this statutory authority, each of the Co-Permittees have adopted their respective Storm Water Ordinances. The Co-Permittees are required by this Order to review their respective Storm Water Ordinances and other ordinances, regulations, and codes adopted by them to determine whether the language of said ordinances, regulations, and codes needs to be modified or expanded to allow for enforcement actions, including civil and/or criminal penalties, to be brought by each Co-Permittee consistent with the provisions of this Order.
  - 43. Pollution prevention techniques implemented to the MEP, appropriate planning review procedures, early identification of potential Urban Runoff impacts and mitigation measures may reduce pollution associated with Urban Runoff. The Co-Permittees consider these impacts and appropriate mitigation measures in their respective planning review processes and CEQA review processes for development projects to insure consistency with their respective general plans. This Order requires the Co-Permittees to review their respective CEQA review processes, general plans, zoning ordinances, and related regulations and codes to determine the need for any revisions.
- 44. The legislative history and the preamble to the federal storm water regulations indicate that Congress and the USEPA were aware of the difficulties in regulating Urban Runoff solely through traditional end-of-pipe treatment. However, it is the Regional Board's intent that this Order requires the implementation of BMPs to reduce, to the MEP, the discharge of pollutants in Urban Runoff from the MS4s in order to support attainment of water quality standards. This Order, therefore, includes Receiving Water Limitations based upon water quality objectives, prohibiting the creation of nuisances and requiring the reduction of water quality impairment in the Receiving Waters. In accordance with Section 402 (p) of the CWA, this Order requires the Permittees to implement control measures that will reduce pollutants in Urban Runoff discharges to the MEP. The Receiving Water Limitations similarly require the implementation of control measures to protect beneficial uses and attain water quality objectives of the Receiving Waters.

- 45. The Regional Board finds that the unique aspects of the regulation of Urban Runoff discharges through MS4s, including, but not limited to, the intermittent nature of discharges, difficulties in monitoring and limited physical control over the discharge, will require adequate time to implement and evaluate the effectiveness of BMPs. Therefore, this Order includes a procedure for determining whether Urban Runoff discharges are causing or contributing to exceedances of Receiving Water Limitations and for evaluating whether the DAMP must be revised in order to comply with this aspect of this Order. This Order establishes an iterative process to achieve compliance with the Receiving Water Limitations.
- 46. Less than one lifth (1/5) of the entire acreage within Riverside County drains into water bodies within the Permit Area. Sixty-seven percent of Riverside County's population resides within the Permit Area. The San Diego and the Colorado River Basin Regional Water Quality Control Boards regulate Urban Runoff from those portions of Riverside County outside of the Permit Area.
- 47. The Santa Ana Watershed is one of the major watersheds within Southern California. This watershed is divided into three sub-watersheds: the "Lower Santa Ana," the "Upper Santa Ana", and the "San Jacinto". The Lower Santa Ana sub-watershed (downstream from Prado Basin) includes the north half of Orange County and the Upper Santa Ana sub-watershed includes the southwestern corner of San Bernardino County and the northwestern corner of Riverside County. The San Jacinto sub-watershed includes the northwest corner of Riverside County south of the Upper Santa Ana sub-watershed.
- 48. The Santa Ana River is the major receiving water in the Permit Area. During non-storm periods the flow in the River is dominated by effluent from POTWs. POTW discharges are regulated under permits issued by the Regional Board. In addition, the quality of the Santa Ana River within the Upper Santa Ana sub-watershed is greatly influenced by agricultural activities. Urban Runoff from the Permit Area constitutes a minor component of the dry weather flow in the Upper Santa Ana and San Jacinto sub-watersheds of the Santa Ana River.
- 49. Generally, the portion of the Upper Santa Ana sub-watershed located within San Bernardino County drains to the portion of the Upper Santa Ana sub-watershed within Riverside County and the portion of the Upper Santa Ana sub-watershed located within Riverside County and the San Jacinto sub-watershed drain to Orange County through the Prado Basin and Dam. Prado Dam detains the flows of the Upper Santa Ana and San Jacinto sub-watersheds, specifically Reaches 3 and 4 of the Santa Ana River, and supports an extensive man-made wetlands system, that provides treatment of the detained water. Most of the flow in the Santa Ana River is released from Prado Dam and recharged into the ground water in Orange County. However, as a result of infrequent heavy storm events, flows leaving Prado Dam may continue to coastal waters of the Pacific Ocean.
- 50. Water from rainfall, snow melt runoff, and surfacing ground water from various areas within the Permit Area either discharge directly to the Santa Ana River or to watercourses tributary to the Santa Ana River. Other major rivers within the Permit Area include the San Jacinto River and Temescal Creek. The San Jacinto Mountain areas drain into the San Jacinto River, which discharges into Canyon Lake and thence into Lake Elsinore. Any overflow from Lake Elsinore is tributary to Temescal Creek, which flows into the Santa Ana River at the

REFC&WCD, the County of Riverside, and the Incorporated Cities

Prado Basin. Overflow from Lake Elsinore occurs infrequently, only once every 12 to 15 years.

- 51. The requirements contained in this Order are necessary to implement the Basin Plan. This Order does not contain numeric effluent limitations for any constituent because the impact of the Urban Runoff discharges on the water quality of the Receiving Waters has not yet been fully determined and because the State Board and the USEPA have determined that numeric effluent limits are not required in the MS4 permits. Continuation of water quality/biota monitoring and analysis of the data are essential to make that determination. The Basin Plan or amendments thereto, may be grounds for the Permittees to revise the DAMP.
- 52. The Permittees will be required to comply with future water quality standards or discharge requirements, which may be imposed by the USEPA or State of California prior to the expiration of this Order. This Order may be reopened to include WLAs or LAs to address pollutants in Urban Rupoff causing or contributing to the impairments in Receiving Waters and/or other requirements developed and adopted by the Regional Board.
- 53. The Permittees may petition the Regional Board to issue a separate NPDES permit to any discharger of non-storm water into MS4s that they own or operate.
- 54. The Permittees have implemented programs to control litter, trash, and other anthropogenic materials in Urban Runoff In addition to the municipal ordinances prohibiting litter, the Permittees should continue to participate or organize a number of other programs such as solid waste collection programs, household hazardous waste collections, hazardous material spill response, catch basin cleaning, additional street sweeping, and recycling programs to reduce litter and illegal discharges. These programs should effectively address urban sources of these materials. This order includes requirements for continued implementation of these programs for litter, trash and debris control.
- 55. The Regional Board recognizes the importance of watershed management initiatives and regional planning and coordination in the development and implementation of programs and policies related to Receiving Water quality protection. A number of such efforts are underway in which the Permittees are active participants. This Order encourages continued participation in such programs and policies. The Regional Board also recognizes that in certain cases, diversion of funds targeted for certain monitoring and reporting programs to regional monitoring programs may be necessary. The Executive Officer is authorized to approve, after proper public notification and consideration of comments received, the watershed management initiatives and regional planning and coordination programs and regional monitoring programs. The Permittees are required to submit all documents, where appropriate, in an electronic format acceptable to the Executive Officer. These documents will be posted at the Regional Board's website and interested parties will be notified. In addition, the website will include the administrative and civil procedures to appeal any decision made by the Executive Officer.
- 56. The storm water regulations require public participation in the development and implementation of the Urban Runoff management program. As such, the Permittees are required to solicit and consider all comments received from the public and submit copies of the comments to the Executive Officer with the Annual Reports due each November 30th. In

REFC&WCD, the County of Riverside, and the Incorporated Cities

response to public comments, the Permittees may modify reports, plans, or schedules prior to submittal to the Executive Officer.

- 57. In accordance with Water Code Section 13389, the issuance of waste discharge requirements for this discharge is exempt from those provisions of CEQA contained in Chapter 3 (commencing with Section 21100), Division 13 of the California Public Resources Code
- 58. The Regional Board has considered anti-degradation requirements, pursuant to 40 CFR 131.12 and State Board Resolution No. 68-16, for this discharge. The Regional Board finds that the Urban Runoff discharges regulated under this Order are consistent with the federal and state anti-degradation requirements and a complete anti-degradation analysis is not necessary. This Order requires the continued implementation of programs and policies to reduce the discharge of pollutants in Urban Runoff. This Order includes additional requirements to control the discharge of pollutants in Urban Runoff from "Significant Redevelopment", as defined in Section VIII.B.1.a., and "New Development", as defined in Section VIII.B.1.b.
- 59. The Regional Board has notified the Permittees and interested parties of its intent to issue waste discharge requirements for Urban Runoff and has provided them with an opportunity to submit their written views and recommendations.
- 60. The Regional Board, in a public hearing, heard and considered all comments pertaining to the discharge of Urban Runoff and to the tentative requirements.

IT IS HEREBY ORDERED that the Riverside County Flood Control and Water Conservation District, the County of Riverside, and the incorporated cities of Beaumont, Calimesa, Canyon Lake, Corona, Hemet, Lake Elsinore, Woreno Valley, Murrieta, Norco, Perris, Riverside, and San Jacinto, in order to meet the provisions contained in Division 7 of the Water Code and regulations adopted thereunder, and the provisions of the Clean Water Act, as amended, and the regulations and guidelines adopted there under, shall comply with the following:

#### I. RESPONSIBILITIES:

- A. Responsibilities of the Principal Permittee:
  - 1. The Principal Permittee shall be responsible for managing the overall Urban Runoff program and shall:
    - a. Coordinate revisions to the DAMP.
    - b. Implement management programs, monitoring and reporting programs, and related plans as required by this Order.
    - c. Conduct chemical and biological water quality monitoring and hydrographic monitoring as required by the Executive Officer.

- d. Conduct inspections and maintain the MS4s over which it has jurisdiction.
- e. Review and revise, if necessary, those agreements to which it is a party and those regulations and policies it deems necessary to provide adequate legal authority to maintain the MS4s for which it has jurisdiction and to take those actions required of it by this Order and the Federal Storm Water Regulations (see Section V "Legal Authority/Enforcement", below);
- To cause appropriate enforcement actions against illegal discharges to the MS4 for which it has jurisdiction be taken and pursued as necessary to ensure compliance with storm water management programs, implementation plans, and regulations and policies, including physical elimination of undocumented connections and illegal discharges (see Section V "Legal Authority/Enforcement", below);
- g. Respond or cause the appropriate entity or agency to respond to emergency situations such as accidental spills, leaks, and illegal discharges/illicit connections to prevent or reduce the discharge of pollutants to its MS4s and to the Waters of the U. S.
- h. Prepare, coordinate the preparation of, and submit to the Executive Officer, those reports and programs necessary to comply with this Order.
- 2. The activities of the Principal Permittee should also include, but not be limited to, the following:
  - a. Establish a Management Steering Committee (the "Management Steering Committee") as described in the ROWD to address Urban Runoff management policies for the Permit Alea and coordinate the review, and necessary revisions to the DAMP and Implementation Agreement. The Management Steering Committee will meet at least quarterly or more frequently as determined by the chairperson.
  - b. Coordinate and conduct Technical Committee (the "Technical Committee") meetings, at least ten times per year. The Technical Committee shall direct the development of the DAMP, and coordinate the implementation of the overall Urban Runoff program, as described in the ROWD. The Technical Committee will consist of one or more representatives from each Permittee.
  - c. Will take the lead role in initiating and developing area-wide programs and activities necessary to comply with this Order.
  - d. Coordinate activities and participate in committees/subcommittees formed to comply with this Order.
  - e. Coordinate with the Regional Board and Co-Permittees the implementation of this Order, including the submittal of all reports, plans, and programs as required under this Order.

REFC&WCD, the County of Riverside, and the Incorporated Cities

Provide technical and administrative support to the Co-Permittees, including informing them of the status of known pertinent municipal programs, pilot projects, and research studies.

Coordinate with the Co-Permittees the implementation of Urban Runoff quality management programs, monitoring and reporting programs, implementation plans, public education, other pollution prevention measures, household hazardous waste collection, and all BMPs outlined in the DAMP and take other actions as may be necessary to meet the MEP.


- h. Gather and disseminate information on the status of statewide Urban Runoff programs and evaluate the information for potential use in the execution of this Order. Hold workshops focused on Urban Runoff regulatory requirements, BMPs, and other related topics.
- i. Compile information provided by the Co-Permittees and determine their effectiveness in attaining Receiving Water quality standards. This determination shall include a comparative analysis of monitoring data to the applicable water quality objectives for Receiving Waters as specified in Chapter 4 of the Basin Plan. A pollutant source investigation and control plan shall be performed when blevated pollutant levels are identified.
- j. Solicit and coordinate public input for major changes to the Urban Runoff management programs and the implementation thereof.
- k. Coordinate the development and implementation of procedures, and performance standards to assist in the consistent implementation of BMPs, as well as Urban Runoff management programs, among the Co-Permittees.
- I. Participate in watershed management programs and regional and/or statewide monitoring and reporting programs.

## B. Responsibilities of the Co-Permittees:

- 1. Each Co-Permittee shall be responsible for managing the Urban Runoff program within its jurisdiction and shall:
  - a. Continue to maintain adequate legal authority to control the contribution of pollutants to their MS4s and enforce those authorities.
  - b. Conduct inspections of and maintain its MS4s in accordance with the criteria developed pursuant to Section XI.D, below.
  - c. Continue to implement management programs, monitoring and reporting programs, all BMPs listed in the DAMP, and related plans as required by this Order and take such other actions as may be necessary to meet the MEP standard.

- d. Continue to seek sufficient funding for the area-wide Urban Runoff management plan, local Urban Runoff program management, Urban Runoff enforcement, public outreach and education activities and other Urban Runoff related program implementation.
- e. Continue to coordinate among their internal departments and agencies, as appropriate, to facilitate the implementation of this Order and the DAMP.
- f. Continue to pursue enforcement actions as necessary within its jurisdiction for violations of Urban Runoff ordinances, prohibitions on illicit connections and illegal discharges, and other elements of its Urban Runoff management program.
- g. Respond to or arrange for the appropriate entity or agency to respond to emergency situations such as accidental spills, leaks, illegal discharges/illicit connections, etc. to prevent or reduce the discharge of pollutants to their MS4s and the Waters of the U.S.
- 2. The Co-Permittees' activities should include, but not be limited to, the following:
  - a. Participate in the Management Steering Committee and the Technical Committee Each Co-Permittee shall designate at least one representative to the Management Steering Committee and Technical Committee. The Principal Permittee shall be notified immediately, in writing of changes to the designated representative to either Committee. The designated representative for each Committee shall attend that Committee's meeting as follows: at least three (3) out of four (4) Management Steering Committee meetings and nine (8) out of ten (10) Technical Committee meetings per year.
  - b. Conduct and coordinate with the Principal Permittee surveys and monitoring needed to identify pollutant sources and drainage area characteristics.
  - c. Prepare and submit reports to the Principal Permittee and/or the Regional Board in a timely manner.
  - d. Review, comment, approve, and implement plans, strategies, management programs, monitoring and reporting programs, as developed by the Principal Permittee, Technical Committee, or the Management Steering Committee to comply with this Order.
  - e. Participate in subcommittees formed by the Principal Permittee, Technical Committee, or the Management Steering Committee to comply with this Order.
  - f. Submit up-to-date MS4 maps to the Principal Permittee. If necessary, these maps should be revised on an annual basis and the revised maps should be submitted to the Principal Permittee with the information required for preparation of the Annual Report.

BCFC&WCD, the County of Riverside, and the Incorporated Cities



## II. DISCHARGE LIMITATIONS/PROHIBITIONS:

- A. In accordance with the requirements of 40 CFR 122.26(d)(2)(i)(B) and 40 CFR 122.26(d)(2)(i)(F), the Permittees shall continue to prohibit illicit connections and illegal discharges (non-storm water) from entering their respective MS4s.
- B. The discharge of Urban Runoff from each Permitee's MS4s to the Waters of the U. S. containing pollutants that have not been reduced to the MEP is prohibited.
- C. The Permittees shall continue to effectively prohibit the discharge of non-storm water into their respective MS4s and to the Waters of the U. S. unless such discharge is authorized by a separate NPDES permit or specifically allowed by the following provisions. The Permittees need not prohibit the discharges identified below. If, however, any of the following discharges are identified by either a Permittee or the Executive Officer as a significant source of pollutants, coverage under the Regional Board's De Minimus permit may be required.
  - 1. Discharges covered by a NPDES permit/Waste Discharge Requirements, or waivers issued by the Regional or State Board. Unless a Permittee is the discharger, the Permittees shall not be responsible for any exceedances of Receiving Water Limitations associated with such discharges;
  - 2. Discharges from potable water line flushing and other potable water sources;
  - 3. Emergency water flows (i.e., flows necessary for the protection of life and property) do not require BMPs and need not be prohibited. However, appropriate BMPs shall be considered where practicable when not interfering with emergency public health and safety issues;
  - 4. Discharges from landscape irrigation, lawn/garden watering and other irrigation waters;
  - 5. Air conditioning condensate;
  - 6. Diverted stream flows:
  - 7. Rising ground waters and natural springs;
  - 8. Groundwater infiltration (as defined in 40 CFR 35.2005(20)) and uncontaminated pumped groundwater;
  - 9. Passive foundation drains;

REFC&WCD, the County of Riverside, and the Incorporated Cities

- 10. Passive footing drains;
- 11. Water from crawl space pumps;
- 12. Non-commercial vehicle washing, (e.g. residential car washing (excluding engine degreasing) and car washing fundraisers by non-profit organization);
- 13. Flows from riparian habitats and wetlands;
- 14. Dechlorinated swimming pool discharges;
- 15. Water's not otherwise containing wastes as defined in Water Code Section 13050 (d); and
- 16. Other types of discharges identified and recommended by the Permittees and approved by the Regional Board.
- D. The Regional Board may issue Waste Discharge Requirements for discharges exempted from NPDES requirements, such as agricultural irrigation waters, if identified to be a significant source of pollutants.
- E. The Regional Board may add sategories of non-Urban Runoff discharges that are not significant sources of pollutants or remove categories of non-Urban Runoff discharges listed in Section II.C. above, based upon a finding that the discharges are a significant source of pollutants.
- F. When types of discharges listed in Section II.C.2-16, above, is identified as a significant source of pollutants to the Waters of the U.S., a Permittee shall either: prohibit the discharge category from entering its MS4 or ensure that structural and non-structural BMPs are implemented to reduce or eliminate pollutants resulting from the discharge. The Permittees shall evaluate the permitted discharges, as listed in Section II.C.1., above, to their MS4s in the Permit Area to determine if any are a significant source of pollutants to their MS4s in the Permit Area and notify the Executive Officer if any are a significant source of pollutants to their MS4s.
- G. The Permittees shall continue to reduce the discharge of pollutants, including trash and debris, from their respective MS4s to Receiving Waters to the MEP.
- H. Discharges from the MS4s shall be in compliance with the discharge prohibitions contained in Chapter 5 of the Basin Plan.

#### III. RECEIVING WATER LIMITATIONS

A. Urban Runoff discharges from the Permittees' M84s shall not cause or contribute to exceedances of Receiving Water quality standards (as defined by "beneficial uses" and "water quality objectives" in the Basin Plan) for surface waters or ground waters in the Permit Area.

- B. Discharge of Urban Runoff from a Permittee's MS4 shall not cause or contribute to a condition of nuisance as the term is defined in Section 13050 of the Water Code.
- C. The DAMP and its components shall be designed to achieve compliance with Receiving Water Limitations associated with discharges of Urban Runoff. It is expected that compliance with Receiving Water Limitations will be achieved through an iterative process and the application of increasingly more effective BMPs.
- D. The Permittees shall comply with Sections II and III of this Order through timely implementation of control measures and other actions to reduce pollutants in Urban Runoff in accordance with the DAMP and other requirements of this Order, including modifications thereto.
- E. If exceedance(s) of water quality standards due to Urban Runoff discharges persist, notwithstanding implementation of the DAMP and other requirements of this Order, the Permittees shall assure compliance with Sections II.B and III of this Order by complying with the following procedure:
  - 1. Upon a determination by either the Permittees or the Executive Officer that the discharges from the MS4 systems are causing or contributing to an exceedance of an applicable water quality standard, the Permittees shall promptly (within 24 hours of determination) notify and (within 30 calendar days) thereafter submit a report to the Executive Officer for his review and approval that describes the BMPs that are currently being implemented and the additional BMPs that will be implemented to prevent or reduce those pollutants that are causing or contributing to the exceedance of the applicable water quality standards. Alternatively, if the exceedances are due to discharges to the MS4 from activities or areas not under the jurisdiction of the Permittees, the Permittees shall promptly notify the Executive Officer and provide documentation of these discharges.
  - 2. Determination of the effect of Urban Runoff discharges from the MS4s on Receiving Water quality standards shall include a comparative analysis of the Permittees' monitoring data to the applicable water quality objectives for the Receiving Waters specified in Chapter 4 of the Basin Plan
  - 3. The report required by Section III.E.1., above, shall address the causes of the receiving water quality standard exceedance, and the technical and economic feasibility of those BMPs available to the Permittees to reduce or eliminate the exceedance. Said report may be incorporated in the annual update to the DAMP, unless the Executive Officer directs, in writing, an earlier submittal. The report shall include a pollution source investigation, a control plan and an implementation schedule. The Executive Officer may by written notice require modifications to the report. If required, such modifications shall be submitted within thirty (30) calendar days of receipt of said written notice
  - 4. Within ninety (90) calendar days following approval by the Executive Officer of the report required by Section III.E.1., above, the Permittees shall revise the DAMP and

REFC&WCD, the County of Riverside, and the Incorporated Cities

their monitoring and reporting programs to incorporate the approved modified or additional BMPs that have been or are to be implemented, and the implementation schedule.

- 5. The revised DAMP and monitoring program are to be implemented in accordance with the approved schedule.
- 6. If the exceedances are solely due to discharges to the MS4 that are outside the Permittees jurisdiction or control, the Permittees shall notify the Executive Officer by telephone or e-mail within twenty-four (24) hours of the determination of the exceedance and provide written documentation of these discharges within ten (10) calendar days.
- 7. So long as the Permittees have complied with the procedures set forth above and are implementing the revised DAMP, the Permittees do not have to repeat the same procedure for continuing or recurring exceedances of the same Receiving Water Limitations unless the Executive Officer determines it is necessary to develop additional BMP's and provides written notice to the Permittees of this determination.

## IV. IMPLEMENTATION AGREEMENT

- A. Within six (6) months of this Order's adoption, the existing Implementation Agreement shall be revised to include the city of Murrieta. A copy of the signature page and revisions to the Agreement shall be included in the Annual Report.
- B. No later than November 30th of each year, the Permittees shall evaluate their Urban Runoff management programs and the Implementation Agreement and determine the need, if any, for revision. The Annual Report shall include the findings of this review and a schedule for any necessary revision(s).

### V. LEGAL AUTHORITY/ENFORCEMENT:

- A. The Permittees shall continue to main tain adequate legal authority to control the contribution of pollutants to the MS4s by Urban Runoff and enforce those authorities.
- B. The Permittees shall continue to take appropriate enforcement actions against violators of their Storm Water Ordinances, in accordance with the Federal Storm Water Regulations (40CFR, Part 122.26(d)(2)(I)(A-F)), and adopted/established guidelines and procedures in the E/CS.
- C. Within six (6) months of this Order's adoption, the Permittees shall evaluate their ordinances, regulations, rules and codes to determine if it has provided its staff authority to impose administrative fines for violations of its storm Water Ordinance.

- D. Co-Permittees' ordinances or other local regulatory procedures shall include sanctions to ensure compliance. Sanctions shall include but shall not be limited to: verbal or written warning, notice of non-compliance, administrative compliance order, stop work or cease and desist order, misdemeanors, infractions or monetary penalties. If the Permittees' current ordinances do not have a provision for civil or criminal penalties for violations of their Storm Water Ordinances, the Permittees shall enact such ordinances within eighteen (18) months of this Order's adoption.
- E. The Permittees shall continue to provide notification to Regional Board staff regarding Urban Runoff related information gathered during site inspections of construction, and industrial sites regulated by the General Urban Runoff Permits or San Jacinto Watershed Construction Activities Permit and at sites that should be regulated under these Rermits. The notification should include observed violations of these permits, prior history of violations, enforcement actions taken by the Permittee, and other relevant information. In addition, Sections IX, X, and XII of this Order address additional notification requirements for construction, industrial and commercial sites not covered under the General Storm Water Permits.
- F. Within twelve (12) months of this Order's adoption, and annually thereafter in November, the Permittees shall provide a report containing a review of their Storm Water Ordinances and their ordinance enforcement practices to assess their effectiveness in prohibiting non-exempt, non-storm water discharges to the MS4s (the Permittees may propose appropriate control measures in lieu of prohibiting these discharges, where the Permittees are responsible for ensuring that dischargers adequately maintain those control measures). At a minimum, the following types of non-exempt, non-storm water discharges and wastes shall be considered:
  - 1. Sewage, where a Co-Permittee operates the sewage collection system;
  - 2. Wash water resulting from the hosing or cleaning of gas stations, and other types of automobile service stations;
  - 3. Discharges resulting from the cleaning, repair, or maintenance of equipment, machinery, or facilities, including motor vehicles, concrete mixing equipment, portable toilet servicing, etc.;
  - 4. Wash water from mobile auto detailing and washing, steam and pressure cleaning, carpet cleaning, etc.;
  - 5. Water from cleaning of municipal, industrial, and commercial areas including parking lots, streets, sidewalks, driveways, patios, plazas, work yards and outdoor eating or drinking areas, containing chemicals or detergents, and without prior sweeping, etc;
  - 6. Runoff from material storage areas or uncovered receptacles that contain chemicals, fuels, grease, oil, or other hazardous materials;

REFC&WCD, the County of Riverside, and the Incorporated Cities

- 7. Discharges of runoff from the washing of toxic materials from paved or unpaved areas;
- 8. Discharges from pool or fountain water containing chlorine, biocides, or other chemicals; pool filter backwash containing debris and chlorine;
- 9. Pet waste, yard waste, debris, sediment, etc;
- 10. Restaurant or food processing facility wastes such as grease, floor mat and trash bin wash water, food waste;
- G. Within eighteen (18) months of this Order's adoption, each Permittee shall submit a statement (signed by its legal counsel) that the Permittee has obtained all necessary legal authority to comply with this Order through adoption of ordinances and/or municipal code modifications.

# VI. ILLICIT CONNECTIONS/ILLEGAL DISCHARGES; LITTER, DEBRIS AND TRASH CONTROL

- A. The Permittees shall continue to prohibit illicit connections and illegal discharges to the MS4s through their ordinances. In addition, the Permitees shall continue to implement and improve routine inspection and monitoring and reporting programs for their MS4s. If routine inspections or dry weather monitoring indicate illicit connections or illegal discharges, they shall be investigated and eliminated or permitted within sixty (60) calendar days of receipt of notice by its staff or from a third party. A summary of these actions shall be submitted annually beginning with the 2003-2004 Annual Report.
- B. Spills, leaks, and/or illegal discharges to the MS4s shall be promptly investigated and reported. The Permittees shall immediately report any discharge that, based upon their assessment or as specified below, may endanger human health or the environment, including any unauthorized discharge, to the Executive Officer or his designee (909-782-3238, or by email to: sw@rb8.swrcb.ca.gov) and to the Office of Emergency Services (the "OES") (1-800-852-7550). This reporting should be done by phone or e-mail as soon as the Permittees become aware of the circumstances. A written report of the discharge or incident shall be submitted to the Executive Officer within ten (10) calendar days. At a minimum, all sewage spills above 1,000 gallons and all reportable quantities of hazardous waste spills as per 40CFR 117 and 302 shall be reported within twenty-four (24) hours and other spill incidents that are not incidents reportable to the OES shall be reported within two (2) business days followed by a written report within ten (10) calendar days of The Permittees may propose a reporting program, including the incident. reportable incidents and quantities, jointly with other agencies such as the County Health Department for approval by the Executive Officer.

REFC&WCD, the County of Riverside, and the Incorporated Cities

- C. The Permittees shall continue to implement control measures to reduce and/or to eliminate the discharge of pollutants, including trash and debris, from MS4s to the Receiving Water. These control measures shall be reported in the Annual Report.
- D. Within eighteen (18) months of this Order's adoption, the Technical Committee shall provide a written assessment of the relative efficiency and cost effectiveness of the available BMPs and the BMPs currently implemented for the control of anthropogenic litter (e.g. street sweeping, catch basin cleaning, deployment of trash receptacles, public education, etc.) and develop recommendations for improving the effectiveness of the currently implemented measures, and implement appropriate BMPs to control trash in Urban Runoff. The Permittees are required to establish a system to record visual observation information regarding the materials collected from the MS4 (e.g. paper, plastic, wood, glass, vegetative litter, and other similar debrie), descriptions of its main source(s) (e.g. office, residential, commercial, and industrial waste), and problem areas. The findings of this review, along with supporting field data, shall be included in the Annual Report for 2003-2004.
- E. Within eighteen (18) months of this Order's adoption, the Permittees shall review their litter/trash control ordinances to determine the need for revision to improve the effectiveness of these ordinances. The findings of this review shall be included in the Annual Report for 2003-2004.

# VII. SEWAGE SPILLS, INFILTRATION INTO MS4 SYSTEMS FROM LEAKING SANITARY SEWER LINES, SEPTIC SYSTEM FAILURES, AND PORTABLE TOILET DISCHARGES

- A. The Executive Officer will request the local sewering agencies to take the lead and develop unified response guidance, in cooperation with the Principal Permittee. The Principal Permittee shall collaborate with the local sewering agencies to develop a unified response procedure to respond to sewage spills that may have an impact on Receiving Water quality. The Permittees shall provide local sanitation districts 24-hour access to the MS4s to address sewage spills. The Permittees shall continue to work cooperatively with the local sewering agencies to determine and control the impact of infiltration from leaking sanitary sewer systems on Urban Runoff quality.
- B. Within twelve (12) months of this Order's adoption, the Permittees, whose jurisdictions have 50 or more septic tank sub-surface disposal systems in use, shall identify with the appropriate governing agency a procedure to determine the effect of septic system failures on Urban Runoff quality and continue to follow procedures established by the State Health Department to address such failures.
- C. Within twelve (12) months of this Order's adoption the Principal Permittee shall review the Permittees' current oversight programs for portable toilets to determine the need for revisions.

VIII. NEW DEVELOPMENT (INCLUDING SIGNIFICANT REDEVELOPMENT)

REFC&WCD, the County of Riverside, and the Incorporated Cities

### A. GENERAL REQUIREMENTS:

1\_Each Co-Permittee shall, consistent with the DAMP and its Storm Water Ordinance, and any revisions thereto as required by this Order, when considering any map or permit for which discretionary approval is sought require that said map or permit contain a condition requiring the applicant to obtain coverage under the General Construction Activity Storm Water Permit or the San Jacinto Watershed Construction Activities Permit, if applicable (collectively the "Construction Activity Permits"), by filing a Notice of Intent ("NOI") with either the State or Regional Board, as applicable. Verification that said condition has been satisfied may be established as to the General Construction Activity Storm Water Permit, by presentation of a letter from the State Board indicating that the required fees have been paid and a waste discharge identification number ("WDID No.") has been issued or determining from the State Board's web-site that the WDID No. has been issued, and, as to the San Jacinto Watershed Construction Activities Permit, that the required Storm Water Pollution Prevention Plan ("SWPPP") has been approved, fees have been paid and the Regional Board has issued a WDID No. Within six (6) months of this Order's adoption, each Co-Permittee shall review its land use approval process to determine that coverage has been secured under the appropriate Construction Activity Permit for each map or permit that it has approved.

- 2. Each Co-Permittee shall continue to implement those BMPs identified in the "New Development Guidelines", and the attachment thereto entitled "Selection and Design of Storm Water Quality Controls," that constitute Supplement A ("Supplement A") to the DAMP in its review of any map or permit for which discretionary approval is sought. The land use approval process of each Co-Permitee shall continue to require source control and address the need for structural treatment BMP's identify their location, and identify how long-term maintenance responsibilities are to be met.
- 3. The Permittees shall review and revise, as necessary, the DAMP, including Supplement A, in order to effect the implementation of new or enhanced BMPs that more effectively reduce pollutants in runoff from construction sites during all phases of construction, including post-construction. At a minimum, the DAMP shall continue to:
  - a. Discuss possible amendments to the Co-Permittees' ordinances, regulations, and codes that would enhance grading and erosion control and public education,
  - b. Propose review criteria to be applied in land use review processes to better address issues regarding Urban Runoff; and
  - c. Identify BMPs or regional or sub-regional Urban Runoff treatment/infiltration BMPs that would enhance pollution prevention measures and address post construction Urban Runoff issues.

- 4. The Permittees shall review and revise, as necessary, the DAMP, including Supplement A, in order to develop and effect the implementation of new or enhanced BMPs that reduce pollutants in Urban Runoff from commercial and industrial sites both during and after site construction. Appropriate BMPs will be required for industrial/commercial land uses that are identified during the land use approval process. For industrial/commercial land uses that are identified subsequent to the issuance of a discretionary map or permit, appropriate BMPs will be addressed through the E/CS. At a minimum the DAMP shall continue to address:
  - a. The identification of those characteristics of the development of a commercial or industrial site that are likely to be a source of pollutants in Urban Runoff that should be addressed and considered during the land use approval process, and
  - b. The identification of regional or sub-regional Urban Runoff treatment/infiltration BMPs that would address post construction Urban Runoff issues.
- 5. Each Co-Permittee shall continue to reduce the short and long-term impacts on Receiving Water quality from New Developments, as defined in Sub-section B.1, below, and Significant Redevelopment, as defined in Sub-section B.1., below, as required in Sub-section B., below. In order to reduce pollutants and runoff flows from New Development and Significant Redevelopment to the MEP, the Co-Permittees shall at a minimum.
  - a. Review their respective land use approval and CEQA review processes to insure that each addresses Urban Runoff issues consistent with provisions of this Order and make appropriate revisions to each, and
  - b. Develop and implement a public/business education program as specified in Section IX.C.4., below:
- 6. Each Co-Permittee shall provide the Regional Board with any draft general plan or any draft general plan amendments for comment in accordance with Government Code Section 65350 et. seq.
- 7. Each Co-Permittee shall, through its conditions of approval, continue to address the maintenance and operation of MS4s required to be constructed to ensure Urban Runoff quality from New Development. The parties responsible for the maintenance and operation of such MS4s and an appropriate funding mechanism shall be identified in said conditions of approval.
- 8. Within twelve (12) months of this Order's adoption, the Co-Permittees shall review their respective land use approval and CEQA processes to ensure that Urban Runoff issues are properly considered and addressed. If necessary, these processes should be revised to consider and mitigate impacts to Urban Runoff

REFC&WCD, the County of Riverside, and the Incorporated Cities

quality. These changes may include amending the general plan, modifying the land use approval process or the environmental assessment form, which may include adding a section on Urban Runoff quality issues. The findings of this review and the actions taken by the Co-Permittees shall be reported to the Regional Board in the Annual Report for the corresponding year in which the review is completed. The following shall be considered in a Co-Permittee's environmental assessment form:

- a. Potential impact that construction of the project may have on Urban Runoff.
- b. Potential impact that operation of the project may have on Urban Runoff.
- c. Potential for discharge of pollutants in Urban Runoff from areas identified within the project site to be used for material storage, vehicle or equipment fueling, vehicle or equipment maintenance (including washing), waste handling, hazardous materials handling or storage, delivery areas or loading docks, or other outdoor work areas.
- d. Potential for pollutants in Urban Runoff discharged from a project site that may affect the beneficial uses of the Receiving Waters.
- e. Potential for significant changes in the flow velocity or volume of Urban Runoff from a project site that would result in environmental harm.
- f. Potential for significant increases in erosion of a project site or surrounding areas.
- 9. Within twenty-six (26) months of this Order's adoption, each Co-Permittee shall review its general plan and related land use ordinances and land use approval process (including, but not limited to, its approved development standards, zoning ordinances, standard conditions of approval, or project development guidelines) to ensure that the principles and policies enumerated below are properly considered and are incorporated into the land use approval process. The findings of this review and the actions taken by each Co-Permittee shall be reported to the Regional Board in the Annual Report for the year in which the review is completed. Said principles and policies should include, but not be limited to, the following:
  - a. Limit disturbance of natural water bodies and drainage systems; conserve natural areas; protect slopes and charmels; minimize impacts from Urban Runoff on the biological integrity of natural drainage systems and water bodies;
  - b. Minimize changes in hydrology and solidant loading; require incorporation of source control and structural treatment BMPs, to mitigate the projected increases in pollutant loads and flows; ensure that post-construction runoff rates and velocities from a site do not result in significant adverse impact on downstream erosion and stream habitat; limit the quantity of Urban Runoff directed to impermeable surfaces and the MS4s, and maximize the percentage of permeable surfaces to allow more percolation of Urban Runoff into the ground;

REFC&WCD, the County of Riverside, and the Incorporated Cities

- c. Preserve wetlands, riparian corridors, and buffer zones; establish reasonable limits on the clearing of vegetation from the project site;
- d Encourage the use of BMPs to manage Urban Runoff quality and quantity;
- e. Provide for appropriate permanent measures to reduce pollutant loads in Urban Rumoff from the development site;
- f. Establish development guidelines for areas particularly susceptible to erosion and sediment loss; and
- g. \nsure that efficient irrigation systems are employed.
- 10. Within sixteen (16) months of this Order's adoption, each Co-Permittee shall review and, as necessary, revise its grading/erosion control ordinances in order to reduce erosion caused by New Development or Significant Redevelopment.
- 11. Within twelve (12) months of this Order's adoption, the Permittees shall identify a listing of erosion control BMPs appropriate for use during site construction in the Permit Area. The proposed and final BMP listing shall be approved, in writing, by the Executive Office.
- 12. The Co-Permittee's shall continue to implement the BMPs described in Supplement A and the "Municipal Facilities Strategy" dated 1997, prepared for and approved by the Permittees.
- B. WATER QUALITY MANAGEMENT PLAN FOR URBAN RUNOFF (FOR NEW DEVELOPMENT/SIGNIFICANT/REDEVELOPMENT)

Within twenty (20) months of this Order's adoption, the Permittees shall develop a Water Quality Management Plan (the "WQMP") identifying BMPs, including design standards for source control and structural treatment BMPs, that are to be applied when considering any map or permit for which discretionary approval is sought. The WQMP is intended to address regional and sub-regional source control and structural treatment BMPs and to provide guidelines for site specific, post-construction BMPs to address management of Urban Runoff quantity and quality. The WQMP is to be submitted to the Executive Officer for his review and approval, consistent with the criteria identified in sub-sections B.1., 2., and 3., below:

- 1. The WQMP shall address management of Unbain Runoff quality from a project site, represented by a map or permit for which discretionary approval is sought from a Co-Permittee, in one of the categories of development identified below:
  - a. "Significant Redevelopment" is defined as the addition or creation of 5,000, or more, square feet of impervious surface on an existing developed site. This includes, but is not limited to, construction of additional buildings and/or structures, extension of the existing footprint of a building, construction of

REFC&WCD, the County of Riverside, and the Incorporated Cities

impervious or compacted soil parking lots. Where Significant Redevelopment results in an increase of less than fifty percent of the existing impervious surfaces of an existing developed site, and the existing developed site received its discretionary land use approvals prior to the adoption of the WQMP, the WQMP would apply only to the addition, and not the existing development. Significant Redevelopment does not include routine maintenance activities that are conducted to maintain original line and grade, hydraulic capacity, the original purpose of the constructed facility of emergency actions required to protect public health and safety;

For purposes of this Order, the categories of development identified below, shall be collectively referred to as "New Development":

- (1.) Residential development of 10 dwelling units, or more, including single family and multi-family dwelling units, condominiums, or apartments.
- (2) Industrial and commercial development where the land area represented by the proposed map or permit is 100,000 square feet, or more, including, but not limited to, non-residential developments such as hospitals, educational institutions, recreational facilities, mini-malls, hotels, office buildings, warehouses, light industrial, and heavy industrial facilities;
- (3.) Automotive repair shops (with standard industrial classification ("SIC") codes 5013, 7532, 7533, 7534, 7537, 7538, and 7539).
- (4.) Restaurants (StC Code 5812) where the project site is 5,000 square feet, or prore.
- (5.) Hillside development that creates 10,000 square feet, or more, of impervious surface(s), including developments located on areas with known erosive soil conditions or where the natural slope is twenty-five percent or more.
- (6.) Developments creating 2,500 square feet, or more, of impervious surface that is adjacent to (within 200 feet) or discharging directly into areas designated in the Basin Plan as waters supporting habitats necessary for the survival and successful maintenance of plant or animal species designated under state or federal law as rare, threatened, or endangered species (defined in the Basin Plan as "RARE") or waterbodies listed on the CWA Section 303(d) list of impaired waterbodies within the Permit Area.
- (7.) Parking lots of 5,000 square feet of more of impervious surface exposed to storm water. Parking lot is defined as a site or facility for the temporary storage of motor vehicles.
- 2. The primary objective of the WQMP, by addressing source control and structural treatment BMPs, applied on a regional, sub-regional or site specific basis, is to ensure that the land use approval process of each Co-Permittee will minimize pollutant loads in Urban Runoff from project sites for a map or permit for which discretionary approval is given. This objective may be achieved through source control and structural treatment BMPs. In developing the WQMP, the Permittees are to consider and address the following:



- Pollutants of Concern/Conditions of Concern. The WQMP is to develop a protocol by which Pollutants of Concern and/or Conditions of Concern are identified and their potential impact on Urban Runoff from a project site that is to be developed by one or more of the categories specified in Section VIII.B.1., above. The protocol shall include, at a minimum, consideration of the following:
- The quality of the Receiving Waters in proximity to the project site (including pollutants for which a waterbody within the Permit Area that has been listed as impaired under CWA Section 303(d));
- (2) The category of development and the type of pollutants associated with that development category;
- (3) Pollutants expected to be present on project site; and
- (4) Sensitivity of the Receiving Waters in proximity to the project site to changes in storm water discharge flow rates, velocities, durations, and volumes.
- b. Implementation Process. The WQMP shall specify at which point in the land use approval process the provisions of the WQMP should be considered. The WQMP shall generally describe the type of municipal departments or related agencies that are best equipped to evaluate the project site and draft the conditions of approval that will identify the types of BMPs required to address the specified concerns indicated by the protocol developed consistent with Subsection B.2.a., above, and incorporated into the WQMP.
- c. If the draft condition of approval identifies the need for source control or structural treatment BMPs, the WQMP will require the proposed condition of approval to identify the operation and maintenance requirements for the identified structural source and/or treatment control and identify the funding source(s) and the parties responsible for the ongoing operation, maintenance, repair, rehabilitation and/or replacement of the source control and/or structural treatment BMPs.
- 3. The WQMP shall include a list of recommended source control and structural treatment BMPs and a protocol, developed pursuant to Sub-section B.2., above, that will identify those applications that would be most effective for a project site that is to be developed by one or more of the categories specified in Section VIII.B.1., above. The source control and structural treatment BMPs included in said list shall, at a minimum:
  - a. Control the post--construction peak storm water runoff discharge rates and velocities to avoid increasing downstream erosion beyond pre-construction conditions;
  - b. Conserve natural areas and to protect stream habitat, where feasible;
  - c. Minimize the introduction of Pollutants of Concern into Urban Runoff;

REFC&WCD, the County of Riverside, and the Incorporated Cities

d. Remove Pollutants of Concern from Urban Runoff;

e Protect slopes and channels from eroding;

f. Require storm drain inlet stenciling and signage;

g. Require properly designed outdoor material storage areas;

h. Require properly designed trash storage areas; and i. Remove pollutants to the MEP; and

j. Be located as close to pollutant sources, as feasible, and before the Urban Runoff is discharged into Receiving Waters.

- 4. If by January 1, 2005, the Permittees have not developed the WQMP and/or the WQMP has not been approved by the Executive Officer, then each Co-Permittee shall cause to be placed on any proposed project submitted to it after said January 1st that requires discretionary approval of a map or permit that proposes to develop a site consistent with one or more of the categories specified in Sub-section B.1., above, conditions of approval that will require source control and/or structural treatment BMPs that are to meet the design standards consistent with those specified in Sub-section B. 5, below.
- 5. Source control and structural treatment BMPs for any proposed project submitted to a Co-Permittee that requires discretionary approval of a map or permit that proposes to develop a site consistent with one or more of the categories specified in Sub-section B.1., above, are to be sized to comply with one of the following numeric sizing criteria or be determined by the Co-Permittee to provide equivalent or superior treatment of Urban Bunoff, on a site basis:
  - **a. Volume.** Volume–based BMPs shall be designed to treat urban pollutants (including, but not limited to, sediments, copper, lead, arsenic, zinc, and pesticides), or infiltrate either:
    - 1) The volume of Urban Runoff produced from a 24-hour, 85th percentile storm event, as determined from the local historical rainfall record; or
    - 2) The volume of annual Urban Runoff produced from a 24-hour, 85th percentile rainfall event, determined as the maximized capture Urban Runoff volume for the area, from the formula recommended in <u>Urban Runoff Quality Management</u>, <u>WEF Manual of Practice No. 23/ASCE Manual of Practice No. 87 (1998)</u>; or
    - 3) The volume of annual Urban Runoff based on unit basin storage volume, to achieve 80% or more volume treatment by the method recommended in <u>California Storm Water Best Management Practices Handbook</u> Industrial/Commercial (1993); or
    - 4) The volume of Urban Runoff, as determined from the local historical rainfall record, that achieves approximately the same reduction in pollutant loads

REFC&WCD, the County of Riverside, and the Incorporated Cities

and flows as achieved by mitigation of the Urban Runoff produced from a 24-hour, 85th percentile storm event;

Or,

Flow. Flow-based BMPs shall be designed to treat urban pollutants (including, but not limited to, sediments, copper, lead, arsenic, zinc, and pesticides), or infiltrate either:

- The maximum flow rate of Urban Runoff produced from a rainfall intensity of 0.2 inch of rainfall per hour; or
- 2) The maximum flow rate of Urban Runoff produced by the 85th percentile hourly rainfall intensity, as determined from the local historical rainfall record, multiplied by a factor of two; or
- 3) The maximum flow rate of Urban Runoff, as determined from the local historical rainfall record, that achieves approximately the same reduction in pollutant loads and flows as achieved by mitigation of the 85th percentile hourly rainfall intensity multiplied by a factor of two.
- 6. Implementation of Sub-sectionsB.1. through B.5., above shall include consideration of the following:
  - a. Each Co-Permittee may propose equivalent sizing criteria for structural treatment BMPs that will achieve greater or substantially similar pollution control benefits. In the absence of approved equivalent sizing criteria, the Co-Permittee shall implement the above stated sizing criteria.
  - b. Waiver Provisions: A Co-Permittee may provide for a project to be waived from the requirement of implementing structural treatment BMPs (Section VIII. B. 5):
    - (1). If infeasibility can be established. A waiver of infeasibility shall only be granted by a Co-Permittee when all available structural treatment BMPs have been considered and rejected as technically infeasible and/or the cost of implementing the structural treatment BMP greatly outweighs the pollution control benefit. All waivers, along with documentation justifying the issuance of the waiver, must be submitted to Regional Board staff in writing within thirty (30) calendar days. If the Executive Officer determines that waivers are being inappropriately granted, this Order may be reopened to modify these waiver conditions.
    - (2.) For those portions of the Permit Area that will not result in a discharge to the Receiving Waters under the conditions specified in Sub-sections B.5., above.
  - c. If a particular BMP is not technically feasible, other BMPs should be implemented to achieve the same level of pollution control or if the cost of

REFC&WCD, the County of Riverside, and the Incorporated Cities

implementing a technically feasible BMP greatly outweighs the pollution control benefits, the Co-Permittees may grant a waiver of the numeric sizing criteria for said BMP as set forth in the WQMP.

The Principal Permittee and the Co-Permittees, individually or jointly, as appropriate, may develop and implement regional and sub-regional watershed management BMPs that address Urban Runoff from New Qevelopment and Significant Redevelopment.

The obligation to install structural treatment BMPs for New Development will be satisfied if, for a specific plan, multiple subdivisions, or a regional area, structural treatment BMPs are constructed with the requisite capacity to serve the specific plan, multiple subdivisions, or regional area, even if certain phases of the specific plan or the subdivision do not have structural treatment BMP located within the boundaries of the particular phase, provided, however, the structural treatment BMPs are designed to intercept Urban Runoff prior to its reaching the Receiving Waters and said BMPs meet the sizing criteria set forth in the WQMP or as specified in Sub-section B.5, above.

- 7. Structural treatment BMPs utilizing infiltration shall comply with the following:
  - a. Infiltration shall not cause or contribute to an exceedance of groundwater quality objectives.
  - b. Protect groundwater quality.
  - c. Should not be used in high vehicular traffic areas (25,000 or greater average vehicles daily) unless necessary to mitigate peak storm flows for the protection of real and personal property, or for the protection of public health and safety. A sampling and analysis plan shall be implemented for such sites.
  - d. Shall be located at least 500 feet horizontally from water supply wells.
  - e. Shall not cause a nuisance, including odor, or vectors or pollution as defined by Water Code Section 13050.

#### IX. MUNICIPAL INSPECTION PROGRAM

The municipal inspection program is outlined in the E/CS, prepared by the Permittees. The E/CS describes minimum inspection and enforcement procedures utilizing existing inspection programs, provides criteria for characterizing the significance of violations, criteria for prioritizing violations, appropriate response actions corresponding to the priority of violations and identifies the hierarchy of enforcement/compliance responses. The E/CS comprises a framework to standardize the implementation and enforcement by the Co-Permittees of their respective Storm Water Ordinances. As part of the E/CS, the Principal Permittee and the County have implemented the CAP that, through the Riverside County


REFC&WCD, the County of Riverside, and the Incorporated Cities

Environmental Health Department, specifically addresses storm water compliance survey inspections of each facility that must secure a hazardous materials permit for either storing, handling or generating hazardous materials and restaurants. The Co-Permittees shall continue to enforce their respective Storm Water Ordinances consistent with the E/CS and shall revise the E/CS, within twelve (12) months of the adoption of this Order, and their respective Storm Water Ordinances consistent with the program elements described below. The revision of the E/CS is to be submitted for approval, in writing, by the Executive Officer.

## A. Construction Sites

- Each co-Permittee shall develop within twelve (12) months of this Order's ∾adoption, an inventory of active construction sites within its jurisdiction for projects for which a building or grading permit has been issued for a site that is 1-acre or larger. As written in the "Storm Water Phase II Final Rule – Small Construction Program Overview" (EPA 833-f-00-013, January 2000, Fact Sheet 3.0), smallet parcels that are part of a larger development will also be required to comply with the Phase II rules. A construction site will be included in the inventory regardless of whether the construction site is subject to the Construction Activity Permits, or other individual construction storm water NPDES permits. In addition, beginning thirteen months (13) from the adoption date of this Older, New Development/Redevelopment Sites meeting the criteria defined in Section VIII. B.1, shall also be included in this database. inventory shall be routinely maintained to reflect additional construction sites as permits are issued and may reflect deletions as occupancy permits are issued or a construction site is abandoned. This inventory shall be maintained in a An electronic copy or update of the computer-based database system. database, in a format acceptable to the Executive Officer, shall be provided with each Annual Report of upon request. The database specifics shall at a minimum include the relevant site information as outlined in the E/CS. The revised E/CS should include provide for the inclusion of the following information: facility name (dba), address, city, zip code, mailing address (if different), location reference (such as GIS coordinates, cross streets, etc.) facility contact and phone number, site size, Map/Plot Plan No., Grading Permit No., Assessor's Parcel Number (APN"), and State WDID No. Linking the database to a Geographical Information System ("GIS") is recommended but is not required.
- 2. Within twelve (12) months of this Order's adoption, the Co-Permittees shall inspect all inventoried construction sites, document relevant site information as outlined in the E/CS, and shall cause said information to be entered into the inventory database. In establishing priorities for inspection of construction sites consistent with this Order, the Co-Permittees shall prioritize construction sites within their jurisdiction as a high, medium, or low threat to Receiving Water quality (consistent with the criteria contained in Section IX.A.3., below). Evaluation of construction sites should be based on such factors as soil erosion potential, project size, proximity and sensitivity of receiving waters, history of compliance, and other relevant factors. The priority level assigned to a

REFC&WCD, the County of Riverside, and the Incorporated Cities




construction site may change during the construction period due to ongoing evaluation of these criteria by the Co-Permittees. At a minimum, high priority construction sites shall include those that disturb an area greater than 50 acres or those that disturb an area greater than one (1) acre that are adjacent to (within 200 feet) or directly discharge to an identified impaired waterbody within the Permit Area that has been listed pursuant to CWA Section 303(d) due to sediment or turbidity impairments.

- 3. Each Co-Permittee shall conduct construction site inspections for compliance with its ordinances, including its Storm Water Ordinance, regulations, codes, and the WQMP, when approved. Construction site inspections shall at a prinimum address the following areas as outlined in the E/CS:
  - a. Check for submittal of a NOIs in compliance with the Construction Activity Permits, if required;
  - b. Confirm compliance with the Co-Permittee's Storm Water Ordinance;
  - c. Confirm preparation and implementation of a SWPPP, if required;
  - d. Check for active non-stormwater discharges or potential illicit connections or illegal discharges to a MS4; and,
  - e. Those actions to be taken by the Co-Permittee and its staff to achieve compliance shall be identified in the next revision of the E/CS and the CAP. The frequency of inspections shall be as follows:

Site Priority Level	Inspection Frequency
High	Once every two weeks
Medium	Once each month
Low \	Once during the wet season
Follow-up inspections when Storm	As specified in the E/CS or at least
Water Ordinance violations were	within two weeks, or consistent with
observed	a compliance schedule.

- 4. Each Co-Permittee shall enforce its Storm Water Ordinance at construction sites as necessary to maintain compliance with the E/CS and this Order. Sanctions for non-compliance may include: verbal and/or written warnings, notice of violation or non-compliance, obtaining an administrative compliance, stop work or cease and desist order, a civil citation or injunction, the imposition of monetary penalties or criminal prosecution (infraction or misdemeanor).
- 5. As described in the E/CS, the Co-Permittees will provide training to staff involved in inspecting construction sites. Staff training will address the requirements of the following:

BCFC&WCD, the County of Riverside, and the Incorporated Cities



b. This Order, the approved WQMP, and the DAMP;

. The Construction Activity Permits;

d. The E/CS.

- 6. Construction site inspectors will also receive training regarding SWPPPs, selection and maintenance of appropriate BMPs for construction sites, including erosion and sediment control. Each Co-Permittee shall have arranged for adequate training of its current inspection staff within twelve (12) months of this Order's adoption and on an annual basis thereafter, prior to the start of the "Rainy Season" (October 1 through May 31<sup>st</sup>). Training programs should be coordinated with Regional Board staff and prior notification of formal classroom training activities shall be provided to Regional Board staff. New hires or transfers that will be performing construction site inspections for a Co-Permittee shall be trained within six (6) months of starting inspection duties.
- 7. Within twenty four (24) hours of receipt of notice by its staff or from a third party, each Co-Permittee shall continue to provide oral or e-mail notification to Regional Board staff of sites within its jurisdiction that are determined to pose a threat to human health or the environment (e.g., incidents that require reporting to the OES, sewage spills that could impact water contact recreation, an oil spill that could impact wildlife, a hazardous material spill where residents are evacuated, etc.) (cellectively, an "Emergency Situation"). Following oral notification, a written report must be submitted to Regional Board Staff within ten (10) calendar days of receipt of notice of the Emergency Situation, detailing the nature thereof, corrective actions taken by the site owner, other relevant information (e.g., past history of non-compliance, environmental damage resulting from the Emergency Situation, site owner responsiveness) and the type of enforcement, consistent with Table 4 of the E/CS, that has been or will be carried out by the Co-Permittee. Further, incidences of non-compliance shall be recorded along with the information noted in the written report and the final outcome/enforcement for the included in the database identified in Subsection A.1., above.
- 8. If a Co-Permittee receives notice by its staff or from a third party of a non-Emergency Situation representing a possible violation of the Construction Activity Permits or other order or permit issued by the State or Regional Board, the Co-Permittee shall, within two (2) working days, provide oral or e-mail notice to Regional Board staff of the location within its jurisdiction where the incident occurred and describing the nature of the incident. Following oral or e-mail notification, a written report must be submitted to Regional Board staff within ten (10) calendar days of becoming aware of the situation.

REFC&WCD, the County of Riverside, and the Incorporated Cities

- 9. Upon referral of a construction site to Regional Board staff for failure to obtain coverage under the applicable Construction Activity Permit, failure to keep a SWPPP at the construction site, if applicable, or an observed act or omission that suggests failure to comply with either, the Co-Permittee will take no further action at the construction site with regard to securing compliance with the Construction Activity Permits. It is understood by the Co-Permittees and Regional Board staff that this will preclude duplication of effort and insure that consistent direction is provided to the owner/developer and the construction site manager as to what is required to bring the site into compliance with the General Construction Activity Storm Water Permit or San Jacinto Watershed Construction Activities Permit. Each Co-Permittee shall take appropriate actions to bring a construction site into compliance with its local ordinances, rules, regulations, and WQMP, when approved.
- 10. The number of inspections and the actions taken will be documented by the Co-Permittees and an appropriate summary of said actions will be provided to the Principal Permittee for inclusion in the Annual Report submitted to the Regional Board.
- 11. The Permittees need not inspect construction sites already inspected by Regional Board staff if the inspection of said site, given its prioritization consistent with the E/CS, was concluded within the time frame specified for said site's prioritization. To facilitate this, Regional Board staff will post a list of facilities inspected on the website or make this information available to the Co-Permittees by other pre-arranged means.

#### B. Industrial Facilities

- 1. Each Co-Permittee shall develop within eighteen (18) months of this Order's adoption, an inventory of industrial facilities within its jurisdiction.
  - a. Each Co-Permittee that presently has an existing local industrial inspection program (the cities of Corona and Riverside as to their respective POTW pre-treatment inspections and the County through the CAP) shall include in their respective inventory of industrial facilities information derived from existing compliance survey and inspection programs.
  - b. Each Co-Permittee without an industrial inspection program shall include in their inventory of industrial facilities information from the CAP that is relevant to its jurisdiction and may include information derived from other agencies providing services within its jurisdiction, including, but not limited to, the appropriate Fire Department, health departments, and POTW servicing the Permit Area.
  - c. An industrial facility will be included in the inventory, regardless of whether the facility is subject to the General Industrial Activities Storm Water Permit, or other individual NPDES permits issued by the State or Regional Boards.

REFC&WCD, the County of Riverside, and the Incorporated Cities

d. The inventory shall be routinely updated (as conditional use permits, variances, plot plans, building permits, business licenses, occupancy permits, hazardous materials permits, and hazardous waste generator permits are approved for the development of a new industrial facility, additional facilities are identified through the CAP, and as compliance surveys and inspections are completed and industrial facilities are identified). This inventory shall be maintained in a computer database system.

or other license authorizing the facility to operate, unless the applicant is informed of the General Industrial Activities Storm Water Permit and that it may have to secure coverage thereunder.

- f. The database information content may be Co-Permittee-specific and shall be developed and maintained in accordance with the E/CS. The database contents shall at a minimum include the relevant site information, outlined in the E/CS. The revised E/CS should provide for the inclusion of the following information: facility name (dba), address, city, zip code, mailing address (if different), location reference (such as, GIS coordinates, cross streets, etc.) facility contact and phone number, SIC Code(s), State WDID No.(if any), APN, and site size). An electronic copy or update of the database, in a format acceptable to the Executive Officer, shall be provided with each Annual Report or upon request. Linking the database to a GIS is recommended but is not required.
- 2. The frequency and priority of an industrial facility compliance survey or inspection will be based on the most recent facility visit as outlined in the E/CS, as revised, consistent with this Order. The revised E/CS shall prioritize industrial facilities within their jurisdiction as a high, medium, or low threat to water quality. Evaluation of these facilities should be based on such factors as type of industrial activities (SIC codes), materials or wastes used or stored outside, pollutant discharge potential, facility size, proximity and sensitivity of Receiving Waters, frequency of existing inspections, based upon other California statutes or regulations or local regulations, ordinances, or codes, and any other relevant factors. At a minimum, a high priority classification shall be assigned to: facilities subject to Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and facilities with a high potential for or history of unauthorized, non-storm water discharges.
- 3. Once the inventory required by Subsection B.2, above, has been completed and the industrial facilities have been prioritized, consistent with Subsection B3, above, the Co-Permittees are to determine the frequency with which the inventoried facilities are surveyed or inspected pursuant to existing programs. Unless inspected more frequently pursuant to the existing programs, those industrial facilities given a high priority are to be inspected at least once a year, those industrial facilities given a medium priority are to be inspected at least once biannually, and those industrial facilities given a low priority are to be

REFC&WCD, the County of Riverside, and the Incorporated Cities

inspected at least once during the term of this Order. In the event that the industrial facility is found to be in violation of the Co-Permittee's Storm Water Ordinances the frequency of inspection shall be increased consistent with a compliance schedule determined appropriate by the Co-Permittee and as outlined in the revised E/CS to cause said facility to be brought into compliance.

- 4. Industrial facility compliance surveys and inspections shall at a minimum address the following, as outlined in the E/CS:
  - a. Check for submittal of a NOI to comply with the General Industrial Activities Storm Water Permit or other permit issued by the State or Regional Board to an industrial facility within the Permit Area;
  - b. Configmence with the Co-Permittee's Storm Water Ordinance;
  - c. Check for active non-storm water discharges, potential illicit connections, and Negal discharges to the MS4;
  - d. Potential for discharge of pollutants in Urban Runoff from areas of material storage, vehicle or equipment fueling, vehicle or equipment maintenance (including washing), waste handling, hazardous materials handling or storage, delivery areas or loading docks, or other outdoor work areas;
  - e. Implementation and maintenance of appropriate BMPs for industrial facilities.
- 5. Each Co-Permittee shall continue to enforce its ordinances, including its Storm Water Ordinance, resolutions and codes at industrial facilities as necessary to maintain compliance with this Order. Sanctions for non-compliance may include: verbal or written warnings, notice of violation or non-compliance, obtaining an administrative compliance, stop work, or cease and desist order, the imposition of monetary penalties or criminal prosecution (infraction or misdemeanor).
- 6. Within twenty-four (24) hours, each Co-Permittee shall continue to provide oral or e-mail notification to the Regional Board of facilities within its jurisdiction it perceives to be an illicit discharge that is determined to be an Emergency Situation. Following oral or e-mail notification, a written report must be submitted to Regional Board Staff within ten (10) calendar days of the Co-Permittee's receipt of notice, detailing the nature of the Emergency Situation, corrective actions taken by the facility owner, other relevant information (e.g., past history of non-compliance with the Co-Permittee's Storm Water Ordinance, environmental damage resulting from the Emergency Situation, facility owner responsiveness) and the type of enforcement, consistent with Table 4 of the E/CS, that has been or will be carried out by the Co-Permittee. Further, incidences of non-compliance shall be recorded, along with the information

REFC&WCD, the County of Riverside, and the Incorporated Cities

noted in the written report and the final outcome/enforcement for the incident shall be included in the database identified in Subsection B.1, above.

If a Co-Permittee receives notice by its staff or from a third party of a non-Emergency Situation representing a possible violation of the General Industrial Activity Storm Water Permit or other permit issued by the State or Regional Board to an industrial facility, the Co-Permittee shall, within two (2) working days, provide written notice to Regional Board staff of the location within its jurisdiction where the incident occurred and describing the nature of the incident.

- 8. Upon referral of an industrial facility to Regional Board staff for failure to obtain coverage under the General Industrial Activities Storm Water Permit, failure to keep a SWPPP at the industrial facility, or an observed act or omission that suggests failure to comply with either, the Co-Permittee will take no further action at the industrial facility with regard to securing compliance with the General Industrial Activities Storm Water Permit. It is understood by the Co-Permittees and Regional Board staff that this will preclude duplication of effort and insure that consistent direction is provided to the facility owner/manager as to what is required to bring the facility into compliance with the General Industrial Activities Storm Water Permit. Each Co-Permittee shall take appropriate actions to bring an industrial facility into compliance with its local ordinances, rules, regulations, and WQMP, when approved.
- 9. The number of compliance surveys/inspections and the actions taken will be documented by the Co-Permittees and an appropriate summary of said actions will be provided to the Principal Permittee for inclusion in the Annual Report submitted to the Regional Roard.
- 10. As described in the E/CS the Co-Permittees shall provide training to staff that are involved in conducting compliance surveys/inspections of industrial facilities. Staff training will address the requirements of the following:
  - a. The Storm Water Ordinance
  - b. This Order and the DAMP
  - c. The General Industrial Activities Storm Water Permit and any other permit issued to industrial facilities within the Permit Area by the State or Regional Board; and
  - d. The E/CS.
- 11. Each Co-Permittee's staff assigned to conduct the industrial facilities compliance surveys/inspections will also receive training regarding pollution prevention plans and selection of appropriate BMPs for industrial facilities. Training programs should be coordinated with Regional Board staff and prior

REFC&WCD, the County of Riverside, and the Incorporated Cities

notification of formal classroom training activities shall be provided to the Regional Board staff.

2. Each Co-Permittee shall have arranged for adequate training of its staff assigned to conduct the industrial facilities compliance surveys/inspections within eighteen (18) months of this Order's adoption, and on an annual basis thereafter. New hires or transfers that will be performing the industrial facilities compliance surveys/inspections for a Co-Permittee will be trained within six (6) months of starting field duties.

3. The Permittees need not inspect Industrial facilities already inspected by Regional Board staff if the inspection of said site, given its prioritization consistent with the E/CS, was concluded within the time frame specified for said site's prioritization. To facilitate this, Regional Board staff will post a list of facilities inspected on the website or make this information available to the Co-Permittees by other pre-arranged means.

## C. Commercial Accilities

Within eighteen (18) months of this Order's adoption, the Permittees shall review the E/CS to reflect the following:

1. Those Co-Permittees that presently have an existing inspection program for commercial facilities (the cities of Corona and Riverside as to their respective POTW pre-treatment inspections and the County through the CAP) shall develop within eighteen \( 18 \) months of this Order's adoption, an inventory of the commercial facilities that are surveyed or inspected pursuant to the existing program. The inventory will be updated on a routine basis as conditional use permits, variances, plot plans, building permits, business licenses, occupancy permits, hazardous materials permits, and hazardous waste generator permits are approved for development of a new commercial facility, additional commercial facilities are identified through the CAP and compliance surveys and inspections are completed and new commercial facilities are identified. Each Co-Permittee without a commercial facility inspection program shall include in its inventory of commercial facilities information from the CAP (including automobile mechanical pepair, maintenance, fueling, or cleaning; automobile and other vehicle body repair or painting; painting and coating; pool, lake and fountain cleaning (base of operations)) that is relevant to its jurisdiction and may include information derived from other agencies providing services within its jurisdiction, including, but not limited to, the POTW. This inventory shall be maintained in a computer database system. The revised E/CS should provide for the inclusion of the following information: facility name (dba), address, city, zip code, mailing address (if different), location reference (GIS coordinates, cross streets, APN, etc.) facility contact and phone number, SIC code(s), and site size. An electronic copy or update of the database, in a format acceptable to the Executive Officer, shall be provided with each Annual Report or upon request. Linking the database to a GIS is recommended but is not required.

- In addition, each Permittee shall develop within twenty-four (24) months of this Order's adoption, an inventory of the commercial facilities/companies listed below within its jurisdiction:
  - a. Mobile automobile or other vehicle washing (base of operations);
  - b. Mobile carpet, drape or furniture cleaning (base of operations);
  - Mobile high pressure or steam cleaning (base of operations);
  - d\ Nurseries and greenhouses;
  - e. Landseape and hardscape installation (base of operations); and,
  - f. Other commercial sites/sources that the Permittee determines may contribute a significant pollutant load to the MS4.
- 3. Within twelve (12) months of this Order's adoption, the CAP will be revised to cause compliance surveys/inspections of restaurants within Riverside County that, at a minimum, address the following:
  - a. Oil and grease disposal to verify that these wastes are not discharged onto a parking lot, street or adjacent catch basin;
  - b. Trash bin areas to verify that these areas are clean, the bin lids are closed, the bins are not filled with liquid, and the bins have not been washed out into the MS4;
  - c. Parking lot, alley, sidewalk and street areas to verify that floor mats, filters and garbage containers are not washed in those areas and that no wash water is discharged to MS4s from those areas; and,
  - d. Parking lot areas to verify that they are cleaned by sweeping, not by hosing down, and that the facility operator uses dry methods for spill cleanup.
- 4. The revised E/CS shall prioritize commercial facilities within their jurisdiction as a high, medium, or low threat to water quality. Evaluation of these facilities should be based on such factors as type of commercial activities (SIC codes), materials or wastes used or stored outside, pollutant discharge potential, facility size, proximity and sensitivity of Receiving Waters, frequency of existing inspections, based upon other California statutes or regulations, or local regulations, ordinances, or codes, and any other relevant factors. At a minimum, a high priority classification shall be assigned to facilities with a high potential for or history of unauthorized, non-storm water discharges.
- 5. Once the inventory required by Subsection C.1, above, has been completed and the commercial facilities have been prioritized consistent with Subsection

REFC&WCD, the County of Riverside, and the Incorporated Cities

B.3, above, the Co-Permittees are to determine the frequency with which the inventoried facilities are surveyed or inspected, pursuant to existing programs. Unless inspected more frequently pursuant to the existing programs, those commercial facilities given a high priority are to be inspected at least once a year, those commercial facilities given a medium priority are to be inspected at least once biannually, and those commercial facilities given a low priority are to be inspected at least once during the term of this Order. In the event that the commercial facility is found to be in violation of the Co-Permittee's Storm Water Ordinances the frequency of inspection shall be increased consistent with a compliance schedule determined appropriate by the Co-Permittee and as outlined in the revised E/CS to cause said facility to be brought into compliance.

- 6. The commercial facility compliance survey/inspection shall, at a minimum, address the following, consistent with the E/CS:
  - a. Commercial activity type(s) and SIC code(s);
  - b. Compliance with each Co-Permittee's Storm Water Ordinances; If applicable, check for submittal of a NOI to comply with the General Industrial Activities Storm Water Permit or other permit issued by the State or Regional Board; and,
  - c. The E/CS.
- 7. The Permittees will expand its existing public educational program to include a concentrated, business-specific element. This expanded education element will be described in detail in the WQMP and the DAMP. This education program will include criteria to provide the commercial facility owner and/or operator with information to encourage compliance with the Co-Permittees' Storm Water Ordinances and the General Industrial Activities Storm Water Permit or other permit issued by the State or Regional Board, if applicable. If the commercial facility is found to need coverage under the General Industrial Activities Storm Water Permit or other permit issued by the State or Regional Board, information will be provided and the Regional Board will be notified.
- 8. Each Co-Permittee shall enforce its Storm Water Ordinance prohibiting non-exempt non-storm water discharges at commercial facilities. Sanctions for non-compliance may include: verbal and/or written warnings, notice of violation or non-compliance, obtaining an administrative compliance, stop work, or cease and desist order, a civil citation or injunction, the imposition of monetary penalties or criminal prosecution (infraction or misdemeanor).
- 9. The number of compliance surveys/inspections and the actions taken will be documented by the Co-Permittees and an appropriate summary of said actions will be provided to the Principal Permittee for inclusion in the Annual Report submitted to the Regional Board.

- 10. Within twenty-four (24) hours of receipt of notice by its staff or from a third party, each Co-Permittee shall continue to provide oral or e-mail notification to the Regional Board of facilities within its jurisdiction that it perceives to have an illicit discharge or that is determined to be an Emergency Situation. Following oral or e-mail notification, a written report must be submitted to Regional Board Staff within ten (10) calendar days of the Co-Permittee's receipt of notice. All written reports shall detail the nature of the Emergency Situation, identify corrective actions taken by the facility owner, and note other relevant information (e.g., past history of non-compliance, environmental damage resulting from the Emergency Situation, facility owner or manager's responsiveness) and the type of enforcement, consistent with Table 4 of the E/CS, that has been or will be carried out by the Co-Permittee. Further, incidences of non-compliance shall be recorded along with the information noted in the written report and the final outcome/enforcement for the incident will be included in the database identified in Subsection C.1, above.
- 11. If a Co-Permittee discovers, or receives notice by its staff or from a third party of a non-Emergency Situation representing a possible violation of the General Industrial Activity Storm Water Permit, if applicable to the commercial facility, or other permit issued by the State or Regional Board to a commercial facility, the Co-Permittee shall, within two (2) working days, provide written notice to Regional Board staff of the location within its jurisdiction where the incident occurred and describing the nature of the incident.
- 12. Not all commercial facilities are required to obtain coverage under the General Industrial Activities Storm Water Permit. However, if required to obtain coverage and upon referral of a commercial facility to Regional Board staff for failure to obtain coverage under the General Industrial Activities Storm Water Permit, failure to keep a\SWPPP at the commercial facility, or an observed act or omission that suggests failure to comply with the General Industrial Activities Storm Water Permit, the Co-Permittee will take no further action at the commercial facility with regard to securing compliance with the General Industrial Activities Storm Water Rermit. It is understood by the Co-Permittees and Regional Board staff that this will preclude duplication of effort and insure that consistent direction is provided to the facility owner/manager as to what is required to bring the facility into compliance with the General Industrial Activities Storm Water Permit. Each Co-Permittee shall take appropriate actions to bring a commercial facility into compliance with its local ordinances, rules, regulations, and WQMP, when approved.
- 13. As described in the E/CS, Co-Permittees will provide training to staff that is involved in the compliance surveys/inspections of commercial facilities. Staff training will address the requirements of the following:
  - a. The Storm Water Ordinance:
  - b. This Order and the DAMP;

REFC&WCD, the County of Riverside, and the Incorporated Cities

 The General Industrial Activities Storm Water Permits and any other permit issued to a commercial facility within the Permit Area by the State or Regional Board;

\d. The E/CS;

e. Pollution prevention plans; and,

 $f. \setminus S$  election and maintenance of appropriate BMPs for commercial sites.

4. Fraining programs should be coordinated with Regional Board staff and prior notification of formal classroom training activities shall be provided to Regional Board staff.

15. Each Co-Permittee shall have arranged for adequate training of its current municipal staff assigned to conduct the commercial facility compliance survey/inspection within eighteen (18) months of this Order's adoption, and on an annual basis thereafter. New hires or transfers that will be performing the commercial facilities compliance surveys/inspections for a Co-Permittees will be trained within six (6) months of starting field duties.

## X. EDUCATION AND OUTREACH

- A. The Urban Runoff regulations require public participation in the Urban Runoff management program development and implementation. As such the Permittees shall solicit and consider comments received from the public and submit copies of the comments to the Executive Officer with the Annual Reports due on November 30<sup>th</sup>, beginning with the report due on November 30, 2003. In response to the public comments, the Permittees may modify reports, plans, or schedules prior to submittal to the Executive Officer.
- B. The Permittees shall continue to participate in a joint outreach with other programs including, but not limited to, the California Urban Runoff Quality Task Force, Caltrans, and other Urban Runoff programs to disseminate a consistent message on Urban Runoff pollution prevention to the public. The Permittees shall continue to sponsor or staff an Urban Runoff table or booth at community, regional, and/or countywide events to distribute public education materials to the public. Each Permittee shall sponsor at least one event per year that provides a venue for Urban Runoff education outreach.
- C. Within six (6) months of this Order's adoption, the Permittees shall establish a Public Education Committee to provide oversight and guidance for the implementation of the public education program. The Public Education Committee shall meet at least twice per year. The Public Education Committee shall make recommendations for changes to the public and business education program. The goal of the public and business education program shall be to target 100% of the residents, including businesses, commercial and industrial establishments and to measurably increase the awareness of Urban Runoff quality of the targeted groups. Through use of local print, radio and

BCFC&WCD, the County of Riverside, and the Incorporated Cities

television, the Permittees must ensure that the public and business education program makes a minimum of 5 million impressions per year (see definition in Appendix 4, Glessary).

- The Permittees shall continue to implement the public education efforts already underway and shall implement the most effective elements of the public and business education strategy contained in the Storm Water/Clean Water Protection Program. Within twelve (12) months of formation, the Public Education Committee shall propose a survey for measuring changes in awareness of Urban Runoff quality as a result of the education program. The findings of this survey will provide information for the development of a future Public Education action plan. Upon approval by the Executive Officer, the study shall be completed by the end of the permit cycle.
- E. Within twelve (12) months of formation, the Public Education Committee shall conduct an evaluation to determine the best method of establishing a procedure(s) for providing educational and General Industrial Permit compliance guidance materials to businesses within their jurisdiction. This procedure(s) for distributing educational materials to businesses shall be implemented within six (6) months after completion of the survey.
- F. Within twelve (12) months of this Order's adoption, the Public Education Committee shall develop BMP guidance for restaurants, automotive service centers, and gasoline service stations, and the discharges listed in Section II.C. of this Order, for the local agency inspectors to distribute to these facilities during inspections and for distribution to Corporate Officers.
- G. Within twelve (12) months of this Order's adoption, the Permittees shall develop public education materials to encourage the public to report (including a hotline line number to report) illegal dumping from residential, industrial, construction and commercial sites into public streets, storm drains and other waterbodies, clogged storm drains, faded or missing catch basin stencils and general Urban Runoff and BMP information. This hotline and website shall continue to be included in the public and business education program and shall be submitted for listing in the governmental pages of all major regional phone books.
- H. Within eighteen (18) months of this Order's adoption, the Permittees shall develop BMP guidance for the household use of fertilizers, pesticides, and other chemicals, mobile vehicle maintenance, carpet cleaners, commercial landscape maintenance, and pavement cutting. Additionally, BMP guidance shall be developed for categories of discharges listed in Section II.C, identified to be significant sources of pollutants unless appropriate BMPs are implemented. These guidance documents shall be distributed to the public, trade associations, etc., through participation in community events, trade association meetings, and/or mail.

BCFC&WCD, the County of Riverside, and the Incorporated Cities

### XI. MUNICIPAL FACILITIES PROGRAMS AND ACTIVITIES

- A. Successful implementation of the provisions and limitations in this Order will require the cooperation of all the public agency organizations within Riverside County having programs/activities that have an impact on Urban Runoff quality (e.g., Fire Department, Department of Environmental Health, Planning Department, Transportation Department, Parks and Recreation Department, Building and Safety, and Code Enforcement, etc.). As such, these organizations are expected to actively participate in implementing this area-wide Urban Runoff program. The Permittees shall be responsible for involving the public agency organizations in their Urban Runoff program.
- B. Within eighteen (18) months of this Order's adoption, the Permittees, in coordination with the Riverside County Fire Chiefs Association, or equivalent organization, shall develop a list of appropriate BMPs to be implemented to reduce pollutants from fire training activities, fire hydrant/sprinkler testing or flushing, and BMPs feasible for emergency fire flighting flows.
- C. Each Permittee shall continue to implement the recommendations in the Municipal Facilities Strategy to ensure that public agency facilities and activities do not cause or contribute to a pollution or nuisance in Receiving Waters, as defined in Section 13050 of the Water Code. By August 1 of each year, the Permittees shall review their activities and facilities to determine the need for revisions to the Municipal Facilities Strategy. The Annual Report shall include the findings of this review and a schedule for needed revisions. Revisions should consider a pollution prevention strategy to ensure that the public agency facilities and/or activities including those that are currently not required to obtain coverage under the State's General Urban Runoff Permits or the San Jacinto Watershed Construction Activities Permit are not sources of pollutants into the Waters of the U.S. In addition, the Permittees shall evaluate the applicability of the Municipal Facilities Strategy to municipal maintenance contracts, contracts for field maintenance operations, and leases.
- D. Within six (6) months of adoption of this Order, the Permittees shall evaluate the established criteria for inspections of the MS4s and establish criteria for regular maintenance and cleaning thereof.
- E. Within twenty (20) months of this Order's adoption, the Permittees shall complete an assessment of their MS4s to evaluate opportunities to configure and/or to reconfigure channel segments to function as pollution control devices and to optimize beneficial uses. These modifications may include in-channel sediment basins, bank stabilization, water treatment wetlands, etc, as appropriate to conform to Section VIII.B.1.g, above. This shall be reported in the 2004-2005 Annual Report.
- F. Within twenty-four (24) months of this Order's adoption, the Permittees shall develop and distribute model maintenance procedures for public agency activities and MS4s such as street sweeping, catch basin stenciling. MS4 inspection, cleaning, and

REFC&WCD, the County of Riverside, and the Incorporated Cities

maintenance. Each Permittee shall expand existing programs to inspect, clean, and maintain at least 80% of its open channel MS4s, catch basins, retention/detention basins, and wetlands created for Urban Runoff treatment on an annual basis, with 100% of the facilities included in a two-year period, using the model maintenance procedures developed by the Permittees. This shall be included in the 2002-2003 Annual Report.

- G. Within twenty-four (24) months of this Order's adoption, the Permittees shall review, document, and submit for approval by the Executive Officer, a program for cleaning out open channel MS4s, catch basins, retention/detention basins, and wetlands created for Urban Runoff treatment, prioritized on such factors as distance to Receiving Water, Receiving Water beneficial uses and impairments of beneficial uses, historical pollutant types and loads from past inspections/cleanings, and the presence of downstream regional facilities that would remove the types of pollutants found in the drainage facilities. Using these factors, the Permittees shall propose revised clean out schedules and frequency for the specified MS4s during the wet and dry season. The Permittees should be prepared to implement the approved clean out program beginning with the 2004-2005 storm season.
- H. Each Permittee shall clean those open channel MS4s and retention/ detention basins where the inspection reveals that the sediment/storage volume is 25% full, or where there is evidence of illegal discharge or if accumulated sediment or debris impairs the hydraulic capacity of the facility. The inspection and maintenance frequency for all portions of the MS4s shall be evaluated annually to determine the need for increasing the inspection and maintenance frequency. This information shall be included in the Annual Report.
- I. Contractor training requirements for Urban Runoff management shall be included in new contracts and contracts that come up for renewal. This shall be reported in the 2002-2003 Annual Report.
- J. Within eighteen (18) months of this Order's adoption, the Principal Permittee shall develop and distribute BMP guidance for public agency and contract field operations and maintenance staff to provide guidance in appropriate pollution control measures, how to respond to spills and reports of Negal discharges, etc. This shall be reported in the 2004-2005 Annual Report.
- K. At least on an annual basis, each Permittee shall provide training to the public agency staff and to contract field operations staff on fertilizer and pesticide management, model maintenance procedures, and other pollution control measures. Each Permittee shall attend at least three of these training sessions during the five-year term of this Order (from 2002 to 2007).
- L. Each Permittee shall identify areas that are not subject to street sweeping due to lack of continuous curb and gutter, and evaluate their potential for impacting Urban Runoff quality. Appropriate BMPs shall be implemented where significant water quality impact is identified associated with lack of street sweeping. This shall be reported in the 2003 Annual Report.

Area-wide Urban Runoff

REFC&WCD, the County of Riverside, and the Incorporated Cities

- M. Each Permittee shall annually evaluate their street/road sweeping frequency based on land use and historical information to determine the need to revise their sweeping frequency. This information shall be provided in the Annual Report beginning with the 2003-2004 Annual Report.
- N. The Permittees shall maintain an updated site-specific Urban Runoff pollution prevention plan for their facilities and activities.
- O. The San Bernardino County Flood Control District and RCFC&WCD, in cooperation with local municipalities, are coordinating an effort to construct flood control facilities in the Chino-Corona Agricultural Preserve area. A status report of this project shall be provided in the Annual Report.

## XII. MUNICIPAL CONSTRUCTION PROJECTS/ACTIVITIES

- A. This Order authorizes the discharge of storm water runoff from construction projects that may result in land disturbance consistent with the acreage criteria of the current General Construction Activity Storm Water Permit.
- B. By March 10, 2003, or as specified in the latest version of the General Construction Activity Storm Water Permit, the Permittees shall comply with the requirements for municipal construction projects that may result in land disturbance consistent with the acreage criteria of the current Construction Activity Permits.
- C. Prior to commencement of construction activities, the Permittees shall notify the Executive Officer of the proposed construction project. Upon completion of the construction project, the Executive Officer shall be notified of the completion of the project.
- D. The Permittees shall develop and implement a SWPPP and a monitoring and reporting program that is specific for the construction project prior to the commencement of construction activities. The SWPPP shall be kept at the construction site and released to the public and/or Regional Board staff upon request.
- E. The SWPPP and the monitoring and reporting program for the construction projects shall be consistent with the requirements of the latest version of the Construction Activity Permits, as applicable for the location of the site.
- F. The Permittees shall give advance notice to the Executive Officer of planned changes in the construction activity, which may result in non-compliance with the latest version of the Construction Activity Permits, as applicable.
- G. All other terms and conditions of the latest version of the Construction Activity Permits shall be applicable.

REFC&WCD, the County of Riverside, and the Incorporated Cities

#### XIII. PROGRAM MANAGEMENT/DAMP REVIEW

- The Permittees shall continue to implement all elements of the approved DAMP. Program elements revised in compliance with the requirements of this Order shall be implemented in conformance with the schedules specified in this Order following approval of the Executive Officer. Within six (6) months of approval of the WQMP by the Executive Officer, or no later than January 1, 2005, whichever comes first, the Permittees shall submit a revised DAMP incorporating the revised program elements and other information as specified by this Order for approval by the Executive Officer. The Permittees shall implement all elements of the approved DAMP.
- B. By August 1 of each year, beginning in 2004, the Permittees shall evaluate the DAMP to determine the need for revisions. The Permittees shall modify the DAMP, as necessary, or at the direction of the Executive Officer to incorporate additional provisions. Such provisions may include regional and watershed-specific requirements and/or WLAs developed and approved pursuant to the TMDL process for impaired waterbodies. Proposed revisions to the DAMP shall be submitted to the Executive Officer for review and approval. Revisions to the DAMP approved by the Executive Officer shall be implemented in a timely manner. The Annual Report shall include the findings of this review and a schedule for needed revisions.
- C. At a minimum, the first Annual Report shall include a review of:
  - 1. Pollution prevention measures and public education;
    - a. Formal training needs for municipal employees;
    - b. Coordination meeting/training for the designated NPDES inspectors;
  - 2. Source identification and prioritization;
  - 3. Grading and erosion control for Construction Sites;
  - 4. Verification of coverage under the appropriate General Construction and Industrial Activities Permits;
  - 5. Facility inspection and enforcement consistent with local ordinances, rules, and regulations;
  - 6. Procedures for reporting to the Permittees and this Regional Board non-compliance with each Co-Permittee's Storm Water Ordinance and enhancing current planning review processes to better address issues regarding Urban Runoff;
  - 7. Implementation of new development BMPs, or identification of regional or subregional Urban Runoff treatment/infiltration BMPs in which New Development projects could participate.

Area-wide Urban Runoff

REFC&WCD, the County of Riverside, and the Incorporated Cities

D. The Technical Committee shall continue to meet at least 10 times a year to discuss issues related to permit implementation and regional and statewide issues. Each Permittee designated representative or a designated alternate should attend not less than 8 out of 10 meetings.

### XIV. MONITORING AND REPORTING PROGRAM

The Permittees shall comply with Monitoring and Reporting Program No. R8-2002-0011, located in Appendix 3, and any revisions thereto, which are hereby made a part of this Order. The Executive Officer is hereby authorized to revise the Monitoring and Reporting Program in a manner consistent with this Order to allow the Permittees to participate in regional, statewise, national or other monitoring and reporting programs in lieu of or in addition to Monitoring and Reporting Program No. R8-2002-0011 located in Appendix 3. In addition, significant completion and implementation dates required by this Order are outlined in Section V of the Monitoring and Reporting Program (Appendix 3).

#### XV. PROVISIONS

#### A. GENERAL

- 1. Reports submitted by the Permittees as per the requirements in this Order for the approval of the Executive Officer shall be publicly noticed and made available on the Regional Board's website, or through other means, for public review and comments. The Executive Officer shall consider all comments received prior to approval of the reports. Unresolved issues shall be scheduled for a public hearing at a Regional Board meeting prior to approval by the Executive Officer.
- 2. The purpose of this Order is to require the implementation of BMPs to reduce, to the MEP, the discharge of pollutants from the MS4 in order to support reasonable further progress towards attainment of water quality objectives.
- 3. Permittees shall demonstrate compliance with all the requirements in this Order and shall implement their DAMP and modifications, revisions, or amendments thereto, which are developed pursuant to this Order or determined by the Permittee to be necessary to meet the requirements of this Order and approved by the Executive Officer. The DAMP and amendments thereto are hereby made an enforceable part of this Order.
- 4. Each Permittee shall continue to implement necessary controls, in addition to those specific controls and actions required by (1) the terms of this Order and (2) the DAMP, to reduce the discharge of pollutants in Urban Runoff to the MEP.
- 5. The Permittees shall complete changes to plans or programs described in this Order no later than twelve (12) months after this Order goes into effect, unless otherwise specified.

REFC&WCD, the County of Riverside, and the Incorporated Cities

- 6. Certain BMPs implemented or required by the Permittees for Urban Runoff management may create habitat for vectors (e.g., mosquitoes and rodents) if not properly designed and maintained. Close collaboration and cooperative effort between the Permittees and local vector control agencies and the State Department of Health Services during the development and implementation of Urban Runoff management programs are necessary to minimize potential vector habitat and public health impacts resulting from vector breeding. Nothing in this Order is intended to prohibit inspection or abatement of vectors by the State or local vector control agencies in accordance with the respective Health and Safety Code.
- 7. The Permittees shall report to the Executive Officer:
  - a. Any enforcement actions and known discharges of Urban Runoff or wastewater to facilities owned or operated by the Permittees which may impair domestic water supply sources (e.g., discharges due to a levee break, illegal discharges to the street, etc.) or which may have an impact on human health or the environment; if the discharge is to Canyon Lake or any tributary to Canyon Lake, Elsinore Valley Municipal Water District shall also be notified immediately;
  - b. Industrial and/or construction facilities found not to be in compliance with the Construction Activity Permits, or where the activities may be contributing pollutants to the Waters of the U. S.; and,
  - c. Suspected or reported activities on federal, state, or other entity's land or facilities, where the Permittees do not have any jurisdiction, and where the suspected or reported activities may be contributing pollutants to the Waters of the U.S.
- 8. The Permittees shall coordinate the activities of the various departments/sections within each Permittee's jurisdiction to promote consistent implementation of Urban Runoff regulations.
- 9. The permit application and special NPDES program requirements are contained in 40 CFR 122.21 (a), (b), (d) (2), (f), and (p), 122.41 (a), (b), (c), (d), (e), (f), (g), (h), (i), (j), (k), and (l); and 122.42 (c) are incorporated into this Order by reference.
- 10. The Permittees must comply with all terms requirements, and conditions of this Order. Any violation of this Order constitutes a violation of the CWA, its regulations and the Water Code, and is grounds for enforcement action, Order termination, Order revocation and re-issuance, denial of an application for re-issuance, Order revisions, or a combination thereof.
- 11. Permittees shall continue to take reasonable steps to minimize or prevent any discharge that has a reasonable likelihood of adversely affecting human health or the environment.

BCFC&WCD, the County of Riverside, and the Incorporated Cities

- 12. Regional Board staff, USEPA, and other authorized representatives shall be allowed to:
  - a) Inspect Permittee records associated with compliance of this Order.
  - b Access and to copying of records that are kept under the conditions of this Order.
  - Photograph, sample, and monitor for the purpose of assuring compliance with this Order, or as otherwise authorized by the CWA and/or the Water Code.
  - d.\ Review the Permittee's program and require modification to their program to comply with the requirements of this Order.
  - e. Request copies of data, monitoring reports, and sampling data and copies of the Permittee's conclusions and evaluations of the data.

### B. FISCAL RESOURCES

The Permittees shall prepare and submit a unified fiscal analysis report appropriate for implementation of the requirements of this Order to the Executive Officer. The fiscal analysis report shall be submitted no later than November 30, of each year and shall at a minimum include the following:

- 1. Each Permittee's expenditures for the previous fiscal year;
- 2. Each Permittee's budget for the current fiscal year;
- 3. A description of the source of funds;

#### XVI. PERMIT EXPIRATION AND RENEWAL

- A. This Order expires on October 26, 2007, and the Permittees must file a ROWD no later than one hundred eighty (180) calendar days in advance of such expiration date as application for issuance of new waste discharge requirements. The ROWD shall, at a minimum, include the following:
  - 1. Any revisions to the DAMP including, but not limited to, activities the Permittees propose to undertake during the next permit term, goals and objectives of such activities, an evaluation of the need for additional source control and/or structural BMPs, proposed pilot studies, etc.;
  - 2. Any new or revised program elements and compliance schedule(s) necessary to comply with Section III of this Order.
  - 3. Changes in land use and/or population including map updates; and

Area-wide Urban Runoff

BCFC&WCD, the County of Riverside, and the Incorporated Cities

- 4. Significant changes to the MS4s, outfalls, detention or retention basins or dams, and other controls, including map updates of the MS4s.
- B. This Order may be modified, revoked or reissued prior to its expiration date for the following reasons:
  - To address significant changes in conditions identified in the technical reports required by the Regional Board which were unknown at the time of the issuance of this Order;
  - 2. To incorporate applicable requirements of statewide water quality control plans and policies adopted by the State Board or amendments to the Basin Plan approved by the Regional Board, the State Board, and, if necessary, by the Office of Administrative Law; or
  - 3. To comply with applicable requirements, guidelines, or regulations issued or approved under the CWA, if the requirements, guidelines, or regulations contain different conditions or additional requirements than those included in this Order.
  - 4. To incorporate new or revised program elements and compliance schedule(s) necessary to comply with this Order.
  - 5. To incorporate any requirements imposed upon the Permittees through the TMDL process.
  - 6. Pursuant to Section 13228 of the Water Code, this Regional Board may exercise its option allowing the recently annexed 375 acres to the City of Murrieta that are located within the Region to be regulated by the San Diego Regional Water Quality Control Board's Riverside MS4 Permit once it has been renewed.
- C. This Order shall serve as a NPDES permit pursuant to Section 402 (p) of the CWA, or amendments thereto, and shall become effective ten (10) calendar days after the date of its adoption provided the Regional Administrator of the USEPA has no objections. If the Regional Administrator objects to its issuance, this Order shall not become effective until such objection is withdrawn.

D. Order No. 96-30 is hereby rescinded.

I, Gerard J. Thibeault, Executive Officer, do hereby certify that the foregoing is a full, true, and correct copy of an Order adopted by the California Regional Water Quality Control Board, Santa Ana Region, on **October 25, 2002.** 

REFC&WCD, the County of Riverside, and the Incorporated Cities

Gerard J. Thibeault **Executive Officer** 

Order No. R8-2002-0011 (NPDES No. CAS 618033)

Area-wide Urban Runoff


RCFC&WCD, the County of Riverside, and the Incorporated Cities

**APPENDIX 1** 

**Permit Area** 

ORDER NO. R8-2002-0011





Order No. R8-2002-0011 (NPDES No. CAS 618033)
Area-wide Urban Runoff
BCFC&WCD, the County of Riverside, and the Incorporated Cities

# **Appendix 2**

# OTHER ENTITIES THAT MAY DISCHARGE POLLUTANTS TO MS4s

#### Government Agencies

Department of the Air Force,
March Air Force Base – Special Districts
State Parks

U.S. Army Corps of Engineers

Caltrans

Department of Corrections

U.S. Forest Service

#### Hospitals

Corona Community Hospital
Kaiser Foundation Hospital – Riverside
Riverside Community Hospital
Riverside General Hospital

#### Railroads

BNSF Railway Company Union Pacific Railroad

#### Water Districts


Eastern Municipal Water District Elsinore Valley Municipal Water District Metropolitan Water District Western Municipal Water District

#### **School Districts**

Alvord Unified School District
Corona – Norco Unified School District
Hemet Unified School District
Lake Elsinore Unified School District
Menifee Union School District
Moreno Valley Unified School District
Nuview Union School District
Perris Elementary School District
Perris Union High School District
Riverside Unified School District
Romoland School District
San Jacinto Unified School District
Val Verde School District

#### Universities and Colleges


Mt. San Jacinto College Riverside Community College University of California Riverside Order No. R8-2002-0011 (NPDES No. CAS 618033)
Area-wide Urban Runoff
BCFC&WCD, the County of Riverside, and the Incorporated Cities



# **APPENDIX 3**

MONITORING AND REPORTING PROGRAM


ORDER NO. R8-2002-0011



Order No. R8-2002-0011 (NPDES No. CAS 618033)
Area-wide Urban Runoff
RCFC&WCD, the County of Riverside, and the Incorporated Cities



GLOSSARY
ORDER NO. R8-2002-0011



# (August 23, 2002 Draft) California Regional Water Quality Control Board Santa Ana Region

Urban Runoff Monitoring and Reporting Program No. R8-2002-0011

NPDES No. CAS618033

for

Riverside County Flood Control and Water Conservation District,
The County of Riverside, and the Cities of Riverside County
within the Santa Ana Region
Area Wide Urban Runoff

#### I. GENERAL

- A. Revisions of the Urban Runoff monitoring and reporting program are appropriate to ensure that the Permittees are in compliance with requirements and provisions contained in this Order. Revisions may be made under the direction of the Executive Officer at any time during the term of the Order, and may include a reduction or increase in the number of parameters to be monitored, the frequency of monitoring, or the number and size of samples collected.
- B. The Executive Officer is authorized to allow the Permittees to participate in statewide, national, or other monitoring programs in lieu of this Urban Runoff monitoring program.
- C. All sample collection, handling, storage, and analysis shall be in accordance with test procedures under 40 CFR Part 136 (latest edition) "Guidelines Establishing Test Procedures for the Analysis of Pollutants," promulgated by the USEPA, the guidance being developed by the State Board pursuant to Water Code Section 133383.5, or other methods which are more sensitive than those specified in 40 CFR 136 and approved by the Executive Officer.
- D. The Permittees are authorized to complement their Urban Runoff monitoring data with data from other monitoring sources, provided the monitoring conditions and sources are similar to those in the Santa Ana Watershed.
- E. The Principal Permittee has been monitoring Urban Runoff and Receiving Waters since the first permit term. It is recognized that some of the objectives noted in Section II, below, may not have been attained during the previous permit terms. Ongoing long-term Urban Runoff monitoring will help to accomplish these objectives. The Regional Board authorizes the Executive Officer to evaluate and determine adequate progress toward meeting each objective.
- F. This Order references three components of the Consolidated Monitoring Program (the "CMP"): (1) The existing CMP shall continue to be implemented until the revised CMP is approved; (2) The CMP will be reviewed and revised under this Order to identify data gaps and to attain the objectives specified in Section II, below and (3) Other regional monitoring efforts where the Permittees participate or contribute resources.

Pending approval of the revised CMP, current monitoring efforts will focus on areas with elevated pollutant concentrations. The Permittee, in coordination with Regional Board staff, will identify these monitoring locations within six (6) months of adoption of this Order.

H. The Permittees shall develop and submit, within twelve (12) months of adoption of this Order a revised CMP for approval by the Executive Officer. The revised CMP should be capable of attaining the objectives mentioned below.

#### II. OBJECTIVES

The overall goal of the Urban Runoff monitoring program is to support the development of an effective Urban Runoff management program. The following are the major objectives:

- A. To identify those Receiving Waters, which, without additional action to control pollution from Urban Runoff that cannot reasonably be expected to attain or maintain applicable water quality standards required to sustain the beneficial uses, the goals, and the objectives of the Basin Plan.
- B. To develop and support an effective MS4 management program.
- C. To identify significant water quality problems, related to discharges of Urban Runoff within the Permit Area
- D. To define water quality status, trends, and pollutants of concern associated with urban discharges and their impact on the beneficial uses of the Receiving Waters.
- E. To analyze and interpret the collected data to determine the impact of Urban Runoff and/or validate any water quality models.
- F. To characterize pollutants associated with Urban Runoff, and to assess the influence of urban land uses on Receiving Water quality and the beneficial uses of Receiving Waters.
- G. identify significant water quality problems related to urban storm water discharges.

- H. To identify other sources of pollutants in storm water runoff to the maximum extent possible (e.g., including, but not limited to, atmospheric deposition, and contaminated sediments, other non-point sources, etc.)
- I. To identify and prohibit illicit connections.
- J. To identify and prohibit illicit discharges.
- K. To verify and to identify sources of Urban Runoff pollutants.
- L. To identify and prohibit illicit connections.
- M. To verify and to control illegal discharges.
- N. To evaluate the effectiveness of the DAMP and WQMPs, including an estimate of pollutant reductions achieved by the structural and nonstructural BMPs implemented by the Rermittees.
- O. To conduct monitoring in cooperation with San Bernardino County for investigation of bacteriological impairments in the upper Santa Ana River due to Urban Runoff.
- P. To evaluate the costs and benefits of proposed Urban Runoff management programs to protect Receiving Water quality.

## III. MONITORING PROGRAM REQUIREMENTS

- A. TMDL/303(d) Listed Waterbody Monitoring: The Permittees should continue to participate in the TMDL and Southern California Cooperative Storm Water Research/Monitoring programs as they relate to Urban Runoff. In addition, strategies shall be revised/developed to evaluate the impacts of Urban Runoff on identified impairments within the Santa Ana River watershed and other tributary 303(d) listed waterbodies.
- B. The Permittees shall revise their CMP, within twelve (12) months of adoption of this Order, their Water Quality Monitoring Program to include, at a minimum, the following monitoring components or their equivalence:

#### 1. Mass Emissions Monitoring:

- a. An estimate of flow in cubic feet per second (cfs) from the outfall/stream at the time of sampling.
- b. Monitor mass emissions in Urban Runoff to: (a) estimate the total mass emissions from the MS4 to Receiving Waters; (b) assess trends in mass emissions associated with Urban Runoff over time; and (c) to determine if



Urban Runoff is contributing to exceedances of water quality objectives or beneficial uses in Receiving Waters by comparing results to the Basin Plan.

- c. Representative samples from the first storm event and two more storm events shall be collected during the rainy season. A minimum of three dryweather samples shall also be collected. Samples from the first rain event each year shall be analyzed for the entire suite of priority pollutants. All samples must be analyzed for metals, pH, TSS, TOC, pesticides/herbicides, and constituents that are known to have contributed to impairment of local receiving waters. Dry weather samples should also include an analysis for oil and grease. Sediments associated with mass emissions should be analyzed for constituents of concern identified in the water analyses.
- 2. <u>Microbial Monitoring:</u> The Santa Ana River, Reach 3 and its tributaries shall be monitored for bacteriological constituents associated with Urban Runoff. This monitoring program may be developed in collaboration with the MS4 Permittees in San Bernardino and Orange Counties.
- 3. Water Column Toxicity Monitoring: Analyses for toxicity to aquatic species shall be performed on Receiving Water samples to determine the impacts of Urban Runoff on toxicity of Receiving Waters. Ceriodaphnia dubia and Flathead Minnow fertilization, and Selenastrum Capricornutum growth test shall be used to evaluate toxicity on the sample from the first rain event, plus one other wet weather sample and two dry weather samples. In addition, criteria shall be identified which will trigger the initiation of Toxicity Identification Evaluations (TIEs) and Toxicity Reduction Evaluations (TREs).
- 4. Reconnaissance: The Permittees shall review and update their reconnaissance strategies to identify and prohibit illicit discharges. Where possible, the use of GIS to identify geographic areas with a high density of industries associated with gross pollution (e.g. electroplating industries, auto dismantlers) and/or locations subject to maximum sediment loss (e.g. new development) may be used to determine areas for intensive monitoring efforts. Additionally, the Permittees shall coordinate with the Regional Board to develop a comprehensive database to include enforcement actions for storm water violations and unauthorized, non-storm water discharges that can then be used to more effectively target reconnaissance efforts.
- 5. <u>Land Use Correlations</u>: The Permittees shall develop and implement strategies for determining the effects of urban land use on the quality of Receiving Waters. While it is recognized that a wide range of land uses exist across the region and within each sub-watershed, one relationship that may be determined is the impact of urban development on sediment loading within Receiving Waters, since developed areas contribute relatively little sediment loading compared to areas under construction. Consequently, the Remittees shall, at a minimum, analyze the impacts of increasing development and the conversion of agricultural land to urban land uses to the sediment loading of Canyon Lake, Lake Elsinore, and the Santa Ana River (Reaches 3 and 4).
- 6. <u>Sources of Data:</u> Where possible and applicable, data shall be obtained from monitoring efforts of other public or private agencies entities (e.g., Caltrans).

Within twelve (12) months of adoption of this Order, the Permittees shall develop and submit for approval of the Executive Officer, their revised CMP, which should support the achievement of the above-stated goals. The implementation of the CMP shall be in accordance with the time schedules prescribed by the Executive Officer. At a minimum, the CMP shall address the following and any requirements developed by the State Board in accordance with Water Code Section 3383.5:

- 1. Uniform guidelines for quality control, quality assurance, data collection and data analysis.
- 2. A procedure for the collection, analysis, and interpretation of existing data from local, regional or national monitoring programs. These data sources may be utilized to characterize different sources of pollutants discharged to the MS4; to determine pollutant generation, transport and fate; to develop a relationship between land use, development size, storm size and the event mean concentration of pollutants; to determine spatial and temporal variances in Urban Runoff quality and seasonal and other bias in the collected data; and to identify any unique features of the Permit Area. The Permittees are encouraged to use data from similar studies, if available.
- 3. A description of the CMP including:
  - a. The number of monitoring stations;
  - b. Monitoring locations within MS4s, major outfalls, and Receiving Waters; Environmental indicators (e.g., ecosystem, flow, biological, habitat, chemical, sediment stream health, etc.) chosen for monitoring;
  - c. Total number of samples to be collected from each station, frequency of sampling during wet and dry weather, short duration or long duration storm events, type of samples (grab, 24-hour composite, etc.), justification for composite versus discrete sampling, type of sampling equipment, quality assurance/quality control procedures followed during sampling and analysis, analysis protocols to be followed (including sample preparation and maximum reporting limits), and availifications of laboratories performing analyses;
  - d. A procedure for analyzing the collected data and interpreting the results including an evaluation of the effectiveness of the management practices, and need for any refinement of the WQMPs or the DAMP.
  - e. Parameters selected for field screening and for laboratory work; and
  - f. A description of the responsibilities of all the participants in this program, including cost sharing.

## ₩.\ \REPORTING

- All progress reports and proposed strategies and plans required by this Order shall be signed by the Principal Permittee, and copies shall be submitted to the Executive Officer under penalty of perjury.
- B. The Permittees shall submit an Annual Report to the Executive Officer and to the Regional Administrator of the USEPA, Region 9, no later than November 30th, of each year. This progress report may be submitted in a mutually agreeable electronic format. At a minimum, the Annual Report shall include the following:
  - 1. A review of the status of program implementation and compliance (or non-compliance) with the schedules contained in this Order;
  - 2. An assessment of the effectiveness of control measures established under the illicit discharge elimination program and the DAMP. The effectiveness may be measured in terms of how successful the program has been in eliminating illicit connections/illegal discharges and reducing pollutant loads in Urban Runoff;
  - 3. An assessment of any modifications to the WQMPs, or the DAMP made to comply with CWA requirements to reduce the discharge of pollutants to the MEP:
  - 4. A summary, evaluation, and discussion of monitoring results from the previous year and any changes to the monitoring program for the following year;
  - 5. A fiscal analysis progress report as described in Section XV, Provision B., of Order No. R8-2002-0011;
  - 6. A draft work plan that describes the proposed implementation of the WQMPs and the DAMP for next fiscal year. The work plan shall include clearly defined tasks, responsibilities, and schedules for implementation of the storm water program and each Permittee's actions for the next fiscal year;
  - 7. Major changes in any previously submitted plans/policies; and
  - 8. An assessment of the Permittees compliance status with the Receiving Water Limitations, Section III of the Order, including any proposed modifications to the WQMPs or the DAMP if the Receiving Water Limitations are not fully achieved.
- C. The Co-Permittees shall be responsible for the submittal of all required information/materials needed to comply with this order in a timely manner to the Principal Permittee. A duly authorized representative of the Co-Permittee under penalty of perjury shall sign all such submittals.



## REPORTING SCHEDULE

All reports required by this Order shall be submitted to the Executive Officer in accordance with the following schedule:

REFERENCE	ITEM	COMPLETION TIME	REPORT DUE
		AFTER PERMIT ADOPTION/FREQ.	DATE
I.A.2\b.	Permittee Technical Committee meetings to	Held at least 10	Annually on Nov.
	discuss permit implementation	times each year	30 <sup>th</sup>
I.B.2.a. &\	Co-Permittees Participate in Management	Attend at least 3	Annually on Nov.
XIII.D.	and Technical Committee meetings to	out of 4	30 <sup>th</sup>
	discuss permit implementation	Management and 8	
		out of 10 Technical	
III.E.1.	Notify Regional Board if Section III.E.	meetings each year	24 hours verbal
111.∟.1.	discharges from MS4s cause exceedance of		and 30 days written
	Receiving Water Quality Objectives.		from time of
	Theosymig Trator Quality Objectives.		determination
III.E.4.	Modify DAMP		90 days after
			approval by Exec.
			Officer
III.E.6.	Report discovery of exceedances from		24 hours verbal
	outside sources		and 10 days written
			from time of
I) / A	Desire estation by	0.14 41	determination
IV.A.	Revise existing Implementation Agreement.	6 Months	Nov. of the year
IV.B.	Evaluate Urban Runoff Management	Annually on Nov.	following adoption. Annually on Nov.
IV.D.	structure and Implementation Agreement	30 <sup>th</sup>	30 <sup>th</sup>
	annually.	00	00
V.C.	Determin if Permittees have provided their	6 Months	Nov. of the year
	staff authority to impose fines.		following adoption.
V.D.	Enact ordinances or other local regulatory	18 Months.	Nov. of the second
	mechanisms that include sanctions to ensure		year following
	compliance		adoption.
V.F.	Provide a report on the effectiveness of their	12 Months	Nov. of the year
	Storm Water Ordinances and their		following adoption.
	enforcement, in prohibiting illegal discharges to the MS4s		
V.G.	Legal Authority & Enforcement Strategy,	18 months.	Nov. of the second
v.O.	Certification	TO MONUIS.	year following
	\ \		adoption.
VI.A.	Eliminate or Permit illicit connections	60 days from receipt	Nov. of the year
		of notice.	received notice.
VI.D.	Evaluate available BMPs & recommend any	18 Months.	Nov. of the second
	improvements needed.		year following
	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	N.J.	adoption.
VI.E.	Litter/Trash Control Ordinance review	18 Months.	Nov. of the second
			year following
V/II D	Dovolon machanism to address contin	12 Mooths	adoption.
VII.B.	Develop mechanism to address septic system failures	12 Months.	Nov. of the year following adoption.
VII. C.	Review current oversight programs for	12 Months	Nov. of the year
VII. O.	portable toilets to determine the need for any	I VIOLITIE.	following adoption.
	revision		ionoming adoption.
<u>l</u>	1 <del>-</del>		

REFERENCE	ITEM	COMPLETION TIME	REPORT DUE
		AFTER PERMIT ADOPTION/FREQ.	DATE
VIII. A. V	Establish a procedure to ensure local permits	6 months	Nov. of the year
	for proposed construction sites and industrial		following adoption.
	facilities are conditioned upon proof of		
	obtaining coverage under the applicable		
\ \	General Storm Water Permit(s)/ San Jacinto		
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Watershed Construction Activities Permit	40.14 ()	NI CII
VIII. A.8	Review planning procedures and CEQA	12 Months	Nov. of the year
`	processes		following adoption.
VIII. A.9	Incorporate watershed protection principles	26 Months	Nov. of the third year
	and policies into the General Plan		following adoption
VIII.A.10	Review and revise, as necessary,	16 Months	Nov. of the second
	grading verosion control ordinances to reduce		year following
\/III A 44	erosion.	40 Mantha	adoption.
VIII.A.11	Listing of BMPs for Construction	12 Months.	Nov. of the year
VIII.B.	Develop WQMP	20 Months.	following adoption.  Nov. of the third
VIII.D.	Develop Wyonkie /	ZU IVIUITUIS.	year following
	\ \		adoption.
VIII.B.4.		January 1, 2005	Nov. 30, 2005
VIII.D.4.	In the absence of an approved WQMP, the	odildary 1, 2000	1404: 00, 2000
	structural BMPs for all new development and		
	significant redevelopment shall be sized to		
	comply with one of the numeric sizing criteria		
IX.	given in Section VIII.B.5.	12 Months.	Nov. of the year
IA.	Revise tile E/C3	12 1/10/11/15.	Nov. of the year following adoption.
	Develop and update criteria in E/CS for	12 Months.	Nov. of the year
IX.	inspection of Construction, Industrial and	12 Months.	following adoption.
	Commercial facilities, including site		Tollowing adoption
	information, priority, and inspection		
	information		
	Develop and update a construction site	12 Months.	Nov. of the year
IX.A.1.	database, including site information, priority,		following adoption.
	and inspection information		
	Inspect all inventoried construction sites \	12 Months.	Nov. of the year
IX.A.2.			following adoption.
IX.A.6.,	Public agency staff and contract field	12 Months existing	Annually on Nov.
	operations staff adequately trained for	employees, 6	30th
	Construction Sites inspections.	months new	
		employees, and annually thereafter.	
		aimpany mereaner.	
IX.A.7.,	Report Emergency Situations		24 hours verbal and
IX.B.4., &	Troport Emergency officiations		10 days written
IX.C.8.			from time of notice
IX.A.8.,	Report Non-Emergency Situations		2 working days
IX.B.5., &			verbal and 10 days
IX.C.9.			written from time of
			notice

REFERENCE	ITEM	COMPLETION TIME AFTER PERMIT ADOPTION/FREQ.	REPORT DUE DATE
	Develop and update an industrial facilities	18 Months and	Nov. of the second
IX.B.1.	database, including facility information,	annually thereafter.	year following
_	priority, and inspection information	,	adoption.
IX.B.12,,	Public agency staff and contract field operations	18 Months existing	Annually on Nov.
IX.C.15., &	staff adequately trained for inspection of	employees, 6	30th
XI.K.	Industrial and Commercial Facilities.	months new	
\		employees, and	
\		annually thereafter.	
	Develop and update a commercial site		
IX.C.1.	database, including facility information,	18 Months.	Nov. of the third
	priority, and inspection information		year following
			adoption.
	Update the commercial site database to		
IX.C.2.	include additional categories of commercial	24 Months.	Nov. of the third
	facilities		year following
			adoption.
IX.C.3.	Revise CAP and Develop restaurant	12 Months.	Nov. of the year
	inspections program, which includes runoff,		following adoption.
	grease blockage, and spill reduction aspects.		
X.A.	Submit Public Comments received in	Annually	Nov. of the year of
	response to modifications to reports, plans,		adoption.
	or schedules.		
X.B.	Sponsor at least one Urban Runoff public	Annually	Nov. of the year of
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	outreach.		adoption.
X. C.	Establish Public Education Committee	6 Months.	Nov. of the year
VD	Drawn and insulance to multiple surges	0.4	following adoption.
X.D.	Propose and implement a public awareness	24 months.	Nov. 2007.
X. E.	survey  Determine the best method to provide		Nov. of the third
∧. ⊑.	educational and General Industrial Activities		year following
	Storm Water Permit materials to businesses	24 months	adoption.
	within their jurisdiction	24 111011(113	adoption.
X. F.	BMP guidance for restaurants, automotive	12 Months	Nov. of the second
7.1.	service centers, and gasoline service	12 Months	year of adoption.
	stations, developed by Public Education		year or adoption.
	Committee		
X.G.	Develop public education materials including	12 Months	
	reporting hot line and web site.		Nov. 30, 2003
X. H	BMP guidance for control of potential	18 Months.	Nov. of the year
	polluting activities not otherwise regulated		following adoption.
XI.B.	Develop BMPs for fire fighting training &	181Months	Nov. of the year
	equipment testing.		following adoption.
XI.C.	Review Municipal Facilities Strategy &	Annually on August	Nov. 30 <sup>th</sup>
	Evaluate Environmental Performance	\ \( \frac{1}{4}t \) \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
	Program applicability to municipal	\ <u>\</u> \\\	
	maintenance contracts, contract for field		
	maintenance operations, and leases		
XI. D	Evaluate criteria for inspection and	6 months and	Annually on Nov.
	maintenance of MS4s.	Annually thereafter	30th

REFERENCE	ITEM	COMPLETION TIME AFTER PERMIT ADOPTION/FREQ.	REPORT DUE DATE
XI.E.	Review opportunities to configure/reconfigure MS4s	20 months.	Nov. of the third year following adoption.
XI.F.	Develop Model Public Facility Maintenance Program for activities and drainage facilities.	24 months.	Nov. of the third year following adoption.
XI.G.	Implement program to clean out MS4s	24 Months	Nov. of the second year following adoption.
XI.H.	Clean out Open Channel MS4s and Retention/Detention Basins	No later than the 25% Full Level.	Nov. of the second year following adoption.
XI.J.	Develop and distribute BMP guidance for public agency and contract field operations and maintenance staff	18 months	Nov. of the year following adoption.
XI.L. & XI.M.	Evaluate street/road sweeping frequency	Annually	Annually on Nov. 30th
XI. P.	Status Report on Flood Control Facilities in the Chino-Corona Agricultural Preserve Area	Annually	Annually on Nov. 30th
XII.A.	Comply with the kequirements for municipal construction projects that may result in land disturbance greater than one acre.	March 10, 2003	Nov. of the year following adoption.
XIII.A.	Revise the DAMP	6 months after WQMP approval or Jan. 1, 2005	Nov. 2005.
XIII.B.	Evaluate the DAMP for additional revision.	Annually on August 1 <sup>st</sup>	Nov. 30 <sup>th</sup>
XV.A.5	Unless otherwise specified complete changes to plans or programs in this Order.	12 Months	Nov. of the year following adoption.
XV.B.	Annual Report/Fiscal Analysis \	Annually	Nov. 30 <sup>th</sup>
XVI.A.	Report of Waste Discharge	180 days before permit expires	April 27, 2007
Appendix 3 I.G.	Identify monitoring locations for interim monitoring.	6 Months	Nov. of the year following adoption.
Appendix 3 I.H, III.B. & C.	Revise CMP	12 Months	Nov. of the year following adoption.
Appendix 3. IV.B.	Summary, evaluation, and discussion of monitoring results and re-evaluate monitoring program priorities based on previous year's data	Annually, Nov.30 <sup>th</sup>	Nov. 30 <sup>th</sup>

Ordered by

Gerard J. Thibeault Executive Officer October 25, 2002

# APPENDIX 4 GLOSSARY

**Annual Report** - Pursuant to each NPDES MS4 permit issued by the Regional Board to the Permittees, there is a requirement that an annual report be filed with the Regional Board on or before each November 30th

**Basin Plan** - Water Quality Control Plan developed by the Regional Board for the Santa Ana River Watershed

Beneficial Uses – The uses of water necessary for the survival or well being of man, plants, and wildlife. These uses of water serve to promote the tangible and intangible economic, social, and environmental goals. "Beneficial Uses" that may be protected against include, but are not limited to: domestic, municipal, agricultural and industrial supply; power generation; recreation; aesthetic enjoyment; navigation; and preservation and enhancement of fish, wildlife, and other aquatic resources or preserves. Existing beneficial uses are uses that were attained in the surface or ground water on or after November 28, 1975; and potential beneficial uses are uses that would probably develop in future years through the implementation of various control measures. "Beneficial Uses" are equivalent to "Designated Uses" under federal law. [California Water Code Section 13050(f)].

**Best Available Technology (BAT)** – BAT is the acronym for best available technology economically achievable. BAT is the technology-based standard established by congress in CWA section 402(p)(3)(A) for industrial dischargers of storm water. Technology-based standards establish the level of pollutant reductions that dischargers must achieve, typically by treatment or by a combination of treatment and best management practices, or BMPs. For example, secondary treatment (or the removal of 85% suspended solids and BOD) is the BAT for suspended solid and BOD removal from a sewage treatment plant. BAT generally emphasizes treatment methods first and pollution prevention and source control BMPs secondarily.

The best economically achievable technology that will result in reasonable further progress toward the national goal of eliminating the discharge of all pollutants is determined in accordance with regulations issued by the Environmental Protection Agency Administrator. Factors relating to the assessment of best available technology shall take into account the age of equipment and facilities involved, the process employed, the engineering aspects of the application of various types of control techniques, process changes, the cost of achieving such effluent reduction, non-water quality environmental impact (including energy requirements), and such other factors as the permitting authority deems appropriate.

**Best Conventional Technology (BCT)** – BCT is an acronym for Best Conventional Technology. BCT is the treatment techniques, processes and procedure innovations, and operating methods that eliminate or reduce chemical, physical, and biological pollutant constituents.

Best Management Practices – Best Management Practices (BMPs) are defined in 40 CFR 122.2 as schedules of activities, prohibitions of practices, maintenance procedures, and other management practices to prevent or reduce the pollution of waters of the United States. BMPs also include treatment requirements, operating procedures and practices to control plant site runoff, spillage or leaks, sludge or waste disposal, or drainage from raw material storage. In the case of municipal storm water permits, BMPs are typically used in place of numeric effluent limits.

**Bioaccumulate** – The progressive accumulation of contaminants in the tissues of organisms through any route including respiration, ingestion, or direct contact with contaminated water, sediment, pore water, or dredged material to a higher concentration than in the surrounding environment. Bioaccumulation occurs with exposure and is independent of the tropic level.

**Biological Integrity** – Defined in Karr J.R. and D.R. Dudley. 1981. Ecological perspective on water quality goals. <u>Environmental Management</u> 5:55-68 as: "A balanced, integrated, adaptive community of organisms having a species composition, diversity, and functional organization comparable to that of natural habitat of the region." Also referred to as ecosystem health.

**Caltrans** - California Department of Transportation

**CAP** - Compliance Assistance Program developed and funded by the Permittees

**CEQA** - California Environmental Quality Act (Section 21000 et seq. of the California Public Resources Code

**CMP** - Consolidated Program for Water Quality Monitoring

**Connection** – A pipe or channel that provides a conveyance of flow from a source outside of an MS4 easement into an MS4.

**Construction Activity Permits** – Collectively, the General Construction Activity Storm Water Permit, and the San Jacinto Watershed Construction Activities Permit.

**CWA** - Federal Clean Water Act

Clean Water Act Section 402(p) – [33 USC 1342(p)] is the federal statute requiring municipal and industrial dischargers to obtain NPDES permits for their discharges of storm water.

Clean Water Act Section 303(d) Listed Water Body – is an impaired water body in which water quality does not meet applicable water quality standards and/or is not expected to meet water quality standards, even after the application of technology-based pollution controls required by the CWA. The discharge of urban runoff to these water bodies by the Co-permittees is significant because these discharges can cause or contribute to violations of applicable water quality standards.

**Conditions of Concern** - Scour, erosion (sheet, rill and/or gully), aggradation (raising of a streambed from sediment deposition), changes in fluvial geomorphology, hydrology, and changes in aquatic ecosystem

**Contamination** – As defined in the Porter-Cologne Water Quality Control Act, contamination is "an impairment of the quality of waters of the State by waste to a degree which creates a hazard to the public health through poisoning or through the spread of disease." 'Contamination' includes any equivalent effect resulting from the disposal of waste whether or not waters of the U.S. are affected.

**Co-Permittees** - County of Riverside and the cities of Beaumont, Calimesa, Canyon Lake Corona Hemet, Lake Elsinore, Murrieta, Moreno Valley Norco, Perris, Riverside, and San Jacinto

**County** - County of Riverside, legal entity

**DAMP** - Drainage Area Management Plan developed by the Permittees and approved by the Executive Officer. The DAMP is a programmatic document that outlines the major programs and policies that the Permittees individually and/or collectively implement to manage Urban Runoff I the Permit Area.

**Debris –** Debris is defined as the remains of anything destroyed or broken, or accumulated loose fragments of rock.

**Effluent Limitations** – Limitations on the volume of each waste discharge, and the quantity and concentrations of pollutants in the discharge. The limitations are designed to ensure that the discharge does not cause water quality objectives to be exceeded in the receiving water and does not adversely affect beneficial uses.

Effluent limitations are limitations of the quantity and concentrations of pollutants in a discharge. The limitations are designed to ensure that the discharge does not cause water quality objectives to be exceeded in the receiving water and does not adversely affect beneficial uses. In other words, an effluent limit is the maximum concentration of a pollutant that a discharge can contain. To meet effluent limitations, the effluent typically must undergo one or more forms of treatment to remove pollutants in order to lower the pollutant concentration below the limit. Effluent limits are typically numeric (e.g., 10 mg/l).

**E/CS** - Enforcement Compliance Strategy developed by the Permittees

**Emergency Situation** – At a minimum, sewage spills that could impact water contact recreation, all sewage spills above 1,000 gallons, an oil spill that could impact wildlife, a hazardous material spill where residents are evacuated, all reportable quantities of hazardous waste spills as per 40CFR 117 and 302, and any incident reportable to the Office of Emergency Services (OES) (1-800-852-7550).

**Erosion** – When land is diminished or wanes away due to the effects of wind, water, or glacial ice. Often the eroded debris (silt or sediment) becomes a pollutant via storm water runoff. Erosion occurs naturally but can be intensified by land clearing activities such as farming, development, road building, and timber harvesting.

Executive Officer - The Executive Officer of the Regional Board

**General Construction Activity Storm Water Permit** - State Board Order No. 99-08 DWQ (NPDES No. CAS000002)

**General Industrial Activities Storm Water Permit** - State Board Order No. 97-03 DWQ (NPDES No. CAS000001)

**General Dairy Permit** - Regional Board Order No. 99-11 (NPDES No. CAG018001) for concentrated animal feeding operations

**General Storm Water Permits** - General Industrial Activities Storm Water Permit, the General Construction Activity Storm Water Permit, and the San Jacinto Watershed Construction Activities Permit.

**GIS** – Geographical Information Systems.

**Grading** – The cutting and/or filling of the land surface to a desired slope or elevation.

**Hazardous Material** – Any substance that poses a threat to human health or the environment due to its toxicity, corrosiveness, ignitability, explosive nature or chemical reactivity. These also include materials named by the U.S. EPA to be reported if a designated quantity of the material is spilled into the waters of the United States or emitted into the environment.

**Illicit Discharge** – Any discharge to a municipal separate storm sewer that is prohibited under local, state, or federal statutes, ordinances, codes, or regulations. The term illicit discharge includes all non-storm water discharges except discharges pursuant to an NPDES permit, discharges that are identified in Section III, Discharge Limitations/Prohibitions, of this Order, and discharges authorized by the Regional Board Executive Officer.

**Implementation Agreement** - NPDES Storm Water Discharge Permit - Implementation Agreement dated November 12, 1996 by and among the Permittees.

**Impressions** - The most common measure is "gross impressions" that includes repetitions. This means if the same person sees an advertisement or hears a radio or sees a TV advertisement a thousand times, that will be counted as 1000 impressions. There are independent auditing agencies (e.g., Nielsen Rating) that perform this task and provide you with the numbers. In most cases, when you buy an advertisement in any media, they will provide you this number.

#### LA - Load allocations

**Land Disturbance Activity** – Any act by which soil is moved and land changed that may result in erosion or the movement of sediments, and may include tilling, clearing, grading, excavating, stripping, stockpiling, filling and related activities, and the covering of land surfaces with an impermeable material. Simply mowing grass or other plants allowing the roots and base of the plants to remain to prevent or hinder erosion is not considered land disturbance for purposes of this MS4 Permit.

- **MEP** MEP is the acronym for Maximum Extent Practicable. There is no statutory or regulatory definition for MEP. The CWA section 402(p)(3)(B)(iii) requires that municipal permits "shall require controls to reduce the discharge of pollutants to the maximum extent practicable, including management practices, control techniques and system, design and engineering methods, and such other provisions as the Administrator or the State determines appropriate for the control of such pollutants..." However, there has been several interpretations that have been provided including:
- 1. MEP means that when considering and choosing BMPs to address an identified pollution problem, the municipality is to consider the following: technical feasibility, effectiveness, compliance with regulatory standards, cost, and public acceptance. The BMP chosen must achieve greater or substantially the same pollution control benefit as identified in the manuals developed by the California Storm Water Quality Task Force (Proposed by Permittees).
- 2. Maximum Extent Practicable (MEP) means to the maximum extent feasible, taking into account considerations of synergistic, additive, and competing factors, including but not limited to, gravity of the problem, technical feasibility fiscal feasibility, public health risks, societal concerns, and social benefits. (Order R8-2001-10 Orange County MS4 Permit)
- 3. MEP is the technology-based standard established by Congress in CWA Section 402(p)(3)(B)(iii) that municipal dischargers of storm water (MS4s) must meet. Technology-based standards establish the level of pollutant reductions that dischargers must achieve, typically by treatment or by a combination of treatment and best management practices (BMPs). MEP generally emphasizes pollution prevention and source control BMPs primarily (as the first line of defense) in combination with treatment methods serving as a backup (additional line of defense). MEP considers economics and is generally, but not necessarily, less stringent than BAT. A definition for MEP is not provided either in the statute or in the regulations. Instead the definition of MEP is dynamic and will be defined by the following process over time: municipalities propose their definition of MEP by way of their Water Quality Management Plan. Their total collective and individual activities conducted pursuant to the Water Quality Management Plan becomes their proposal for MEP as it applies both to their overall effort, as well as to specific activities (e.g., MEP for street sweeping, or MEP for municipal separate storm sewer system maintenance). In the absence of a proposal acceptable to the SARWQCB, the SARWQCB defines MEP.
- 4. In a memo dated February 11, 1993, entitled "Definition of Maximum Extent Practicable," Elizabeth Jennings, Senior Staff Counsel, SWRCB addressed the achievement of the MEP standard as follows:
- "To achieve the MEP standard, municipalities must employ whatever Best Management Practices (BMPs) are technically feasible (i.e., are likely to be effective) and are not cost prohibitive. The major emphasis is on technical feasibility. Reducing pollutants to the MEP means choosing effective BMPs, and rejecting applicable BMPs only where other effective BMPs will serve the same purpose, or the BMPs would not be technically feasible, or the cost would be prohibitive. In selecting BMPs to achieve the MEP standard, the following factors may be useful to consider:
  - a. Effectiveness: Will the BMPs address a pollutant (or pollutant source) of concern?
  - b. Regulatory Compliance: Is the BMP in compliance with storm water regulations as well as other environmental regulations?
  - c. Public Acceptance: Does the BMP have public support?
  - d. Cost: Will the cost of implementing the BMP have a reasonable relationship to the pollution control benefits to be achieved?
  - e. Technical Feasibility: Is the BMP technically feasible considering soils, geography, water resources, etc?

The final determination regarding whether a municipality has reduced pollutants to the maximum extent practicable can only be made by the Regional or State Water Boards, and not by the municipal discharger. If a municipality reviews a lengthy menu of BMPs and chooses to select only a few of the least expensive, it is likely that MEP has not been met. On the other hand, if a municipal discharger employs all applicable BMPs except those where it can show that they are not technically feasible in the locality, or whose cost would exceed any benefit derived, it would have met the standard. Where a choice may be made between two BMPs that should provide generally comparable effectiveness, the discharger may choose the least expensive alternative and exclude the more expensive BMP. However, it would not be acceptable either to reject all BMPs that would address a pollutant source, or to pick a BMP base solely on cost, which would be clearly less effective. In selecting BMPs the municipality must make a serious attempt to comply and practical solutions may not be lightly rejected. In any case, the burden would be on the municipal discharger to show compliance with its permit. After selecting a menu of BMPs, it is the responsibility of the discharger to ensure that all BMPs are implemented."

**MS4** - Municipal separate storm sewer system

**Municipal Storm Water Conveyance System** – (See Municipal Separate Storm Sewer System or MS4).

Municipal Separate Storm Sewer System (MS4) – MS4 is an acronym for Municipal Separate Storm Sewer System. A Municipal Separate Storm Sewer System is a conveyance or system of conveyances (including roads with drainage systems, municipal streets, catch basins, curbs, gutters, ditches, natural drainage features or channels, modified natural channels, man-made channels, or storm drains): (i) Owned or operated by a State, city town, borough, county, parish, district, association, or other public body (created by or pursuant to State law) having jurisdiction over disposal of sewage, industrial wastes, storm water, or other wastes, including special districts under State law such as a sewer district, flood control district or drainage district, or similar entity, or an Indian tribe or an authorized Indian tribal organization, or designated and approved management agency under section 208 of the CWA that discharges to waters of the United States; (ii) Designated or used for collecting of conveying storm water; (iii) Which is not a combined sewer; (iv) Which is not part of the Publicly Owned Treatment Works (POTW) as defined at 40 CFR 122.2.

Historic and current developments make use of natural drainage patterns and features as conveyances for urban runoff. Urban streams used in this manner are part of the municipalities MS4 regardless of whether they are natural, man-made, or partially modified features. In these cases, the urban stream is both an MS4 and a receiving water.

National Pollution Discharge Elimination System (NPDES) – Permits issued under Section 402(p) of the Federal Clean Water Act for regulating discharge of pollutants to waters of the United States.

**New Development** – The categories of development identified in subsections VIII.B.1.b.

**Non-Point Source** <u>Pollution</u> (NPS) – Non point source refers to diffuse, widespread sources of pollution. These sources may be large or small, but are generally numerous throughout a watershed. Non Point Sources include but are not limited to urban, agricultural, or industrial areas, roads, highways, construction sites, communities served by septic systems, recreational boating activities, timber harvesting, mining, livestock

Order No. R8-2002-0011 (NPDES No. CAS 618033)
Area-wide Urban Runoff
Glossary

grazing, as well as physical changes to stream channels, and habitat degradation. NPS pollution can occur year round any time rainfall, snowmelt, irrigation, or any other source of water runs over land or through the ground, picks up pollutants from these numerous, diffuse sources and deposits them into rivers, lakes, and coastal waters or introduces them into ground water.

Non-Storm Water – Non-storm water consists of all discharges to and from a storm water conveyance system that do not originate from precipitation events (i.e., all discharges from a conveyance system other than storm water). Non-storm water includes illicit discharges, non-prohibited discharges, and NPDES permitted discharges. An illicit discharge is defined at 40 CFR 122.26(b)(2) as any discharge to a municipal storm water conveyance system that is not composed entirely of storm water except discharges pursuant to a separate NPDES permit and discharges resulting from emergency fire fighting activities.

**Non-structural BMPs** – In general, activities or programs to educate the public or provide low cost non-physical solutions. Examples include: activity schedules, prohibitions of practices, street sweeping, facility maintenance, detection and elimination of illicit connections and illegal dumping, and other low-cost measures. Additional examples are provided in Section 4 of Supplement A to the Riverside County Drainage Area Management Plan dated April 1996.

**NPDES** - National Pollutant Discharge Elimination System

**Nuisance** – As defined in the Porter-Cologne Water Quality Control Act a nuisance is "anything which meets all of the following requirements: 1) Is injurious to health, or is indecent, or offensive to the senses, or an obstruction to the free use of property, so as to interfere with the comfortable enjoyment of life or property. 2) Affects at the same time an entire community or neighborhood, or any considerable number of persons, although the extent of the annoyance or damage inflicted upon individuals may be unequal. 3) Occurs during, or as a result of, the treatment or disposal of wastes."

**Numeric Effluent Limitations** – The typical method by which effluent limits are prescribed for pollutants in waste discharge requirements implementing the federal NPDES regulations. When numeric effluent limits are met at the "end-of-pipe," the effluent discharge generally will not cause water quality standards to be exceeded in the receiving waters (i.e., water quality standards will also be met).

**Order** - Order No. R8-2002-0011 (NPDES No. CAS618033)

**Permit Area** - The portion of the Santa Ana River Watershed that is within the County of Riverside and identified on Appendix 1 as "Urban Area" and those portions of "Agriculture" and "Open Space", as identified on Appendix 1, that do convert to industrial, commercial, or residential use during the term of the Order

**Permittees** - Co-Permittees and the Principal Permittee

**Person** – A person is defined as an individual, association, partnership, corporation, municipality, State or Federal agency, or an agent or employee thereof. [40 CFR 122.2].

**Point Source** – Any discernible, confined, and discrete conveyance, including, but not limited to, any pipe, ditch, channel, tunnel, conduit, well, discrete fissure, container, rolling stock, concentrated animal feeding operations, landfill leachate collection systems, vessel, or other floating craft from which pollutants are or may be discharged.

**Pollution** – As defined in the Porter-Cologne Water Quality Control Act, pollution is "the alteration of the quality of the waters of the U.S. by waste, to a degree that unreasonably affects either of the following: A) The waters for beneficial uses; or 2) Facilities that serve these beneficial uses." Pollution may include contamination.

**Pollutant** – A pollutant is broadly defined as any agent that may cause or contribute to the degradation of water quality such that a condition of pollution or contamination is created or aggravated.

**Pollutants of Concern** – A list of potential pollutants to be analyzed for in the Monitoring and Reporting Program. This list shall include: Total suspended solids, total inorganic nitrogen, total phosphorus, soluble reactive phosphorus, acute toxicity, fecal coliform, total coliform, pH, and chemicals/potential pollutants expected to be present on the project site. In developing this list, consideration should be given to the chemicals and potential pollutants available for storm water to pick-up or transport to Receiving Waters, all pollutants for which a waterbody within the Permit Area that has been listed as impaired under CWA Section 303(d)), the category of development and the type of pollutants associated with that development category.

**Pollution Prevention** – Pollution prevention is defined as practices and processes that reduce or eliminate the generation of pollutants, in contrast to source control, treatment, or disposal.

**Post-Construction BMPs** – A subset of BMPs including structural and non-structural controls which detain, retain, filter, or educate to prevent the release of pollutants to surface waters during the final functional life of development.

**POTW** - Publicly owned treatment works

Preserve Area - Chino-Corona Agricultural Preserve Area

Principal Permittee - Riverside County Flood Control and Water Conservation District.

Rainy Season – October 1 through May 31<sup>st</sup> of each year.

**Receiving Water** – The Waters of the U.S. which includes both surface and ground waters.

**Receiving Water Limitations** – Waste discharge requirements issued by the SARWQCB typically include both: (1) "Effluent Limitations" (or "Discharge Limitations") that specify the technology-based or water-quality-based effluent limitations; and (2)

"Receiving Water Limitations" that specify the water quality objectives in the Basin Plan as well as any other limitations necessary to attain those objectives. In summary, the "Receiving Water Limitations" provision is the provision used to implement the requirement of CWA section 301(b)(1)(C) that NPDES permits must include any more stringent limitations necessary to meet water quality standards.

Receiving Waters - The rivers, streams, and lakes within the Permit Area

RCFC&WCD - Riverside County Flood Control and Water Conservation District

Regional Board - California Regional Water Quality Control Board, Santa Ana Region

Region - Santa Ana River Watershed

**ROWD** - Report of Waste Discharge, Application No. CAS 618033

**San Jacinto Watershed Construction Activities Permit** - Regional Board Order No. 01-34, adopted January 19, 2001

**Sediment** – Soil, sand, and minerals washed from land into water. Sediment resulting from anthropogenic sources (i.e. human induced land disturbance activities) is considered a pollutant. This Order regulates only the discharges of sediment from anthropogenic sources and does not regulate naturally occurring sources of sediment. Sediment can destroy fish-nesting areas, clog animal habitats, and cloud waters so that sunlight does not reach aquatic plants.

**Significant Redevelopment** - defined in Section VIII.B.1.a.

**Storm Water Ordinance** - The Storm Water/Urban Runoff Management and Discharge Control Ordinance adopted by each of the Co-Permittees

State Board - California Water Resources Control Board

**Storm Water** – "Storm water" is as defined urban runoff and snowmelt runoff consisting only of those discharges that originate from precipitation events. Storm water is that portion of precipitation that flows across a surface to the storm drain system or receiving waters. Examples of this phenomenon include: the water that flows off a building's roof when it rains (runoff from an impervious surface); the water that flows into streams when snow on the ground begins to melt (runoff from a semi-pervious surface); and the water that flows from a vegetated surface when rainfall is in excess of the rate at which it can infiltrate into the underlying soil (runoff from a pervious surface). When all factors are equal, runoff increases as the permeability of a surface decreases. During precipitation events in urban areas, rain water picks up and transports pollutants through storm water conveyance systems, and ultimately to waters of the United States.

**Toxicity** – Adverse responses of organisms to chemicals or physical agents ranging from mortality to physiological responses such as impaired reproduction or growth anomalies.

Order No. R8-2002-0011 (NPDES No. CAS 618033) Area-wide Urban Runoff Glossary

**Structural Controls –** Physical facilities or controls which may include secondary containment, treatment measures, (e.g. first flush diversion, detention/retention basins, and oil/grease separators), run-off controls (e.g., grass swales, infiltration trenches/basins, etc.), and engineering and design modification of existing structures. Additional examples are provided in Section 4 of Supplement A to the Riverside County Drainage Area Management Plan dated April 1996.

Subdivision Map Act - Section 65000 et seq. of the California Government Code

**Total Maximum Daily Load (TMDL)** – The TMDL is the maximum amount of a pollutant that can be discharged into a water body from all sources (point and non-point) and still maintain water quality standards. Under Clean Water Act Section 303(d), TMDLs must be developed for all water bodies that do not meet water quality standards after application of technology-based controls.

**Urban Runoff** – Urban runoff is defined as all flows in a storm water conveyance system and consists of the following components: (1) storm water (wet weather flows) and (2) non-storm water illicit discharges (dry weather flows).

**USEPA** - United States Environmental Protection Agency

**Waste** – As defined in California Water Code Section 13050(d), "waste includes sewage and any and all other waste substances, liquid, solid, gaseous, or radioactive, associated with human habitation, or of human or animal origin, or from any producing, manufacturing, or processing operation, including waste placed within containers of whatever nature prior to, and for purposes of, disposal."

Article 2 of CCR Title 23, Chapter 15 (Chapter 15) contains a waste classification system that applies to solid and semi-solid waste that cannot be discharged directly or indirectly to water of the state and which therefore must be discharged to land for treatment, storage, or disposal in accordance with Chapter 15. There are four classifications of waste (listed in order of highest to lowest threat to water quality): hazardous waste, designated waste, non-hazardous solid waste, and inert waste.

Water Code - California Water Code

Water Quality Objective – Numerical or narrative limits on constituents or characteristics of water designated to protect designated beneficial uses of the water. [California Water Code Section 13050 (h)] California's water quality objectives are established by the State/Regional Water Boards in the Water Quality Control Plans.

As stated in the Porter-Cologne Requirements for discharge (CWC 13263): "(Waste discharge) requirements shall implement any relevant water quality control plans that have been adopted, and shall take into consideration the beneficial uses to be protected, the water objectives reasonably required for that purpose, other waste discharges, the need to prevent nuisance, and the provisions of Section 13241."

Numeric or narrative limits for pollutants or characteristics of water designed to protect the beneficial uses of the water. In other words, a water quality objective is the maximum concentration of a pollutant that can exist in a Receiving Water and still generally ensure that the beneficial uses of the Receiving Water remain protected (i.e., not impaired). Since water quality objectives are designed specifically to protect the beneficial uses, when the objectives are violated the beneficial uses are, by definition, no

longer protected and become impaired. This is a fundamental concept under the Porter Cologne Act. Equally fundamental is Porter Cologne's definition of pollution. A condition of <u>pollution</u> exists when the water quality needed to support designated beneficial uses has become unreasonably affected or impaired; in other words, when the water quality objectives have been violated. These underlying definitions (regarding beneficial use protection) are the reason why all waste discharge requirements implementing the federal NPDES regulations require compliance with water quality objectives. (Water quality objectives are also called water quality criteria in the Clean Water Act.)

**WQMP** – Water Quality Management Plan as discussed in Section VIII.B. in the Order.

**Water Quality Standards** – are defined as the beneficial uses (e.g., swimming, fishing, municipal drinking water supply, etc.,) of water and the water quality objectives necessary to protect those uses.

Waters of the United States – Waters of the United States can be broadly defined as navigable surface waters and all tributary surface waters to navigable surface waters. Groundwater is not considered to be a Waters of the United States. As defined in 40 CFR 122.2, the Waters of the U.S. are defined as: (a) All waters, which are currently used, were used in the past, or may be susceptible to use in interstate or foreign commerce, including all waters which are subject to the ebb and flow of the tide; (b) All interstate waters, including interstate "wetlands;" (c) All other waters such as intrastate lakes, rivers, streams (including intermittent streams), mudflats, sandflats, "wetlands," sloughs, prairie potholes, wet meadows, playa lakes, or natural ponds the use, degradation or destruction of which would affect or could affect interstate or foreign commerce including any such waters: (1) Which are or could be used by interstate or foreign travelers for recreational or other purposes; (2) From which fish or shellfish are or could be taken and sold in interstate or foreign commerce; or (3) Which are used or could be used for industrial purposes by industries in interstate commerce; (d) All impoundments of waters otherwise defined as waters of the United States under this definition: (e) Tributaries of waters identified in paragraphs (a) through (d) of this definition; (f) The territorial seas; and (g) "Wetlands" adjacent to waters (other than waters that are themselves wetlands) identified in paragraphs (a) through (f) of this Waters of the United States do not include prior converted cropland. Notwithstanding the determination of an area's status as prior converted cropland by any other federal agency, for the purposes of the Clean Water Act, the final authority regarding Clean Water Act jurisdiction remains with the EPA.

**Watershed** – That geographical area which drains to a specified point on a watercourse, usually a confluence of streams or rivers (also known as drainage area, catchments, or river basin).

**WLA** - Waste load allocations



Protection

# California Regional Water Quality Control Board

## Santa Ana Region



Internet Address: http://www.swrcb.ca.gov/rwqcb8 3737 Main Street, Suite 500, Riverside, California 92501-3348 Phone (909) 782-4130 - FAX (909) 781-6288

Gray Davis
Governor

The energy challenge facing California is real. Every Californian needs to take immediate action to reduce energy consumption. For a list of simple ways you can reduce demand and cut your energy costs, see our website at www.swrcb.ca.gov/rwqcb8.

August 23, 2002

Mr. David Zappe, Chief Engineer Riverside County Flood Control and Water Conservation District 1995 Market Street Riverside, CA 92501

RENEWAL OF WASTE DISCHARGE REQUIREMENTS FOR THE RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT, THE COUNTY OF RIVERSIDE, AND THE INCORPORATED CITIES OF RIVERSIDE COUNTY, TENTATIVE ORDER NO. R8-2002-0011, NPDES NO. CAS618033, AREAWIDE URBAN STORM WATER RUNOFF

Dear Mr. Zappe:

Enclosed is a copy of the August 23, 2002 draft of Order No. R8-2002-0011, NPDES No. CAS 618033. This Order contains revised waste discharge requirements for the discharge of urban storm water runoff from areas of Riverside County within the Santa Ana Region. A second public workshop to receive comments on this Order will be held during the Regional Board meeting on September 6, 2002 at the Loma Linda City Council Chambers, located at 25541 Barton Road, in Loma Linda, California. A copy of the Board meeting agenda is also enclosed.

Order No. R8-2002-0011 is scheduled for consideration by the Regional Board during the October 25, 2002 meeting, which will be held at the City Council Chambers of Corona, 815 W. Sixth Street, Corona, California. Although all comments that are provided up to and during the public hearing on this matter will be considered, receipt of comments by September 20, 2002 would be appreciated so that they can be considered in the formulation of the final draft. We will also post written response to comments received up to and including September 20, 2002 on our website. If any significant changes are made to the Order, it would be posted on our website by September 25, 2002. To view and/or download all information related to this Order, please access our website at <a href="http://www.swrcb.ca.gov/rwqcb8/html/riverside permit.htm">http://www.swrcb.ca.gov/rwqcb8/html/riverside permit.htm</a>.

-2-

If you have any questions, please call me at (909) 782-3238, Milasol Gaslan at (909) 782-4419, or Keith Elliott at (909) 782-4925.

Sincerely,

Michael J. Adackapara Division Chief

Enclosures: Mailing List, September 6, 2002 Board Meeting Agenda, Fact Sheet, and Tentative Order No. R8-2002-011

Cc/w enclosures: Permittees Mailing List, Mailing List for Riverside County MS4

# MAILING LIST FOR RIVERSIDE COUNTY'S MS4 PERMIT ORDER NO. R8-2002-0011

(\* indicates that the document was sent by e-mail only)

#### Government Agencies

- U.S. Army Corps of Engineers- Upland /Los Angeles District, Permits Section Mark Durham
- U.S. Department of Agriculture Forest Services, San Bernardino County National Forest
- U.S. Department of Air Force Reserves, March Air Force Base, Special Districts Ms. Yung Nguyen
- U.S. Environmental Protection Agency Robert Wills, Steve Fuller, Eugene Bromley, Jeremy Johnstone (W-5-2)
- U.S. Fish & Wildlife Service- Carlsbad
- \*State Water Resources Control Board Ted Cobb/Jorge Leon (JLeon@exec.swrcb.ca.gov), Office of the Chief Counsel
- \*State Water Resources Control Board John Youngerman/Bruce Fujimoto (FUJIB@dwq.swrcb.ca.gov), Div. of Water Quality
- \*State Department of Water Resources Glendale

California EPA - Bill Vance

- \*California Regional Water Quality Control Board, North Coast Region (1) John Short (ShorJ@rb1.swrcb.ca.gov)
- \*California Regional Water Quality Control Board, San Francisco Bay Region (2) Dale Bowyer (DCB@rb2.swrcb.ca.gov)
- \*California Regional Water Quality Control Board, Central Coast Region (3) Jennifer Bitting (Jbitting@rb3.swrcb.ca.gov)
- \*California Regional Water Quality Control Board, Los Angeles Region (4) Wendy Phillips (WPHILLIP@rb4.swrcb.ca.gov)
- \*California Regional Water Quality Control Board, Central Valley Region (5S) George D. Day (DayG@rb5s.swrcb.ca.gov) / Dani Berchtold
- \*California Regional Water Quality Control Board, Central Valley Region (5R), Redding Carole Crowe (CROWEC@rb5r.swrcb.ca.gov)
- \*California Regional Water Quality Control Board, Central Valley Region (5F), Fresno Jarma Bennett (bennj@dwq.swrcb.ca.gov)
- \*California Regional Water Quality Control Board, Lahontan Region (6SLT), South Lake Tahoe Mary Fiore-Wagner (MFWagner@rb6s.swrcb.ca.gov)
- \*California Regional Water Quality Control Board, Lahontan Region (6V), Victorville Gene Rodash / Cindi Mitton (cmitton@rb6v.swrcb.ca.gov)
- \*California Regional Water Quality Control Board, Colorado River Basin Region (7) Abdi Haile (haila@rb7.swrcb.ca.gov) /Pat Garcia (garcp@rb7.swrcb.ca.gov)
  - \*California Regional Water Quality Control Board, San Diego Region (9) Bob Morris (morrb@rb9.swrcb.ca.gov) / Dave Gibson (gibsd@rb9.swrcb.ca.gov) / Elizabeth Lair
- \*California Department of Health Services, Division of Commercial Disease Control, Vector-Borne Disease Section Charles Myers/Marco Metzger
- \*Caltrans, District 8, San Bernardino Paul Lambert (Paul Lambert@dot.ca.gov)
- \*Caltrans District 11, San Diego- Sayra Ramos (Sayra Ramos@dot.ca.gov)
- \*Caltrans, Legal Division Los Angeles, Bill Evans (Bill Evans@dot.ca.gov)

California Department of Fish and Game - Long Beach

California Department of Health Services - San Bernardino, Santa Ana, San Diego, Sacramento

California Department of Parks and Recreation-Henry R. Agonia/Don Ito

California Department of Parks and Recreation - Chino Hills State Park-Ron Krueper

Inland Valley Development Agency, San Bernardino International Trade Center and Airport

Orange County Environmental Management Agency, Environmental Resource Div.- John Watkins

Orange County Health Care Agency- Karen Hodel

\*Riverside County Executive Office- Katherine Gifford

Riverside County Health Department- Gary Root

Riverside County, Department of Public Health, Vector Control Program – Michael Hillig

San Bernardino County Environmental Health Services – Dan Avera

San Bernardino County Dept. Public Health, Vector Control – Wakoli Wekesa

San Bernardino County Dept. Public Works – Ken Miller

South Coast Air Quality Management District, Diamond Bar – James Lents

- \* City of Beaumont- John Wilder
- \* City of Calimesa- Elroy Kiepke
- \* City of Canyon Lake- Jack Wamsley, Del Powers
- \* City of Corona- Steve Powers, Cynthia Gabaldon
- \*City of Hemet- Linda Nixon
- \* City of Lake Elsinore- Ray O'Donnell
- \* City of Moreno Valley- Kent Wegelin
- \*City of Murietta- James Miller
- \* City of Norco- Mrs. Lori Askew
- \* City of Perris- Michael Morales
- \*City of Riverside, Public Works- Sandy Caldwell
- \* City of San Jacinto- Chauncey Cummings
- \* City of Temecula- John Pourkazemi

Elsinore, Murrieta, Anza Resource Conservation District – Robert Wheeler

Mission Resource Conservation District – Judy Mitchell

\* Riverside-Corona Resource Conservation District - Shelli Lamb

#### Hospitals (Administrator)

Corona Community Hospital

Kaiser Foundation Hospital – Riverside

Riverside Community Hospital

Riverside General Hospital

#### Railroads

AT&SF Railway Company

Burlington Northern

Southern Pacific Railroad Company

#### School Districts (Superintendent)

Alvord Unified School District

Corona-Norco Unified School District

Hemet Unified School District

Lake Elsinore Unified School District

Menifee Union School District

Moreno Valley Unified School District

Nuview Union School District

Perris Elementary School District

Perris Union High School District

Riverside Unified School District

Romoland School District

San Jacinto Unified School District

Val Verde School District

#### **Environmental Organizations**

- \*Defend the Bay Bob Caustin
- \*Heal the Bay Garry Brown
- \*Lawyers for Clean Water Daniel Cooper
- \*Lawyers for Clean Water Kim Lewland

Natural Resources Defense Council (NRDC) – David Beckman

NOAA, National Marine Fisheries Service

Sierra Club - San Gorgornio Chapter

Construction Industry Coalition on Water Quality - Michael Lewis

Western States Petroleum Association - Ronald R. Wilkniss

San Diego Bay Keeper - Ken Moser

#### Newspapers

\*Los Angeles Times – Seema Metha Press Enterprise – Jennifer Bowels, Doug Boeman Orange County Register – Pat Brennan

#### Universities and Colleges (Chancellor)

Mt. San Jacinto College

Riverside Community College, Norco, Moreno Valley, Riverside

University of California, Riverside

La Sierra University - Charles Nelson

California Baptist University

#### Major Water/ Wastewater Agencies

- \*Metropolitan Water District Ed Means, Joyce Clark
- \* Orange County Public Facilities & Resources Department Chris Crompton/Karen Ashby
- \*Riverside County Flood Control & Water Conservation District Steve Stump/Tom Rheiner
- \*Santa Ana Watershed Project Authority Neil Cline, Wayne Holcomb

Eastern Municipal Water District- Bill Plummer, Chantal Stapleton, Anthony Pack, Michael Garner

East Valley Water District – Robert Martin

Elsinore Valley Municipal Water District- James Laughlin

Inland Empire Utilities Agency – General Manager

Monte Vista Water District – General Manager

Orange County Water District- Bill Mills

Western Municipal Water District- Don Harringer/Barbara Gallart

#### **Transportation**

Metrolink (Corona, La Sierra, Pedley, Riverside) – Los Angeles San Bernardino Transportation/ Flood Control District – Naresh Varma Orange Empire Railroad Museum

#### Other

United States Postal Service - Riverside

- \*Building Industry Association Tim Piasky/David Smith
- \*Latham & Watkins Paul Singarella
- \*Best, Best, and Krieger Anne Thomas

Southern California Association of Governments, Los Angeles - Don Griset

MDMG, Inc – Larry Markham

Richard Watson and Associates - Richard Watson

Engineer's Association - Phil Wray

Star Wash – Chad Reynolds

Riverside Municipal Museum

March Field Museum

Manatt, Phelps & Phelps, LLP- Christine Diemer Iger, Esq.

Sempra Energy – G. Scott Koken

\* URS Corporation – Robert Collacott

URS Corporation – Anthony Colera